Safety Data Sheet acc. to OSHA HCS

Version number 8

Printing date 12/11/2018



Reviewed on 12/11/2018

1 Identification

- · Product identifier
- Trade name: <u>A39362 Aerospace SEM Soap</u>
- Article number: A39362
- · Application of the substance / the mixture Surface cleaning
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

• Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void

· Signal word Warning

· Hazard statements

H227 Combustible liquid.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1REACTIVITY0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



SEM

Printing date 12/11/2018

Version number 8

Reviewed on 12/11/2018

Trade name: A39362 Aerospace SEM Soap

(Contd. of page 1)

1.5-5%

1.5-5%

1-1.5%

		1 •	,• /•	C /		• 1	• ,
<		ownoor	101/11/	towww.at	010 010	1 WOWOOD	LOWIC
· .	~	'omposi					

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components. Weight percentages

· Dangerous components:

67-63-0 propan-2-ol

53320-86-8 CLAY

8052-48-0 TALLOW SOAP

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)

USA



Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

Version number 8

Reviewed on 12/11/2018

Trade name: A39362 Aerospace SEM Soap

· Protective Action Criteria for Chemicals	(Contd. of page 2)
· PAC-1:	
67-63-0 propan-2-ol	400 ppm
· PAC-2:	
67-63-0 propan-2-ol	2000* ppm
· PAC-3:	
67-63-0 propan-2-ol	12000** ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- No special measures required.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-63-0 propan-2-ol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- *TLV* Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

• *Additional information:* The lists that were valid during the creation were used as basis.

(Contd. on page 4)

USA

Printing date 12/11/2018

Version number 8



Reviewed on 12/11/2018

Trade name: A39362 Aerospace SEM Soap

(Contd. of page 3)

Page 4/8

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	chemical properties		
Appearance:			
Form:	Liquid		
Color:	According to product specification		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	100 °C		
Flash point:	63 °C		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure at 20 °C:	23 hPa		
Density at 20 °C:	1.01354 g/cm ³		

Printing date 12/11/2018

Version number 8

Raviawad on 12/11/

Trade name: A39362 Aerospace SEM Soap

		(Contd. of page 4
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	2.4 %	
Water:	93.2 %	
VOC content:	2.37 %	
	24.9 g/l / 0.21 lb/gal	
Solids content:	4.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
67-63-0	propan-2-ol	3
1332-09-8	SILICA AMORPHOUS	GROUP 3
· NTP (Nati	onal Toxicology Program)	
None of th	e ingredients is listed.	
		(Contd. on page 6)

Page 5/8

Reviewed on 12/11/2018



Printing date 12/11/2018

acc. to OSHA HCS Version number 8

Safety Data Sheet

Reviewed on 12/11/2018

Trade name: A39362 Aerospace SEM Soap

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Page 6/8



(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

Version number 8

Reviewed on 12/11/2018

Trade name: A39362 Aerospace SEM Soap

· UN "Model Regulation":

Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara • Section 355 (extremely hazardous substances):

7601-54-9 trisodium phosphate

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

7601-54-9 trisodium phosphate

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* Void

· Signal word Warning

· Hazard statements

H227 Combustible liquid.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

USA

A4

Safety Data Sheet acc. to OSHA HCS

Version number 8



Reviewed on 12/11/2018

Printing date 12/11/2018

Trade name: A39362 Aerospace SEM Soap

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- Date of preparation / last revision 12/11/2018 / 7

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4 • * Data compared to the previous version altered.