

SAFETY DATA SHEET

Issuing Date 30-Oct-2009 Revision Date 14-Oct-2016 Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Mothers Professional Heavy Duty Rubbing Compound

Other means of identification

Product Code(s) 81232, 81238, 81255

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

Supplier Address

MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive Huntington Beach, CA 92649

TEL: 714-891-3364 FAX: 714-893-1827

Emergency telephone number

Emergency Telephone

Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Not classified

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word None

Appearance White. Physical State Liquid. Odor Naphthalenic

Precautionary Statements

Prevention

None

General Advice
• None

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. 36.1% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	10-25	*
Aluminum oxide	1344-28-1	< 15	*
Paraffinic, naphthenic solvent	64742-47-8	< 10	*
Glycerol	56-81-5	< 10	*
Aluminum nitrate nonahydrate	7784-27-2	< 10	*
White mineral oil	8042-47-5	< 10	*
Paraffin oils	8012-95-1	< 10	*
Calcined kaolin clay	66402-68-4	< 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Get

medical attention.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Irritation. May cause allergic skin reaction. Central nervous system depression.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

None in particular

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes. Ensure trained personnel conduct clean up. Refer to Section 8 for

personal protective equipment.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpDam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly.

Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a cool, well-ventilated place.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide	TWA: 1 mg/m ³ respirable fraction	TWA: 15 mg/m³ total dust	-
1344-28-1		TWA: 5 mg/m³ respirable fraction	
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m³ mist,	
		respirable fraction	
Aluminum nitrate nonahydrate	-	(vacated) TWA: 2 mg/m³ Al	TWA: 2 mg/m³ Al
7784-27-2		Aluminum	

Paraffin oils 8012-95-1	TWA: 5 mg/m³ inhalable fraction excluding metal working fluids, highly & severely refined	-	-
White mineral oil 8042-47-5	TWA: 5 mg/m³ inhalable fraction excluding metal working fluids, highly & severely refined	TWA: 5 mg/m³ (vacated) TWA: 5 mg/m³	IDLH: 2500 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³
Calcined kaolin clay 66402-68-4	STEL: 10 mg/m³ Zr TWA: 5 mg/m³ Zr TWA: 0.2 mg/m³ Mn	TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr	TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Safety glasses with side-shields. **Eye/Face Protection**

Skin and Body Protection Protective gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

White. **Physical State** Liquid. **Appearance**

Odor Naphthalenic Odor Threshold No information available.

Property Values Remarks/ - Method 8-9 None known Hq Melting Point/Range No information available. None known **Boiling Point/Boiling Range** 114 °C None known > 105 °C / > 221.3 °F **Flash Point** None known

Evaporation rate No data available No information None known available.

Flammability (solid, gas) No data available None known

Flammability Limits in Air No data available upper flammability limit lower flammability limit No data available

Vapor Pressure No data available None known Vapor Density No data available None known **Specific Gravity** 1.0000-1.1000 None known **Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** 23000-27000 cps None known

Not flammable Flammable Properties

Explosive Properties No data available **Oxidizing Properties** No data available

Other information

VOC Content (%) < 17

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo known effect. Avoid breathing vapors or mists. Inhalation of mist may cause irritation to

the respiratory system.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Prolonged or repeated contact may cause skin dryness or cracking. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons.

Ingestion No known effect.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Solvent naphtha (petroleum), medium aliphatic	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat)4 h
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
Paraffinic, naphthenic solvent	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Glycerol	= 12600 mg/kg (Rat)	21900 mg/kg (Rat)	-
Aluminum nitrate nonahydrate	= 3671 mg/kg (Rat)	-	-
White mineral oil	> 5000 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Allergic skin reactions or irritation. Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause sensitization of susceptible persons.

Mutagenic Effects No information available.

Carcinogenicity IARC has classified ingested nitrate and nitrite ions as Group 2A carcinogens, for which

food and water are the major pathways of human exposure. Individual nitrate and nitrite compounds were not evaulated individually. Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Aluminum nitrate nonahydrate		Group 2A		Х
White mineral oil	A2			
Paraffin oils	A2	Group 1 Group 3		Х
Calcined kaolin clay				X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3: Not Classifiable as to its Carcinogenicity to Humans OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons.

Target Organ Effects Respiratory system. Eyes. Skin.

Aspiration Hazard Based on product level data, this product does not meet the requirement to be classified as

an aspiration hazard. However, this product contains an ingredient that may cause

aspiration if swallowed.

Numerical measures of toxicity - Product

Acute Toxicity 36.1% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 101629 mg/kg; Acute toxicity estimate **LD50 Dermal** 11270 mg/kg; Acute toxicity estimate

Inhalation

dust/mist 23.5 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Solvent naphtha (petroleum), medium aliphatic 64742-88-7	EC50 96 h: = 450 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 800 mg/L static (Pimephales promelas)		EC50 48 h: > 100 mg/L (Daphnia magna)
Paraffinic, naphthenic solvent 64742-47-8		LC50: 45 mg/L Pimephales promelas 96 h flow-through LC50: 2.2 mg/L Lepomis macrochirus 96 h static LC50: 2.4 mg/L Oncorhynchus mykiss 96 h static		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)
Glycerol 56-81-5	-	LC50: 51-57 ml/L Oncorhynchus mykiss 96 h static	-	EC50 24 h: > 500 mg/L (Daphnia magna)
White mineral oil 8042-47-5		LC50 96 h: > 10000 mg/L (Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Glycerol	-1.76
White mineral oil	6.006

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to state and Federal

regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste pursuant to Federal regulations, and the applicable state requirements for the specific area of disposal. Consult

the appropriate state, regional, or local regulations for additional requirements

Contaminated Packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies
NDSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Aluminum oxide	1344-28-1	< 15	1.0
Aluminum nitrate nonahydrate	7784-27-2	< 10	1.0
Calcined kaolin clay	66402-68-4	< 1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined kaolin clay		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Solvent naphtha (petroleum), medium aliphatic	Х				
Aluminum oxide	X	X	X		Х
Glycerol	X	X	X	-	X
Aluminum nitrate nonahydrate			Х		
Paraffin oils	X	X	X		Х
White mineral oil	X	X	X		X
Calcined kaolin clay			X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards N/A	
<u>HMIS</u>	Health Hazard 1*	Flammability 0	Physical Hazard 0	Personal Protection B	

^{*}Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 30-Oct-2009

Issuing Date30-Oct-2009Revision Date14-Oct-2016Revision NoteUpdated.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet