

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 1

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1500	Phantom White		
1554	TINTING WHITE	392.1	784.2
1559	YELLOW OXIDE	437.7	875.5
1501	LANDAU BLACK	442.6	885.2
1550	RED OXIDE	445.7	891.4

1506	BURGUNDY		
1552	FAST RED	189.0	377.9
1550	RED OXIDE	342.9	685.7
1553	FAST BLUE	399.0	798.0
1559	YELLOW OXIDE	407.7	815.5

1501	LANDAU BLACK	Chrysler Motors	X9
1501	LANDAU BLACK	405.1	810.2

1507	SEA MOSS		
1559	YELLOW OXIDE	250.6	501.2
1501	LANDAU BLACK	355.0	710.0
1556	FAST GREEN	392.0	783.9
1554	TINTING WHITE	411.3	822.5

1501	LANDAU BLACK	General Motors	WA848
1501	LANDAU BLACK	405.1	810.2

1508	SILVER		
1508	SILVER	408.9	817.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1502	Cordovan Brown		
1550	RED OXIDE	114.8	229.7
1559	YELLOW OXIDE	225.0	450.1
1501	LANDAU BLACK	338.0	675.9
1302	LOW LUSTER CLEAR	409.1	818.2

1509	Light Buckskin		
1554	TINTING WHITE	254.7	509.5
1559	YELLOW OXIDE	408.8	817.7
1550	RED OXIDE	431.4	862.9
1501	LANDAU BLACK	437.9	875.8

1503	SADDLE TAN		
1559	YELLOW OXIDE	243.3	486.6
1554	TINTING WHITE	327.6	655.1
1550	RED OXIDE	386.8	773.7
1501	LANDAU BLACK	417.3	834.7

1510	SUPER WHITE		
1554	TINTING WHITE	410.8	821.6
1559	YELLOW OXIDE	428.3	856.5
1550	RED OXIDE	433.7	867.4
1556	FAST GREEN	435.9	871.7

1504	SHADOW BLUE		
1553	FAST BLUE	180.7	361.4
1501	LANDAU BLACK	354.1	708.1
1554	TINTING WHITE	405.8	811.7

1511	FIRETHORN RED		
1550	RED OXIDE	290.0	580.1
1552	FAST RED	406.9	813.8
1554	TINTING WHITE	411.4	822.9

1505	Granite		
1554	TINTING WHITE	154.7	309.4
1302	LOW LUSTER CLEAR	297.4	594.8
1501	LANDAU BLACK	382.3	764.6
1550	RED OXIDE	415.0	830.0
1559	YELLOW OXIDE	426.3	852.6

1512	SANTA FE		
1554	TINTING WHITE	326.8	653.6
1559	YELLOW OXIDE	420.0	840.0
1550	RED OXIDE	426.8	853.7
1501	LANDAU BLACK	431.1	862.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 2

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1513	WEDGEWOOD BLU		
1554	TINTING WHITE	305.8	611.6
1553	FAST BLUE	378.8	757.5
1501	LANDAU BLACK	422.0	844.0
1552	FAST RED	424.1	848.2

1545	Gloss White		
1554	TINTING WHITE	286.5	572.9
1300	HIGH GLOSS CLEAR	431.7	863.3
1559	YELLOW OXIDE	433.6	867.2
1501	LANDAU BLACK	435.3	870.6
1558	BRITE RED	435.6	871.2

1514	YELLOW GOLD		
1554	TINTING WHITE	275.6	551.2
1559	YELLOW OXIDE	417.6	835.2
1550	RED OXIDE	423.6	847.2
1556	FAST GREEN	428.4	856.7

1547	Thomas Bus Green		
1559	YELLOW OXIDE	162.4	324.9
1501	LANDAU BLACK	287.7	575.5
1556	FAST GREEN	371.3	742.5
1554	TINTING WHITE	421.9	843.8
1400	DISREGARD	421.9	843.8

1515	MOCHA COFFEE		
1550	RED OXIDE	191.0	381.9
1559	YELLOW OXIDE	330.7	661.4
1501	LANDAU BLACK	395.6	791.2
1554	TINTING WHITE	413.3	826.7

1575	Light Oak		
1302	LOW LUSTER CLEAR	167.3	334.6
1559	YELLOW OXIDE	291.9	583.9
1554	TINTING WHITE	393.3	786.6
1550	RED OXIDE	414.6	829.1
1501	LANDAU BLACK	424.0	848.1

1521	Dk. Blue Mist		
1501	LANDAU BLACK	168.8	337.7
1554	TINTING WHITE	330.4	660.8
1302	LOW LUSTER CLEAR	386.0	772.1
1553	FAST BLUE	426.5	852.9

1601	DK BLUE MET	General Motors	29T
1553	FAST BLUE	174.1	348.3
1501	LANDAU BLACK	298.4	596.8
1508	SILVER	378.4	756.8
1551	FAST YELLOW	403.2	806.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1523	Gloss Black		
1300	HIGH GLOSS CLEAR	275.3	550.6
1501	LANDAU BLACK	412.8	825.5

1602	DK BLUE GREEN	General Motors	32T
1559	YELLOW OXIDE	206.1	412.1
1553	FAST BLUE	329.1	658.2
1501	LANDAU BLACK	390.9	781.9
1554	TINTING WHITE	409.6	819.3

1524	Satin Black		
1501	LANDAU BLACK	207.1	414.2
1301	SATIN GLOSS CLEAR	414.2	828.4

1603	DK BLUE MET	General Motors	35T
1553	FAST BLUE	265.4	530.9
1508	SILVER	327.8	655.5
1501	LANDAU BLACK	378.9	757.7
1551	FAST YELLOW	403.8	807.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1537	Flame Red		
1558	BRITE RED	251.2	502.5
1552	FAST RED	310.9	621.9
1302	LOW LUSTER CLEAR	363.6	727.3
1551	FAST YELLOW	403.6	807.2

1604	IVORY	General Motors	52T
1554	TINTING WHITE	357.5	715.0
1559	YELLOW OXIDE	426.0	852.0
1556	FAST GREEN	429.6	859.2
1501	LANDAU BLACK	432.8	865.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 3

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
1605	BUCKSKIN	General Motors		64T	1612	DK BLUE GREEN	General Motors		32
1559	YELLOW OXIDE	241.8	483.6		1556	FAST GREEN	282.9	565.8	
1554	TINTING WHITE	382.0	764.0		1559	YELLOW OXIDE	340.8	681.5	
1550	RED OXIDE	411.1	822.1		1501	LANDAU BLACK	388.2	776.3	
1501	LANDAU BLACK	420.8	841.5		1554	TINTING WHITE	406.9	813.8	
1606	DK BROWN MET	General Motors		69T	1613	MIDNIGHT LIME	General Motors		47
1501	LANDAU BLACK	110.8	221.5		1559	YELLOW OXIDE	253.7	507.3	
1551	FAST YELLOW	219.7	439.5		1556	FAST GREEN	330.2	660.4	
1552	FAST RED	327.8	655.7		1554	TINTING WHITE	384.0	768.0	
1508	SILVER	405.2	810.4		1501	LANDAU BLACK	413.8	827.6	
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR									
1607	SILVER BLUE MET	General Motors		92T	1614	LT IVORY GOLD	General Motors		53
1508	SILVER	348.0	696.0		1559	YELLOW OXIDE	223.1	446.1	
1553	FAST BLUE	387.5	775.0		1554	TINTING WHITE	404.2	808.5	
1554	TINTING WHITE	405.2	810.4		1501	LANDAU BLACK	416.5	833.0	
1501	LANDAU BLACK	409.3	818.5		1556	FAST GREEN	422.8	845.7	
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR									
1608	DK GRAY	General Motors		14	1615	DK IVORY GOLD	General Motors		53
1501	LANDAU BLACK	194.1	388.2		1559	YELLOW OXIDE	293.0	586.0	
1554	TINTING WHITE	325.7	651.3		1554	TINTING WHITE	377.2	754.5	
1559	YELLOW OXIDE	394.4	788.9		1501	LANDAU BLACK	415.4	830.9	
1550	RED OXIDE	416.7	833.3		1556	FAST GREEN	417.1	834.1	
1609	LT SMOKE GRAY	General Motors		15	1616	DK YELLOW GOLD	General Motors		54
1554	TINTING WHITE	348.9	697.9		1559	YELLOW OXIDE	357.7	715.4	
1559	YELLOW OXIDE	397.3	794.6		1554	TINTING WHITE	400.3	800.7	
1501	LANDAU BLACK	428.8	857.7		1501	LANDAU BLACK	411.4	822.9	
1550	RED OXIDE	431.9	863.7		1556	FAST GREEN	415.2	830.5	
1610	LT BLUE	General Motors		24	1617	BUCKSKIN	General Motors		64
1554	TINTING WHITE	322.0	643.9		1559	YELLOW OXIDE	217.9	435.9	
1501	LANDAU BLACK	372.5	745.0		1554	TINTING WHITE	383.9	767.8	
1553	FAST BLUE	405.9	811.9		1550	RED OXIDE	412.0	824.0	
1559	YELLOW OXIDE	429.1	858.2		1501	LANDAU BLACK	422.3	844.6	
1611	DK BLUE	General Motors		26	1618	DK SADDLE	General Motors		64
1554	TINTING WHITE	214.8	429.6		1559	YELLOW OXIDE	240.0	479.9	
1501	LANDAU BLACK	307.1	614.3		1550	RED OXIDE	337.0	673.9	
1553	FAST BLUE	366.9	733.8		1554	TINTING WHITE	376.8	753.5	
1559	YELLOW OXIDE	421.6	843.2		1501	LANDAU BLACK	414.9	829.7	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 4

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	LT BLUE MET	General Motors	22T
1508	SILVER	302.1	604.2
1553	FAST BLUE	379.0	757.9
1501	LANDAU BLACK	399.2	798.4
1556	FAST GREEN	407.3	814.5

	BUCKSKIN MET	General Motors	95T
1508	SILVER	215.0	430.0
1551	FAST YELLOW	317.4	634.8
1552	FAST RED	405.2	810.4
1501	LANDAU BLACK	406.6	813.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MED GREEN MET	General Motors	44T
1508	SILVER	269.7	539.4
1553	FAST BLUE	337.9	675.8
1551	FAST YELLOW	381.0	761.9
1501	LANDAU BLACK	397.0	794.0
1554	TINTING WHITE	407.1	814.2

	LT ORANGE MET	General Motors	96T
1552	FAST RED	212.4	424.8
1508	SILVER	308.2	616.4
1551	FAST YELLOW	394.8	789.6
1501	LANDAU BLACK	400.1	800.3
1554	TINTING WHITE	405.5	810.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	YELLOW	General Motors	50T
1554	TINTING WHITE	365.4	730.7
1551	FAST YELLOW	428.0	856.0
1501	LANDAU BLACK	432.0	863.9

	DK RED MET	General Motors	98T
1552	FAST RED	356.6	713.3
1508	SILVER	378.7	757.3
1553	FAST BLUE	388.6	777.3
1551	FAST YELLOW	398.6	797.2
1554	TINTING WHITE	404.6	809.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	GOLD MET	General Motors	58T
1508	SILVER	306.4	612.8
1551	FAST YELLOW	407.6	815.3

	DK AQUA	General Motors	03
1553	FAST BLUE	203.2	406.4
1554	TINTING WHITE	289.1	578.2
1551	FAST YELLOW	336.3	672.6
1552	FAST RED	379.6	759.2
1556	FAST GREEN	409.8	819.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT BEIGE	General Motors	62T
1554	TINTING WHITE	348.5	696.9
1559	YELLOW OXIDE	415.1	830.1
1550	RED OXIDE	431.1	862.2
1501	LANDAU BLACK	432.4	864.9

	Dark Aqua	General Motors	3
1553	FAST BLUE	247.8	495.6
1554	TINTING WHITE	350.7	701.4
1551	FAST YELLOW	411.9	823.7
1501	LANDAU BLACK	421.0	841.9

	CLARET	General Motors	79T
1552	FAST RED	276.5	553.1
1501	LANDAU BLACK	349.8	699.6
1550	RED OXIDE	401.6	803.1
1554	TINTING WHITE	405.7	811.5

	DK SAGE GREEN	General Motors	44
1559	YELLOW OXIDE	221.7	443.5
1554	TINTING WHITE	316.4	632.7
1553	FAST BLUE	378.0	756.0
1550	RED OXIDE	416.8	833.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	SILVER BLUE MET	General Motors	90T
1508	SILVER	177.0	354.0
1553	FAST BLUE	327.3	654.6
1552	FAST RED	383.2	766.5
1551	FAST YELLOW	398.8	797.6
1554	TINTING WHITE	406.1	812.3

	LT YELLOW GOLD	General Motors	54
1554	TINTING WHITE	262.9	525.7
1559	YELLOW OXIDE	352.7	705.5
1551	FAST YELLOW	420.5	840.9
1501	LANDAU BLACK	426.0	852.0

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 5

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
1632	LT BUCKSKIN	General Motors		61	1639	CAMEL BEIGE	General Motors		61T
1559	YELLOW OXIDE	240.0	479.9		1554	TINTING WHITE	313.4	626.8	
1554	TINTING WHITE	376.6	753.2		1559	YELLOW OXIDE	424.0	848.0	
1550	RED OXIDE	411.9	823.8		1552	FAST RED	430.0	859.9	
1501	LANDAU BLACK	420.8	841.5		1501	LANDAU BLACK	430.4	860.7	
1633	DK SADDLE	General Motors		65	1640	LT BEIGE	General Motors		62T
1559	YELLOW OXIDE	273.1	546.3		1554	TINTING WHITE	283.8	567.5	
1550	RED OXIDE	354.0	707.9		1559	YELLOW OXIDE	383.9	767.8	
1554	TINTING WHITE	385.5	771.0		1550	RED OXIDE	422.4	844.7	
1501	LANDAU BLACK	414.5	829.0		1501	LANDAU BLACK	428.8	857.7	
1634	MED SAFFRON	General Motors		67	1642	DK CAMEL MET	General Motors		69T
1550	RED OXIDE	228.5	457.0		1552	FAST RED	178.8	357.6	
1559	YELLOW OXIDE	388.3	776.5		1551	FAST YELLOW	316.8	633.7	
1554	TINTING WHITE	410.8	821.6		1508	SILVER	376.4	752.8	
1501	LANDAU BLACK	415.0	829.9		1501	LANDAU BLACK	404.8	809.6	
1635	DK CRIMSON	General Motors		73	1643	MULBERRY MET	General Motors		74T
1552	FAST RED	295.4	590.7		1552	FAST RED	323.8	647.5	
1559	YELLOW OXIDE	397.9	795.7		1551	FAST YELLOW	363.0	726.0	
1554	TINTING WHITE	406.0	812.1		1508	SILVER	387.2	774.4	
1501	LANDAU BLACK	406.9	813.8		1553	FAST BLUE	404.2	808.5	
1636	DK CLARET	General Motors		79	1644	DK CARMINE MET	General Motors		79T
1552	FAST RED	252.7	505.4		1552	FAST RED	227.5	455.1	
1501	LANDAU BLACK	336.0	672.0		1550	RED OXIDE	319.8	639.5	
1550	RED OXIDE	401.4	802.8		1501	LANDAU BLACK	399.4	798.8	
1554	TINTING WHITE	406.2	812.4		1554	TINTING WHITE	407.1	814.2	
1637	SILVER	General Motors		15T	1645	MED BLUE MET	General Motors		90T
1508	SILVER	389.2	778.4		1553	FAST BLUE	179.1	358.2	
1501	LANDAU BLACK	399.9	799.7		1508	SILVER	324.5	649.0	
1554	TINTING WHITE	403.9	807.9		1501	LANDAU BLACK	372.4	744.8	
1552	FAST RED	407.3	814.5		1554	TINTING WHITE	407.8	815.7	
1551	FAST YELLOW	408.9	817.8						
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR									
1638	DK GREEN MET	General Motors		49T	1646	MED GREEN MET	General Motors		94T
1553	FAST BLUE	139.7	279.3		1508	SILVER	203.6	407.2	
1501	LANDAU BLACK	265.8	531.6		1556	FAST GREEN	326.4	652.8	
1508	SILVER	344.8	689.5		1501	LANDAU BLACK	369.8	739.7	
1551	FAST YELLOW	404.6	809.2		1551	FAST YELLOW	406.5	813.0	
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR									
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR									

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 6

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1647	GOLD MET	General Motors	95T	1654	DK SADDLE	General Motors	60
1508	SILVER	276.9	553.9	1559	YELLOW OXIDE	269.9	539.8
1551	FAST YELLOW	374.2	748.4	1550	RED OXIDE	373.4	746.9
1552	FAST RED	407.3	814.5	1554	TINTING WHITE	405.5	810.9
				1501	LANDAU BLACK	415.1	830.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1648	MED SADDLE MET	General Motors	96T	1655	DK CARMEL TAN	General Motors	62
1552	FAST RED	153.4	306.9	1559	YELLOW OXIDE	283.1	566.2
1508	SILVER	298.2	596.4	1550	RED OXIDE	346.8	693.7
1551	FAST YELLOW	401.0	802.0	1554	TINTING WHITE	405.9	811.9
1501	LANDAU BLACK	405.6	811.1	1501	LANDAU BLACK	416.4	832.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1649	MED BEIGE MET	General Motors	98T	1656	DK CARMINE	General Motors	74
1508	SILVER	196.4	392.7	1552	FAST RED	312.7	625.5
1552	FAST RED	329.0	658.0	1550	RED OXIDE	395.7	791.4
1551	FAST YELLOW	377.2	754.3	1554	TINTING WHITE	403.8	807.7
1556	FAST GREEN	399.4	798.8	1501	LANDAU BLACK	406.7	813.4
1554	TINTING WHITE	406.8	813.6				

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1650	LT GRAY	General Motors	16	1657	DK MULBERRY	General Motors	78
1554	TINTING WHITE	300.6	601.2	1552	FAST RED	217.6	435.1
1559	YELLOW OXIDE	379.1	758.1	1550	RED OXIDE	383.1	766.3
1501	LANDAU BLACK	413.0	825.9	1553	FAST BLUE	403.5	806.9
1550	RED OXIDE	429.2	858.4	1554	TINTING WHITE	408.3	816.6

1651	DK GRAY	General Motors	16	1659	DK SAGE GREEN	General Motors	4
1554	TINTING WHITE	218.9	437.8	1559	YELLOW OXIDE	246.1	492.3
1559	YELLOW OXIDE	337.6	675.3	1554	TINTING WHITE	337.9	675.8
1501	LANDAU BLACK	405.3	810.5	1553	FAST BLUE	389.6	779.2
1550	RED OXIDE	423.9	847.8	1501	LANDAU BLACK	416.3	832.6

1652	DK GREEN	General Motors	49	1660	PASTEL BEIGE	General Motors	62T
1501	LANDAU BLACK	176.0	352.1	1554	TINTING WHITE	359.9	719.7
1556	FAST GREEN	292.6	585.2	1559	YELLOW OXIDE	430.1	860.1
1551	FAST YELLOW	352.5	704.9	1550	RED OXIDE	432.3	864.5
1554	TINTING WHITE	408.7	817.4	1501	LANDAU BLACK	433.1	866.2

1653	DK YELLOW	General Motors	50	1661	MED BEIGE	General Motors	61T
1559	YELLOW OXIDE	312.6	625.1	1554	TINTING WHITE	272.0	544.0
1554	TINTING WHITE	398.0	795.9	1559	YELLOW OXIDE	407.2	814.3
1501	LANDAU BLACK	414.6	829.2	1550	RED OXIDE	420.9	841.7
1550	RED OXIDE	417.5	835.1	1501	LANDAU BLACK	428.2	856.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 7

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK BROWN MET	General Motors	69T
1559	YELLOW OXIDE	163.5	327.0
1550	RED OXIDE	303.5	607.1
1501	LANDAU BLACK	401.6	803.1
1554	TINTING WHITE	412.3	824.6

	DK AQUA MET	General Motors	41T
1556	FAST GREEN	158.7	317.5
1553	FAST BLUE	311.6	623.2
1508	SILVER	372.4	744.8
1501	LANDAU BLACK	404.1	808.3

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK GREEN MET	General Motors	48T
1508	SILVER	308.3	616.6
1553	FAST BLUE	346.9	693.9
1551	FAST YELLOW	380.3	760.6
1501	LANDAU BLACK	407.6	815.1

	DK AQUA	General Motors	31
1554	TINTING WHITE	169.6	339.2
1553	FAST BLUE	320.7	641.4
1551	FAST YELLOW	385.5	771.0
1501	LANDAU BLACK	416.4	832.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT SILVER GRAY M	General Motors	90T
1508	SILVER	353.4	706.8
1501	LANDAU BLACK	408.3	816.6

	DK CEDAR	General Motors	70
1550	RED OXIDE	267.9	535.8
1559	YELLOW OXIDE	337.5	675.1
1501	LANDAU BLACK	382.8	765.5
1554	TINTING WHITE	414.7	829.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT GOLD MET	General Motors	91T
1508	SILVER	168.3	336.7
1551	FAST YELLOW	289.8	579.5
1552	FAST RED	361.4	722.8
1501	LANDAU BLACK	406.1	812.3

	DK WILLOW GREE	General Motors	44
1559	YELLOW OXIDE	330.1	660.3
1554	TINTING WHITE	374.9	749.7
1553	FAST BLUE	401.8	803.5
1501	LANDAU BLACK	414.6	829.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT GRAY	General Motors	89T
1554	TINTING WHITE	406.3	812.6
1501	LANDAU BLACK	425.3	850.6
1559	YELLOW OXIDE	433.1	866.2
1550	RED OXIDE	435.3	870.6

	DK GOLD	General Motors	51
1554	TINTING WHITE	145.1	290.1
1551	FAST YELLOW	286.5	573.0
1552	FAST RED	362.9	725.8
1501	LANDAU BLACK	415.2	830.5

	LT CEDAR MET	General Motors	93T
1552	FAST RED	187.9	375.8
1508	SILVER	319.3	638.6
1551	FAST YELLOW	398.3	796.7
1501	LANDAU BLACK	405.7	811.3

	DK SLATE GRAY	General Motors	8046
1554	TINTING WHITE	251.8	503.5
1501	LANDAU BLACK	349.1	698.3
1559	YELLOW OXIDE	407.4	814.7
1550	RED OXIDE	425.2	850.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	PASTEL GREEN	General Motors	40T
1554	TINTING WHITE	403.7	807.3
1551	FAST YELLOW	422.3	844.6
1556	FAST GREEN	429.2	858.4
1501	LANDAU BLACK	434.8	869.6

	LT SLATE GRAY	General Motors	13
1554	TINTING WHITE	362.6	725.2
1559	YELLOW OXIDE	396.2	792.5
1501	LANDAU BLACK	423.0	846.1
1550	RED OXIDE	432.7	865.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 8

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
1676	OYSTER WHITE	General Motors		12	1683	PASTEL GREEN	General Motors		41T
1554	TINTING WHITE	398.9	797.8		1554	TINTING WHITE	429.9	859.8	
1559	YELLOW OXIDE	426.5	852.9		1551	FAST YELLOW	433.3	866.6	
1501	LANDAU BLACK	432.3	864.5		1553	FAST BLUE	436.7	873.4	
1550	RED OXIDE	435.2	870.4						
1677	VERY DK YELLOW	General Motors		50	1684	LT BLUE MET	General Motors		90T
1552	FAST RED	138.7	277.4		1508	SILVER	276.2	552.3	
1554	TINTING WHITE	259.9	519.8		1554	TINTING WHITE	368.8	737.6	
1551	FAST YELLOW	369.1	738.2		1553	FAST BLUE	393.2	786.4	
1556	FAST GREEN	413.2	826.3		1501	LANDAU BLACK	409.6	819.3	
					1552	FAST RED	414.3	828.6	
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR					MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1678	DK GOLD	General Motors		8050	1685	TAN MET	General Motors		91T
1559	YELLOW OXIDE	271.4	542.8		1508	SILVER	237.8	475.6	
1554	TINTING WHITE	331.3	662.5		1552	FAST RED	327.0	654.0	
1501	LANDAU BLACK	376.6	753.2		1551	FAST YELLOW	370.5	741.0	
1550	RED OXIDE	415.6	831.3		1501	LANDAU BLACK	407.0	814.0	
1679	VERY DK CAMEL	General Motors		62	1686	CLARET MET	General Motors		92T
1559	YELLOW OXIDE	272.7	545.3		1552	FAST RED	342.8	685.5	
1550	RED OXIDE	350.4	700.7		1551	FAST YELLOW	372.3	744.6	
1554	TINTING WHITE	391.9	783.8		1508	SILVER	392.9	785.8	
1501	LANDAU BLACK	415.2	830.3		1553	FAST BLUE	404.2	808.5	
1680	VERY DK GRAY	General Motors		12	1687	MED SILVER GRAY	General Motors		94T
1559	YELLOW OXIDE	182.6	365.2		1508	SILVER	206.4	412.9	
1554	TINTING WHITE	320.0	639.9		1501	LANDAU BLACK	344.5	688.9	
1501	LANDAU BLACK	398.2	796.5		1553	FAST BLUE	375.3	750.7	
1550	RED OXIDE	419.1	838.3		1552	FAST RED	399.5	799.0	
					1554	TINTING WHITE	407.3	814.5	
1681	DK SADDLE	General Motors		7044	1688	CAMEL TAN	General Motors		63T
1559	YELLOW OXIDE	258.1	516.2		1508	SILVER	173.1	346.2	
1550	RED OXIDE	359.5	719.0		1551	FAST YELLOW	287.8	575.5	
1554	TINTING WHITE	403.9	807.9		1552	FAST RED	401.5	802.9	
1501	LANDAU BLACK	415.6	831.3		1501	LANDAU BLACK	406.0	812.1	
1682	DK BLUE MET	General Motors		29T	1689	LT BLUE MET	General Motors		21T
1553	FAST BLUE	227.9	455.8		1508	SILVER	164.4	328.7	
1501	LANDAU BLACK	349.5	699.0		1554	TINTING WHITE	285.9	571.7	
1508	SILVER	404.1	808.3		1553	FAST BLUE	359.1	718.2	
					1501	LANDAU BLACK	414.7	829.4	
					1556	FAST GREEN	415.1	830.1	
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR					MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 9

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1690	DK GREEN MET	General Motors	44T
1501	LANDAU BLACK	137.8	275.5
1551	FAST YELLOW	261.9	523.8
1508	SILVER	370.2	740.4
1556	FAST GREEN	405.7	811.5

1697	DK BROWN	General Motors	68
1559	YELLOW OXIDE	155.1	310.3
1501	LANDAU BLACK	283.5	567.0
1550	RED OXIDE	409.4	818.7
1554	TINTING WHITE	411.0	821.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

1691	BROWN MET	General Motors	67T
1552	FAST RED	216.5	433.0
1551	FAST YELLOW	285.4	570.8
1553	FAST BLUE	349.9	699.8
1508	SILVER	404.4	808.8

1698	DK CLARET	General Motors	79
1552	FAST RED	302.4	604.8
1559	YELLOW OXIDE	350.7	701.5
1501	LANDAU BLACK	397.1	794.2
1554	TINTING WHITE	405.7	811.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1692	DK CLARET MET	General Motors	76T
1552	FAST RED	288.1	576.3
1553	FAST BLUE	340.4	680.8
1551	FAST YELLOW	377.9	755.8
1508	SILVER	404.0	808.1

1699	DK YELLOW	General Motors	50
1559	YELLOW OXIDE	262.5	525.0
1554	TINTING WHITE	323.0	646.0
1501	LANDAU BLACK	377.3	754.7
1550	RED OXIDE	415.5	831.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1693	DK GRAY	General Motors	14
1554	TINTING WHITE	262.8	525.5
1501	LANDAU BLACK	413.6	827.3
1551	FAST YELLOW	424.5	848.9

1700	DK BROWN MET	Ford Motor	J
1552	FAST RED	242.3	484.7
1551	FAST YELLOW	344.2	688.4
1501	LANDAU BLACK	379.3	758.7
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1694	DK BLUE	General Motors	26
1501	LANDAU BLACK	180.7	361.4
1553	FAST BLUE	337.5	675.1
1554	TINTING WHITE	382.8	765.5
1550	RED OXIDE	407.8	815.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1700	DK BROWN MET	Ford Motor	T
1552	FAST RED	242.3	484.7
1551	FAST YELLOW	344.2	688.4
1501	LANDAU BLACK	379.3	758.7
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1695	BEIGE	General Motors	61
1554	TINTING WHITE	234.8	469.7
1559	YELLOW OXIDE	369.3	738.5
1550	RED OXIDE	409.3	818.5
1501	LANDAU BLACK	425.9	851.8

1701	RUSSET	Ford Motor	D
1552	FAST RED	348.2	696.4
1551	FAST YELLOW	375.4	750.9
1508	SILVER	397.7	795.3
1553	FAST BLUE	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1696	DK BEIGE	General Motors	61
1559	YELLOW OXIDE	209.3	418.6
1550	RED OXIDE	294.2	588.4
1554	TINTING WHITE	368.7	737.4
1501	LANDAU BLACK	416.6	833.2

1702	LT CHAMPAGNE	Ford Motor	6
1554	TINTING WHITE	251.8	503.5
1559	YELLOW OXIDE	390.0	780.0
1550	RED OXIDE	414.7	829.4
1501	LANDAU BLACK	427.0	854.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 10

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
1703	MIDNIGHT JADE M	Ford Motor		4	1712	MED EMBER	General Motors	T
1556	FAST GREEN	209.1	418.2		1559	YELLOW OXIDE	331.9	663.9
1501	LANDAU BLACK	313.9	627.8		1552	FAST RED	411.4	822.7
1559	YELLOW OXIDE	384.8	769.7					
1554	TINTING WHITE	407.6	815.3					
1705	DK CHAMPAGNE M	Ford Motor		6	1713	DK JADE GREEN	Ford Motor	R
1552	FAST RED	154.6	309.1		1553	FAST BLUE	201.9	403.8
1501	LANDAU BLACK	269.6	539.2		1551	FAST YELLOW	309.2	618.5
1551	FAST YELLOW	360.9	721.8		1508	SILVER	367.2	734.4
1508	SILVER	394.9	789.8		1554	TINTING WHITE	391.3	782.6
1554	TINTING WHITE	405.6	811.1		1501	LANDAU BLACK	403.8	807.5
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1706	JUBILEE GOLD	Ford Motor		B	1714	TAN	Ford Motor	U
1559	YELLOW OXIDE	259.2	518.3		1559	YELLOW OXIDE	248.3	496.7
1554	TINTING WHITE	397.4	794.8		1554	TINTING WHITE	371.3	742.5
1501	LANDAU BLACK	413.7	827.5		1550	RED OXIDE	412.8	825.6
1550	RED OXIDE	420.5	840.9		1501	LANDAU BLACK	419.9	839.8
1708	LT CHAMPAGNE	Ford Motor		V	1715	DK CHAMOIS	Ford Motor	T
1554	TINTING WHITE	263.7	527.4		1559	YELLOW OXIDE	324.7	649.4
1559	YELLOW OXIDE	392.9	785.8		1550	RED OXIDE	396.7	793.4
1550	RED OXIDE	414.6	829.2		1554	TINTING WHITE	410.4	820.8
1501	LANDAU BLACK	427.6	855.2		1501	LANDAU BLACK	414.1	828.2
1709	PASTEL CAMEL	Ford Motor		Y	1716	ORANGE	Ford Motor	N
1554	TINTING WHITE	285.9	571.7		1551	FAST YELLOW	259.6	519.3
1559	YELLOW OXIDE	423.4	846.8		1552	FAST RED	334.4	668.8
1550	RED OXIDE	426.8	853.7		1554	TINTING WHITE	408.8	817.6
1501	LANDAU BLACK	429.0	858.0		1501	LANDAU BLACK	409.6	819.3
1710	MED CAMEL	Ford Motor		Y	1717	CHAMOIS	Ford Motor	T
1554	TINTING WHITE	242.5	485.1		1559	YELLOW OXIDE	278.9	557.8
1551	FAST YELLOW	358.7	717.4		1554	TINTING WHITE	376.0	752.0
1552	FAST RED	414.1	828.2		1550	RED OXIDE	417.1	834.3
1556	FAST GREEN	422.6	845.1		1501	LANDAU BLACK	418.7	837.3
1711	PASTEL DOVE GRA	Ford Motor		S	1718	MED BLUE MET	Ford Motor	B
1554	TINTING WHITE	370.4	740.8		1553	FAST BLUE	203.1	406.2
1559	YELLOW OXIDE	400.7	801.4		1501	LANDAU BLACK	293.9	587.9
1501	LANDAU BLACK	423.2	846.5		1508	SILVER	376.4	752.8
1550	RED OXIDE	433.2	866.4		1554	TINTING WHITE	396.7	793.4
					1556	FAST GREEN	405.8	811.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 11

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	SADDLE	Ford Motor	Z
1552	FAST RED	207.4	414.8
1551	FAST YELLOW	304.9	609.7
1508	SILVER	356.8	713.6
1556	FAST GREEN	383.8	767.6
1554	TINTING WHITE	406.3	812.6

	LT GREEN	Ford Motor	G
1559	YELLOW OXIDE	289.4	578.7
1554	TINTING WHITE	395.5	791.0
1556	FAST GREEN	408.0	816.1
1501	LANDAU BLACK	418.5	837.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	RUSSET	Ford Motor	E
1552	FAST RED	249.8	499.5
1551	FAST YELLOW	333.0	666.0
1508	SILVER	374.6	749.2
1554	TINTING WHITE	405.8	811.7
1501	LANDAU BLACK	406.9	813.8

	SILVER BLUE MET	Ford Motor	P
1508	SILVER	308.8	617.7
1553	FAST BLUE	364.8	729.6
1501	LANDAU BLACK	387.0	774.1
1554	TINTING WHITE	401.7	803.3
1552	FAST RED	408.7	817.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	AQUA	Ford Motor	K
1554	TINTING WHITE	263.6	527.3
1556	FAST GREEN	337.0	673.9
1553	FAST BLUE	386.7	773.5
1501	LANDAU BLACK	424.0	848.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT GOLD	Ford Motor	Y
1559	YELLOW OXIDE	330.1	660.3
1554	TINTING WHITE	403.4	806.7
1552	FAST RED	411.7	823.5
1553	FAST BLUE	417.0	833.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	BRIGHT RED	Ford Motor	D
1552	FAST RED	328.2	656.5
1554	TINTING WHITE	370.0	740.1
1551	FAST YELLOW	407.3	814.5

	DK CORDOVAN	Ford Motor	F
1552	FAST RED	273.5	547.0
1559	YELLOW OXIDE	392.4	784.7
1553	FAST BLUE	405.7	811.5
1554	TINTING WHITE	406.6	813.2

	LT JADE GREEN	Ford Motor	R
1508	SILVER	281.1	562.2
1556	FAST GREEN	349.2	698.4
1501	LANDAU BLACK	373.3	746.5
1551	FAST YELLOW	393.6	787.2
1554	TINTING WHITE	408.4	816.8

	DK RED MET	Ford Motor	D
1552	FAST RED	360.8	721.6
1551	FAST YELLOW	378.7	757.3
1508	SILVER	395.7	791.4
1553	FAST BLUE	401.7	803.3
1554	TINTING WHITE	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	CREAM	Ford Motor	V
1554	TINTING WHITE	332.6	665.2
1559	YELLOW OXIDE	426.6	853.3
1550	RED OXIDE	430.1	860.1
1553	FAST BLUE	431.5	863.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	RED	Ford Motor	D
1552	FAST RED	351.4	702.8
1550	RED OXIDE	394.7	789.5
1553	FAST BLUE	402.0	804.1
1554	TINTING WHITE	405.3	810.5

	MED GREEN	Ford Motor	G
1551	FAST YELLOW	187.2	374.5
1501	LANDAU BLACK	279.7	559.4
1508	SILVER	368.9	737.8
1556	FAST GREEN	405.4	810.7

	TANGERINE	Ford Motor	J
1551	FAST YELLOW	237.0	474.1
1552	FAST RED	333.3	666.5
1554	TINTING WHITE	409.9	819.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 12

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1735	MED BLUE MET	Ford Motor	B
1553	FAST BLUE	192.8	385.5
1508	SILVER	381.9	763.8
1552	FAST RED	405.5	810.9

1742	ROSE MET	Ford Motor	H
1508	SILVER	209.9	419.7
1554	TINTING WHITE	336.5	673.0
1552	FAST RED	390.1	780.1
1551	FAST YELLOW	409.3	818.5
1501	LANDAU BLACK	416.1	832.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1736	MED BLUE	Ford Motor	B
1553	FAST BLUE	287.8	575.5
1554	TINTING WHITE	350.6	701.3
1501	LANDAU BLACK	407.8	815.7

1743	AQUA	Ford Motor	L
1554	TINTING WHITE	231.0	462.1
1556	FAST GREEN	312.8	625.7
1553	FAST BLUE	375.1	750.1
1501	LANDAU BLACK	421.5	843.0

1737	EMBER	Ford Motor	C
1552	FAST RED	168.3	336.7
1551	FAST YELLOW	294.6	589.2
1508	SILVER	405.3	810.5

1744	SILVER BLUE MET	Ford Motor	S
1508	SILVER	208.4	416.9
1553	FAST BLUE	331.7	663.5
1501	LANDAU BLACK	364.0	728.1
1554	TINTING WHITE	386.1	772.2
1551	FAST YELLOW	407.7	815.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1738	DK RED	Ford Motor	D
1552	FAST RED	342.8	685.5
1551	FAST YELLOW	372.3	744.6
1508	SILVER	392.9	785.8
1553	FAST BLUE	404.2	808.5

1745	LT GREEN MET	Ford Motor	G
1508	SILVER	188.8	377.5
1551	FAST YELLOW	334.0	668.0
1501	LANDAU BLACK	388.6	777.3
1556	FAST GREEN	406.4	812.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1739	BRIGHT RED	Ford Motor	D
1552	FAST RED	312.2	624.3
1551	FAST YELLOW	382.4	764.8
1554	TINTING WHITE	405.7	811.5

1746	DK GREEN MET	Ford Motor	G
1551	FAST YELLOW	158.4	316.7
1501	LANDAU BLACK	297.3	594.5
1508	SILVER	370.6	741.2
1556	FAST GREEN	405.2	810.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1740	DOVE GRAY	Ford Motor	E
1554	TINTING WHITE	336.7	673.4
1501	LANDAU BLACK	379.7	759.4
1559	YELLOW OXIDE	417.6	835.2
1550	RED OXIDE	430.9	861.8

1747	EMERALD MET	Ford Motor	Q
1553	FAST BLUE	175.5	350.9
1508	SILVER	301.2	602.3
1551	FAST YELLOW	404.7	809.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1741	CORDOVAN	Ford Motor	F
1552	FAST RED	306.5	612.9
1551	FAST YELLOW	351.7	703.4
1501	LANDAU BLACK	385.1	770.3
1508	SILVER	404.2	808.5

1748	JADE	Ford Motor	Q
1553	FAST BLUE	234.7	469.3
1551	FAST YELLOW	352.0	704.0
1508	SILVER	403.7	807.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 13

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1749	GOLD MET	Ford Motor	Q
1508	SILVER	170.9	341.8
1551	FAST YELLOW	305.1	610.3
1552	FAST RED	400.7	801.4
1501	LANDAU BLACK	406.0	812.1

1756	WHITE	Ford Motor	W
1554	TINTING WHITE	272.8	545.7
1302	LOW LUSTER CLEAR	414.2	828.4
1559	YELLOW OXIDE	422.7	845.3
1501	LANDAU BLACK	423.5	847.0
1550	RED OXIDE	424.1	848.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

1750	BROWN	Ford Motor	T
1501	LANDAU BLACK	181.1	362.1
1559	YELLOW OXIDE	315.3	630.6
1550	RED OXIDE	399.8	799.5
1554	TINTING WHITE	410.4	820.8

1757	GOLD	Ford Motor	Y
1559	YELLOW OXIDE	275.4	550.8
1554	TINTING WHITE	399.7	799.3
1550	RED OXIDE	410.1	820.2
1501	LANDAU BLACK	419.8	839.6

1751	CINNAMON	Ford Motor	U
1552	FAST RED	150.1	300.2
1508	SILVER	279.2	558.4
1551	FAST YELLOW	405.6	811.1

1758	GOLD MET	Ford Motor	Y
1508	SILVER	155.8	311.6
1551	FAST YELLOW	307.5	615.0
1552	FAST RED	405.8	811.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

1752	CHAMOIS	Ford Motor	U
1559	YELLOW OXIDE	243.5	487.0
1554	TINTING WHITE	378.5	757.0
1550	RED OXIDE	419.9	839.8
1501	LANDAU BLACK	420.8	841.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1759	GOLD	Ford Motor	Y
1559	YELLOW OXIDE	275.4	550.8
1554	TINTING WHITE	399.7	799.3
1550	RED OXIDE	410.1	820.2
1501	LANDAU BLACK	419.8	839.6

1753	LT TAN	Ford Motor	U
1559	YELLOW OXIDE	240.0	479.9
1554	TINTING WHITE	376.6	753.2
1550	RED OXIDE	411.9	823.8
1501	LANDAU BLACK	420.8	841.5

1760	DIAMOND BLUE	Ford Motor	Z
1508	SILVER	367.5	734.9
1553	FAST BLUE	401.5	802.9
1551	FAST YELLOW	408.1	816.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1754	CREAM	Ford Motor	V
1554	TINTING WHITE	377.7	755.4
1551	FAST YELLOW	414.7	829.4
1552	FAST RED	428.9	857.9
1556	FAST GREEN	432.8	865.6

1761	DK SADDLE MET	Ford Motor	Z
1552	FAST RED	214.1	428.3
1501	LANDAU BLACK	279.9	559.7
1551	FAST YELLOW	339.0	677.9
1508	SILVER	397.6	795.2
1554	TINTING WHITE	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1755	ANTIQUÉ CREAM	Ford Motor	V
1554	TINTING WHITE	283.0	566.0
1559	YELLOW OXIDE	426.2	852.3
1552	FAST RED	427.9	855.8
1553	FAST BLUE	428.7	857.5

1762	MED BLUE MET	Ford Motor	B
1508	SILVER	218.4	436.8
1553	FAST BLUE	330.9	661.8
1552	FAST RED	375.3	750.5
1554	TINTING WHITE	396.0	791.9
1551	FAST YELLOW	407.6	815.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 14

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1763	LT BLUE	Ford Motor	2
1554	TINTING WHITE	399.8	799.5
1553	FAST BLUE	415.0	829.9
1501	LANDAU BLACK	429.3	858.6
1556	FAST GREEN	434.5	869.1

1770	BLUE	Ford Motor	B
1554	TINTING WHITE	214.3	428.6
1501	LANDAU BLACK	317.5	635.0
1553	FAST BLUE	404.2	808.5
1559	YELLOW OXIDE	420.7	841.3

1764	MIDNIGHT BLUE M	Ford Motor	Q
1553	FAST BLUE	202.5	405.1
1501	LANDAU BLACK	359.5	719.0
1554	TINTING WHITE	383.8	767.6
1556	FAST GREEN	405.5	810.9

1771	MED RED	Ford Motor	D
1552	FAST RED	351.6	703.2
1550	RED OXIDE	381.0	762.1
1501	LANDAU BLACK	395.3	790.6
1554	TINTING WHITE	405.6	811.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1765	DK RED	Ford Motor	D
1552	FAST RED	342.8	685.5
1551	FAST YELLOW	372.3	744.6
1508	SILVER	392.9	785.8
1553	FAST BLUE	404.2	808.5

1773	MED PINE GREEN	Ford Motor	R
1554	TINTING WHITE	195.8	391.6
1501	LANDAU BLACK	276.3	552.5
1551	FAST YELLOW	355.2	710.4
1556	FAST GREEN	419.2	838.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1766	MAROON	Ford Motor	9
1552	FAST RED	380.3	760.6
1501	LANDAU BLACK	397.2	794.4
1554	TINTING WHITE	404.6	809.2

1774	MED VAQUERO	Ford Motor	Z
1552	FAST RED	240.3	480.5
1559	YELLOW OXIDE	395.4	790.8
1501	LANDAU BLACK	405.9	811.9
1554	TINTING WHITE	407.6	815.1

1767	DK VAQUERO	Ford Motor	Z
1552	FAST RED	297.8	595.7
1551	FAST YELLOW	355.7	711.4
1508	SILVER	385.4	770.8
1501	LANDAU BLACK	404.3	808.6

1775	DK BLUE MET	Ford Motor	B
1553	FAST BLUE	189.6	379.2
1501	LANDAU BLACK	305.6	611.2
1508	SILVER	403.0	806.0
1556	FAST GREEN	404.7	809.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1768	PINE GREEN	Ford Motor	M
1553	FAST BLUE	166.3	332.5
1551	FAST YELLOW	314.7	629.5
1508	SILVER	344.8	689.5
1554	TINTING WHITE	374.8	749.6
1501	LANDAU BLACK	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1776	BITTERSWEET	Ford Motor	C
1552	FAST RED	250.8	501.6
1551	FAST YELLOW	323.5	647.0
1508	SILVER	387.3	774.6
1554	TINTING WHITE	397.7	795.3
1501	LANDAU BLACK	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1769	CREAM	Ford Motor	V
1554	TINTING WHITE	321.0	642.0
1559	YELLOW OXIDE	426.6	853.1
1552	FAST RED	428.7	857.5
1556	FAST GREEN	430.9	861.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1777	MED RED MET	Ford Motor	D
1552	FAST RED	340.9	681.7
1508	SILVER	369.9	739.9
1551	FAST YELLOW	392.5	785.1
1553	FAST BLUE	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 15

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1778	CORDOVAN BROW	Ford Motor	F
1552	FAST RED	235.6	471.2
1501	LANDAU BLACK	299.5	599.1
1508	SILVER	353.4	706.8
1551	FAST YELLOW	404.8	809.6

1790	LT PEWTER	Ford Motor	H
1554	TINTING WHITE	299.7	599.5
1559	YELLOW OXIDE	392.4	784.9
1501	LANDAU BLACK	413.7	827.5
1550	RED OXIDE	429.5	859.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1779	DK PINE MET	Ford Motor	M
1556	FAST GREEN	185.3	370.7
1501	LANDAU BLACK	351.2	702.4
1508	SILVER	405.2	810.4

1791	BLACK MET	Ford Motor	A
1501	LANDAU BLACK	400.3	800.7
1508	SILVER	402.8	805.6
1554	TINTING WHITE	405.3	810.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1783	MED RED	Ford Motor	D
1552	FAST RED	344.9	689.9
1551	FAST YELLOW	388.7	777.5
1554	TINTING WHITE	402.7	805.4
1553	FAST BLUE	405.1	810.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1792	MED FAWN	Ford Motor	L
1559	YELLOW OXIDE	204.6	409.3
1554	TINTING WHITE	314.3	628.5
1550	RED OXIDE	387.9	775.8
1501	LANDAU BLACK	418.9	837.7

1784	BITTERSWEET	Ford Motor	E
1559	YELLOW OXIDE	245.5	491.0
1552	FAST RED	401.5	802.9
1554	TINTING WHITE	410.1	820.2

1793	SPRUCE	Ford Motor	R
1554	TINTING WHITE	167.6	335.2
1559	YELLOW OXIDE	271.7	543.4
1556	FAST GREEN	351.3	702.6
1501	LANDAU BLACK	419.3	838.7

1787	MED PINE GREEN	Ford Motor	M
1554	TINTING WHITE	223.9	447.8
1501	LANDAU BLACK	302.0	604.0
1551	FAST YELLOW	364.8	729.6
1556	FAST GREEN	421.3	842.7

1794	MED GRAY MET	Ford Motor	S
1508	SILVER	206.0	411.9
1501	LANDAU BLACK	343.4	686.9
1553	FAST BLUE	379.2	758.5
1552	FAST RED	403.2	806.4
1554	TINTING WHITE	407.0	814.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1788	CARMEL	Ford Motor	T
1559	YELLOW OXIDE	224.9	449.7
1302	LOW LUSTER CLEAR	361.4	722.8
1550	RED OXIDE	396.4	792.9
1554	TINTING WHITE	407.1	814.2
1501	LANDAU BLACK	409.8	819.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1795	MED PEWTER	Ford Motor	H
1554	TINTING WHITE	201.7	403.4
1559	YELLOW OXIDE	347.9	695.8
1501	LANDAU BLACK	398.1	796.1
1550	RED OXIDE	423.4	846.8

1789	LT GOLD	General Motors	Y
1559	YELLOW OXIDE	286.0	571.9
1554	TINTING WHITE	411.4	822.9
1501	LANDAU BLACK	417.8	835.6
1550	RED OXIDE	419.9	839.8

1796	NUTMEG	Ford Motor	T
1551	FAST YELLOW	234.5	468.9
1552	FAST RED	360.6	721.2
1554	TINTING WHITE	392.3	784.5
1501	LANDAU BLACK	406.5	813.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 16

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
1797	LT FAWN	Ford Motor		U	1805	DK GREEN MET	Chrysler Motors	G6
1554	TINTING WHITE	338.5	677.0		1553	FAST BLUE	183.2	366.3
1559	YELLOW OXIDE	407.6	815.3		1551	FAST YELLOW	325.6	651.1
1550	RED OXIDE	426.6	853.3		1508	SILVER	381.5	763.0
1501	LANDAU BLACK	431.9	863.7		1501	LANDAU BLACK	403.9	807.9
					MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
1798	LT SAND	Ford Motor		Y	1806	MED GREEN MET	Chrysler Motors	F6
1554	TINTING WHITE	271.4	542.8		1508	SILVER	203.7	407.4
1559	YELLOW OXIDE	416.1	832.2		1551	FAST YELLOW	300.9	601.7
1550	RED OXIDE	422.6	845.1		1553	FAST BLUE	378.5	757.0
1501	LANDAU BLACK	428.2	856.3		1501	LANDAU BLACK	406.2	812.4
					MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR			
1799	MED SAND	Ford Motor		Y	1807	LT GOLD	Chrysler Motors	Y3
1559	YELLOW OXIDE	278.3	556.5		1554	TINTING WHITE	228.0	456.0
1554	TINTING WHITE	362.5	725.0		1551	FAST YELLOW	332.4	664.8
1550	RED OXIDE	398.2	796.5		1552	FAST RED	404.8	809.6
1501	LANDAU BLACK	417.5	835.1		1556	FAST GREEN	421.4	842.8
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
1801	DK BLUE	Chrysler Motors		B6	1808	DK CHESTNUT	Chrysler Motors	T7
1553	FAST BLUE	173.0	346.0		1559	YELLOW OXIDE	224.2	448.4
1554	TINTING WHITE	279.6	559.2		1550	RED OXIDE	360.0	719.9
1501	LANDAU BLACK	361.5	723.0		1501	LANDAU BLACK	409.0	818.0
1556	FAST GREEN	409.4	818.7		1554	TINTING WHITE	412.8	825.6
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
1802	DK RED	Chrysler Motors		E7	1809	CARMEL	Chrysler Motors	U5
1550	RED OXIDE	280.8	561.6		1559	YELLOW OXIDE	277.8	555.6
1553	FAST BLUE	408.1	816.2		1550	RED OXIDE	359.4	718.8
1554	TINTING WHITE	410.6	821.2		1554	TINTING WHITE	403.6	807.1
					1501	LANDAU BLACK	415.6	831.3
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
1803	LT PARCHMENT	Chrysler Motors		L3	1810	MED GREEN MET	Chrysler Motors	MF7
1554	TINTING WHITE	323.0	646.0		1551	FAST YELLOW	137.6	275.1
1552	FAST RED	379.0	757.9		1556	FAST GREEN	270.6	541.1
1551	FAST YELLOW	415.1	830.1		1508	SILVER	348.7	697.3
1556	FAST GREEN	428.7	857.5		1501	LANDAU BLACK	405.2	810.4
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
1804	WHITE	Chrysler Motors		GW1	1811	MED BLUE	Chrysler Motors	MB9
1554	TINTING WHITE	410.8	821.6		1501	LANDAU BLACK	152.2	304.4
1559	YELLOW OXIDE	428.3	856.5		1553	FAST BLUE	287.5	574.9
1550	RED OXIDE	433.7	867.4		1554	TINTING WHITE	410.8	821.6
1556	FAST GREEN	435.9	871.7		1552	FAST RED	413.3	826.5
					MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR			

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 17

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1812	CHESTNUT	Chrysler Motors	KT7
1559	YELLOW OXIDE	158.0	316.0
1550	RED OXIDE	307.8	615.6
1501	LANDAU BLACK	411.4	822.9

1819	RED (PRINT)	Chrysler Motors	RR7
1552	FAST RED	225.5	451.1
1550	RED OXIDE	399.4	798.8
1501	LANDAU BLACK	407.1	814.2
1554	TINTING WHITE	408.4	816.8

1813	MED CARMEL MET	Chrysler Motors	MU6
1551	FAST YELLOW	158.9	317.9
1552	FAST RED	313.9	627.8
1508	SILVER	360.4	720.9
1554	TINTING WHITE	387.0	774.1
1501	LANDAU BLACK	406.6	813.2

1820	YELLOW	Chrysler Motors	RY3
1554	TINTING WHITE	303.0	605.9
1559	YELLOW OXIDE	427.3	854.6
1550	RED OXIDE	429.3	858.6
1553	FAST BLUE	430.0	859.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1814	GOLD	Chrysler Motors	KY4
1554	TINTING WHITE	188.3	376.6
1551	FAST YELLOW	307.5	615.0
1552	FAST RED	396.6	793.3
1556	FAST GREEN	418.4	836.8

1821	MED BLUE MET	Chrysler Motors	B
1553	FAST BLUE	179.1	358.2
1508	SILVER	269.0	538.1
1552	FAST RED	334.0	668.0
1501	LANDAU BLACK	396.4	792.9
1554	TINTING WHITE	405.1	810.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1815	BLUE MET	Chrysler Motors	PB1
1553	FAST BLUE	146.3	292.6
1508	SILVER	286.3	572.7
1552	FAST RED	385.8	771.6
1556	FAST GREEN	405.1	810.2

1822	DK BLUE	Chrysler Motors	C
1553	FAST BLUE	226.5	453.0
1501	LANDAU BLACK	360.9	721.8
1552	FAST RED	392.0	783.9
1554	TINTING WHITE	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1816	LT GRAY	Chrysler Motors	A3
1554	TINTING WHITE	342.2	684.4
1559	YELLOW OXIDE	392.6	785.3
1501	LANDAU BLACK	423.7	847.4
1550	RED OXIDE	431.5	863.0

1823	DK GREEN MET	Chrysler Motors	F
1556	FAST GREEN	215.9	431.9
1501	LANDAU BLACK	333.5	666.9
1508	SILVER	405.2	810.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1817	SILVER MET	Chrysler Motors	RA2
1508	SILVER	388.5	776.9
1501	LANDAU BLACK	408.7	817.4

1824	LT GREEN MET	Chrysler Motors	G
1508	SILVER	241.6	483.2
1553	FAST BLUE	335.0	669.9
1551	FAST YELLOW	382.5	764.9
1556	FAST GREEN	405.7	811.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1818	GREEN MET	Chrysler Motors	RF5
1508	SILVER	155.6	311.2
1553	FAST BLUE	274.0	548.0
1551	FAST YELLOW	388.6	777.1
1501	LANDAU BLACK	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1825	CHAMPAGNE	Chrysler Motors	G
1554	TINTING WHITE	383.1	766.3
1552	FAST RED	405.7	811.5
1551	FAST YELLOW	427.9	855.8
1556	FAST GREEN	433.2	866.4

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 18

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1826	LT CREAM	Chrysler Motors	L
1554	TINTING WHITE	403.9	807.9
1559	YELLOW OXIDE	433.5	867.0
1550	RED OXIDE	434.5	869.1
1556	FAST GREEN	435.5	871.0

1833	TEAL GREEN	Chrysler Motors	G5
1554	TINTING WHITE	152.1	304.2
1556	FAST GREEN	254.0	508.1
1559	YELLOW OXIDE	351.8	703.6
1501	LANDAU BLACK	417.8	835.6

1827	DK RED	Chrysler Motors	R
1552	FAST RED	336.3	672.6
1551	FAST YELLOW	383.3	766.7
1554	TINTING WHITE	396.0	791.9
1501	LANDAU BLACK	405.0	810.0

1834	RED	Chrysler Motors	R4
1552	FAST RED	251.6	503.1
1559	YELLOW OXIDE	404.4	808.8
1554	TINTING WHITE	406.9	813.8
1501	LANDAU BLACK	407.6	815.1

1828	GRAY	Chrysler Motors	S
1554	TINTING WHITE	374.4	748.8
1559	YELLOW OXIDE	404.1	808.3
1501	LANDAU BLACK	426.9	853.9
1550	RED OXIDE	433.4	866.8

1835	CASHMERE	Chrysler Motors	T3
1559	YELLOW OXIDE	231.5	463.0
1554	TINTING WHITE	389.6	779.2
1550	RED OXIDE	415.0	829.9
1501	LANDAU BLACK	421.8	843.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1829	PALE GRAY	Chrysler Motors	D
1554	TINTING WHITE	416.6	833.2
1559	YELLOW OXIDE	430.5	861.1
1501	LANDAU BLACK	435.3	870.6
1550	RED OXIDE	436.1	872.3

1836	LT BLUE MET	Chrysler Motors	B
1508	SILVER	294.3	588.6
1553	FAST BLUE	340.6	681.2
1501	LANDAU BLACK	385.2	770.5
1554	TINTING WHITE	397.3	794.6
1552	FAST RED	408.3	816.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1830	TAN MET	Chrysler Motors	U
1551	FAST YELLOW	243.3	486.6
1552	FAST RED	357.0	714.0
1508	SILVER	391.8	783.6
1501	LANDAU BLACK	404.4	808.8

1837	HEATHER	Chrysler Motors	D
1554	TINTING WHITE	352.5	705.1
1559	YELLOW OXIDE	402.7	805.4
1550	RED OXIDE	421.7	843.4
1501	LANDAU BLACK	432.5	865.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1831	CREAM	Chrysler Motors	Y
1554	TINTING WHITE	290.6	581.2
1559	YELLOW OXIDE	420.7	841.3
1550	RED OXIDE	426.3	852.5
1501	LANDAU BLACK	429.3	858.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1838	DK GREEN MET	Chrysler Motors	F
1553	FAST BLUE	179.0	358.0
1501	LANDAU BLACK	270.8	541.7
1551	FAST YELLOW	356.6	713.3
1508	SILVER	404.0	808.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1832	MIDNIGHT BLUE	Chrysler Motors	C8
1553	FAST BLUE	252.9	505.8
1501	LANDAU BLACK	377.8	755.6
1554	TINTING WHITE	405.5	810.9

1839	CASHMERE	Chrysler Motors	K
1559	YELLOW OXIDE	224.2	448.4
1554	TINTING WHITE	390.2	780.3
1550	RED OXIDE	416.6	833.2
1501	LANDAU BLACK	422.3	844.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 19

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1840	MED RED MET	Chrysler Motors	R
1552	FAST RED	339.7	679.4
1508	SILVER	371.2	742.3
1551	FAST YELLOW	388.1	776.2
1553	FAST BLUE	401.4	802.8
1554	TINTING WHITE	404.4	808.8

1847	LT TAN	Chrysler Motors	T1
1554	TINTING WHITE	304.2	608.4
1559	YELLOW OXIDE	422.2	844.4
1550	RED OXIDE	427.1	854.2
1501	LANDAU BLACK	429.9	859.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1841	BLACK WALNUT M	Chrysler Motors	U
1501	LANDAU BLACK	389.7	779.4
1508	SILVER	405.2	810.4

1848	PALE HEATHER	Chrysler Motors	D1
1554	TINTING WHITE	400.8	801.6
1559	YELLOW OXIDE	425.9	851.8
1550	RED OXIDE	431.7	863.4
1501	LANDAU BLACK	435.3	870.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1842	BLUE	Chrysler Motors	B2
1554	TINTING WHITE	327.9	655.9
1501	LANDAU BLACK	400.8	801.6
1553	FAST BLUE	421.8	843.6
1551	FAST YELLOW	429.1	858.2

1849	DK CASHMERE ME	Chrysler Motors	T8
1552	FAST RED	194.7	389.3
1551	FAST YELLOW	296.2	592.4
1501	LANDAU BLACK	371.3	742.5
1508	SILVER	404.5	809.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1843	HEATHER	Chrysler Motors	D3
1554	TINTING WHITE	255.2	510.3
1559	YELLOW OXIDE	362.0	724.1
1550	RED OXIDE	399.1	798.2
1501	LANDAU BLACK	426.7	853.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1850	CREAM	Chrysler Motors	Y1
1554	TINTING WHITE	411.4	822.9
1559	YELLOW OXIDE	434.8	869.6
1556	FAST GREEN	435.5	871.0
1550	RED OXIDE	436.0	871.9

1844	BEIGE	Chrysler Motors	L3
1554	TINTING WHITE	379.8	759.6
1552	FAST RED	405.7	811.5
1551	FAST YELLOW	427.1	854.2
1556	FAST GREEN	432.9	865.8

1851	SOFT YELLOW	Chrysler Motors	Y2
1554	TINTING WHITE	332.1	664.2
1559	YELLOW OXIDE	430.3	860.5
1556	FAST GREEN	431.6	863.2

1845	RED	Chrysler Motors	M6
1552	FAST RED	237.6	475.2
1550	RED OXIDE	351.1	702.2
1554	TINTING WHITE	385.4	770.8
1501	LANDAU BLACK	409.5	819.1

1852	DK AUBERGINE	Chrysler Motors	H9
1501	LANDAU BLACK	199.8	399.6
1550	RED OXIDE	340.9	681.7
1559	YELLOW OXIDE	397.5	795.0
1554	TINTING WHITE	410.2	820.4

1846	SEA SPRAY GREEN	Chrysler Motors	F5
1554	TINTING WHITE	231.9	463.8
1559	YELLOW OXIDE	369.6	739.3
1501	LANDAU BLACK	406.8	813.6
1556	FAST GREEN	424.9	849.9

1853	DK SILVER	Chrysler Motors	A7
1554	TINTING WHITE	248.9	497.8
1501	LANDAU BLACK	368.3	736.6
1551	FAST YELLOW	398.2	796.5
1552	FAST RED	423.3	846.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 20

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1854	MED BLUE	Chrysler Motors	B2
1554	TINTING WHITE	255.1	510.2
1550	RED OXIDE	340.2	680.4
1553	FAST BLUE	387.9	775.8
1559	YELLOW OXIDE	426.2	852.3

1861	LT GREEN MET	Chrysler Motors	F2
1508	SILVER	344.9	689.9
1501	LANDAU BLACK	368.2	736.4
1551	FAST YELLOW	389.8	779.6
1556	FAST GREEN	408.1	816.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

1855	DK BLUE	Chrysler Motors	C8
1553	FAST BLUE	258.6	517.2
1501	LANDAU BLACK	377.2	754.3
1554	TINTING WHITE	405.5	810.9

1862	DK MAHOGANY ME	Chrysler Motors	H9
1552	FAST RED	296.3	592.6
1501	LANDAU BLACK	392.6	785.3
1508	SILVER	401.9	803.9
1554	TINTING WHITE	404.5	809.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1856	SEA SPRAY GREEN	Chrysler Motors	F5
1554	TINTING WHITE	312.1	624.2
1501	LANDAU BLACK	365.9	731.9
1551	FAST YELLOW	415.5	831.1
1556	FAST GREEN	428.0	856.0

1863	MED SPICE MET	Chrysler Motors	K7
1552	FAST RED	233.9	467.8
1551	FAST YELLOW	374.7	749.4
1501	LANDAU BLACK	396.6	793.3
1508	SILVER	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1857	MED RED	Chrysler Motors	M6
1552	FAST RED	246.1	492.1
1302	LOW LUSTER CLEAR	380.9	761.7
1550	RED OXIDE	393.1	786.2
1554	TINTING WHITE	401.1	802.2
1501	LANDAU BLACK	404.1	808.3

1864	MED RED	Chrysler Motors	M8
1552	FAST RED	389.0	778.1
1554	TINTING WHITE	395.4	790.8
1553	FAST BLUE	400.0	799.9
1501	LANDAU BLACK	404.5	809.0

1858	LT TAN	Chrysler Motors	T4
1559	YELLOW OXIDE	235.5	471.0
1554	TINTING WHITE	386.7	773.5
1550	RED OXIDE	414.8	829.5
1501	LANDAU BLACK	421.5	843.0

1865	MANILA CREAM	Chrysler Motors	T2
1554	TINTING WHITE	416.8	833.5
1551	FAST YELLOW	432.1	864.1
1552	FAST RED	435.4	870.8
1556	FAST GREEN	435.9	871.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

1859	WHITE	Chrysler Motors	W1
1554	TINTING WHITE	406.7	813.4
1559	YELLOW OXIDE	433.9	867.7
1501	LANDAU BLACK	435.6	871.2

1866	WHITE	Chrysler Motors	W3
1554	TINTING WHITE	422.0	844.0
1559	YELLOW OXIDE	434.2	868.5
1501	LANDAU BLACK	436.0	871.9
1550	RED OXIDE	436.4	872.9

1860	DK CHARCOAL ME	Chrysler Motors	A9
1501	LANDAU BLACK	209.4	418.8
1508	SILVER	367.2	734.4
1553	FAST BLUE	401.7	803.3
1552	FAST RED	406.3	812.6

1900	MED BLUE MET	American Moto	P32
1554	TINTING WHITE	192.8	385.5
1508	SILVER	293.0	586.0
1553	FAST BLUE	356.4	712.9
1552	FAST RED	399.1	798.2
1501	LANDAU BLACK	417.7	835.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 21

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1901	DK BLUE	American Moto	
1553	FAST BLUE	295.0	590.0
1501	LANDAU BLACK	371.1	742.1
1554	TINTING WHITE	391.5	783.0
1552	FAST RED	404.5	809.0

1908	WHITE	American Moto	
1554	TINTING WHITE	424.5	848.9
1559	YELLOW OXIDE	433.0	866.0
1550	RED OXIDE	435.7	871.3
1556	FAST GREEN	436.6	873.2

1902	YELLOW	American Moto	
1554	TINTING WHITE	335.5	671.1
1551	FAST YELLOW	411.5	823.1
1552	FAST RED	427.2	854.4
1556	FAST GREEN	429.6	859.2

1909	MED RUSSET MET	American Moto	
1552	FAST RED	295.3	590.5
1551	FAST YELLOW	346.5	692.9
1508	SILVER	395.8	791.5
1554	TINTING WHITE	401.4	802.8
1501	LANDAU BLACK	405.1	810.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1903	MED BROWN MET	American Moto	
1508	SILVER	102.8	205.6
1554	TINTING WHITE	195.8	391.6
1552	FAST RED	288.8	577.6
1551	FAST YELLOW	374.4	748.8
1501	LANDAU BLACK	412.5	825.0

1910	RUSSET	American Moto	
1552	FAST RED	249.3	498.6
1551	FAST YELLOW	338.2	676.4
1554	TINTING WHITE	390.5	781.1
1501	LANDAU BLACK	408.0	816.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1904	DK BROWN MET	American Moto	
1552	FAST RED	210.4	420.9
1501	LANDAU BLACK	308.6	617.1
1508	SILVER	355.1	710.2
1551	FAST YELLOW	396.2	792.3
1554	TINTING WHITE	405.6	811.1

1911	BLUE	American Moto	
1554	TINTING WHITE	239.1	478.2
1553	FAST BLUE	318.5	637.1
1501	LANDAU BLACK	385.2	770.5
1552	FAST RED	419.5	839.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1905	SILVER MET	American Moto	
1554	TINTING WHITE	364.4	728.8
1501	LANDAU BLACK	414.7	829.4
1551	FAST YELLOW	424.9	849.9
1552	FAST RED	432.0	863.9

1912	BROWN	American Moto	
1559	YELLOW OXIDE	196.8	393.7
1550	RED OXIDE	299.6	599.3
1501	LANDAU BLACK	370.9	741.8
1554	TINTING WHITE	414.4	828.8

1906	DK RUSSET MET	American Moto	
1552	FAST RED	293.2	586.3
1501	LANDAU BLACK	331.3	662.5
1551	FAST YELLOW	367.6	735.1
1508	SILVER	393.9	787.7
1554	TINTING WHITE	405.4	810.7

1913	BEIGE	American Moto	
1554	TINTING WHITE	268.7	537.3
1559	YELLOW OXIDE	402.2	804.5
1550	RED OXIDE	424.4	848.7
1501	LANDAU BLACK	428.1	856.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1907	BEIGE	American Moto	80P35
1554	TINTING WHITE	248.5	497.0
1559	YELLOW OXIDE	398.9	797.8
1550	RED OXIDE	420.1	840.2
1501	LANDAU BLACK	426.8	853.7

1914	RED	American Moto	80P2
1550	RED OXIDE	204.9	409.8
1552	FAST RED	362.0	723.9
1554	TINTING WHITE	395.3	790.6
1559	YELLOW OXIDE	411.9	823.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 22

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1915	WINE	American Moto	81P10
1552	FAST RED	352.9	705.9
1551	FAST YELLOW	371.1	742.1
1501	LANDAU BLACK	388.8	777.7
1554	TINTING WHITE	405.3	810.5

1922	DK BLUE	American Moto	81P66
1553	FAST BLUE	244.6	489.3
1501	LANDAU BLACK	393.2	786.4
1554	TINTING WHITE	404.2	808.5

1916	MED BROWN	American Moto	81P8
1559	YELLOW OXIDE	158.3	316.5
1302	LOW LUSTER CLEAR	295.5	590.9
1550	RED OXIDE	346.8	693.7
1554	TINTING WHITE	395.8	791.5
1501	LANDAU BLACK	411.6	823.3

1923	SILVER MET	American Moto	82P21
1508	SILVER	358.7	717.4
1553	FAST BLUE	377.0	753.9
1554	TINTING WHITE	394.4	788.9
1501	LANDAU BLACK	408.5	817.0
1552	FAST RED	409.6	819.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1917	NUTMEG	American Moto	81P12
1559	YELLOW OXIDE	269.1	538.3
1550	RED OXIDE	395.3	790.6
1554	TINTING WHITE	404.5	809.0
1501	LANDAU BLACK	413.7	827.5

1924	MED BLUE MET	American Moto	82P22
1553	FAST BLUE	117.5	235.0
1508	SILVER	207.2	414.4
1501	LANDAU BLACK	287.7	575.3
1554	TINTING WHITE	355.8	711.6
1552	FAST RED	410.0	820.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1918	NUTMEG MET	American Moto	81P69
1551	FAST YELLOW	190.2	380.4
1552	FAST RED	373.6	747.3
1508	SILVER	402.2	804.5
1501	LANDAU BLACK	404.3	808.6

1925	DK BLUE	American Moto	82P23
1553	FAST BLUE	170.2	340.5
1552	FAST RED	299.0	597.9
1501	LANDAU BLACK	388.5	776.9
1554	TINTING WHITE	404.8	809.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1919	MED BROWN MET	American Moto	80P36
1552	FAST RED	150.3	300.6
1508	SILVER	273.8	547.6
1551	FAST YELLOW	367.9	735.9
1501	LANDAU BLACK	405.6	811.1

1926	BLUE GREEN MET	American Moto	82P24
1553	FAST BLUE	277.5	555.0
1551	FAST YELLOW	333.3	666.5
1508	SILVER	376.6	753.2
1501	LANDAU BLACK	403.5	806.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1920	DEEP MAROON ME	American Moto	81P68
1552	FAST RED	360.1	720.1
1501	LANDAU BLACK	388.6	777.1
1508	SILVER	401.4	802.8
1551	FAST YELLOW	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1927	DK GREEN MET	American Moto	82P25
1501	LANDAU BLACK	202.9	405.8
1551	FAST YELLOW	302.8	605.5
1556	FAST GREEN	358.0	715.9
1508	SILVER	405.1	810.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1921	VINTAGE RED MET	American Moto	81P67
1552	FAST RED	354.1	708.1
1551	FAST YELLOW	381.2	762.5
1508	SILVER	393.8	787.6
1501	LANDAU BLACK	404.1	808.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

1928	BEIGE	American Moto	82P26
1554	TINTING WHITE	291.8	583.7
1559	YELLOW OXIDE	421.4	842.8
1550	RED OXIDE	426.9	853.9
1501	LANDAU BLACK	429.3	858.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 23

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	GOLD MET	American Moto	82P27
1508	SILVER	161.4	322.8
1551	FAST YELLOW	305.0	609.9
1552	FAST RED	400.0	799.9
1501	LANDAU BLACK	405.9	811.9

	GOLD MET	American Moto	82P27
1508	SILVER	149.7	299.4
1551	FAST YELLOW	289.0	578.0
1552	FAST RED	399.1	798.2
1501	LANDAU BLACK	405.7	811.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	SILVER MET	American Moto	82P21
1508	SILVER	358.7	717.4
1553	FAST BLUE	377.0	753.9
1554	TINTING WHITE	394.4	788.9
1501	LANDAU BLACK	408.5	817.0
1552	FAST RED	409.6	819.3

	SLATE BLUE	American Moto	82P3
1501	LANDAU BLACK	208.9	417.8
1554	TINTING WHITE	348.7	697.3
1553	FAST BLUE	387.3	774.6
1556	FAST GREEN	415.2	830.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED BLUE MET	American Moto	82P22
1508	SILVER	200.8	401.7
1553	FAST BLUE	289.7	579.3
1501	LANDAU BLACK	344.0	688.0
1552	FAST RED	390.6	781.3
1554	TINTING WHITE	407.4	814.7

	WHITE	General Motors	11
1554	TINTING WHITE	433.1	866.2
1551	FAST YELLOW	435.8	871.5
1552	FAST RED	436.6	873.2
1501	LANDAU BLACK	437.1	874.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK BLUE	American Moto	82P23
1553	FAST BLUE	204.4	408.9
1501	LANDAU BLACK	305.7	611.4
1556	FAST GREEN	391.2	782.4
1554	TINTING WHITE	404.5	809.0

	WHITE	General Motors	11T
1554	TINTING WHITE	433.1	866.2
1551	FAST YELLOW	435.8	871.5
1552	FAST RED	436.6	873.2
1501	LANDAU BLACK	437.1	874.2

	BLUE GREEN MET	American Moto	82P24
1553	FAST BLUE	310.0	620.0
1551	FAST YELLOW	366.5	733.0
1508	SILVER	393.7	787.4
1501	LANDAU BLACK	403.2	806.4

	SILVER MET	General Motors	15
1508	SILVER	391.7	783.4
1501	LANDAU BLACK	408.7	817.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK GREEN	American Moto	82P25
1501	LANDAU BLACK	208.0	415.9
1551	FAST YELLOW	296.4	592.8
1508	SILVER	355.3	710.6
1556	FAST GREEN	405.2	810.4

	MED GRAY MET	General Motors	17
1508	SILVER	199.9	399.8
1501	LANDAU BLACK	299.5	599.1
1554	TINTING WHITE	379.6	759.2
1553	FAST BLUE	400.2	800.5
1552	FAST RED	412.7	825.4

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	BEIGE	American Moto	82P26
1554	TINTING WHITE	305.0	610.1
1559	YELLOW OXIDE	421.3	842.7
1550	RED OXIDE	428.7	857.5
1501	LANDAU BLACK	430.1	860.1

	MED WAXBERRY	General Motors	45
1559	YELLOW OXIDE	222.8	445.6
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	407.5	814.9
1553	FAST BLUE	421.1	842.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 24

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
2604	LT WAXBERRY	General Motors		46	2611	MED DOESKIN	
						General Motors	
1554	TINTING WHITE	384.8	769.7	1554	TINTING WHITE	199.5	399.0
1559	YELLOW OXIDE	431.1	862.2	1552	FAST RED	309.8	619.6
1556	FAST GREEN	433.5	867.0	1551	FAST YELLOW	400.3	800.7
1552	FAST RED	434.4	868.9	1556	FAST GREEN	419.2	838.5
2605	MED JADESTONE	General Motors		47	2611	MED DOESKIN	
						General Motors	
1554	TINTING WHITE	245.8	491.5	1554	TINTING WHITE	199.5	399.0
1501	LANDAU BLACK	349.1	698.3	1552	FAST RED	309.8	619.6
1551	FAST YELLOW	393.0	786.0	1551	FAST YELLOW	400.3	800.7
1553	FAST BLUE	422.9	845.9	1556	FAST GREEN	419.2	838.5
2606	LT SANDSTONE	General Motors		63	2612	DK GRAY	
						General Motors	
1554	TINTING WHITE	292.6	585.2	1501	LANDAU BLACK	256.5	513.0
1559	YELLOW OXIDE	400.4	800.9	1554	TINTING WHITE	345.1	690.3
1550	RED OXIDE	418.9	837.7	1559	YELLOW OXIDE	412.9	825.7
1501	LANDAU BLACK	429.2	858.4				
2607	MED RED	General Motors		75	2613	MED GRAY	
						General Motors	
1552	FAST RED	318.9	637.8	1554	TINTING WHITE	251.8	503.7
1551	FAST YELLOW	376.6	753.2	1501	LANDAU BLACK	382.4	764.8
1554	TINTING WHITE	401.9	803.7	1559	YELLOW OXIDE	419.2	838.5
1550	RED OXIDE	406.0	812.1	1553	FAST BLUE	424.4	848.7
2608	Dark Maple	General Motors		75-77	2614	DK GRAY	
						General Motors	
1552	FAST RED	140.2	280.4	1553	FAST BLUE	131.3	262.6
1557	MAGENTA	240.4	480.8	1501	LANDAU BLACK	246.8	493.6
1302	LOW LUSTER CLEAR	323.0	646.0	1550	RED OXIDE	356.3	712.5
1551	FAST YELLOW	404.3	808.7	1554	TINTING WHITE	410.6	821.2
1553	FAST BLUE	413.2	826.3				
2609	MED MAUVE	General Motors		99	2615	MIDNIGHT BLUE	
						General Motors	
1554	TINTING WHITE	161.3	322.6	1556	FAST GREEN	255.3	510.5
1552	FAST RED	289.1	578.2	1553	FAST BLUE	382.9	765.9
1501	LANDAU BLACK	355.7	711.4	1501	LANDAU BLACK	400.2	800.5
1551	FAST YELLOW	416.5	833.0	1554	TINTING WHITE	402.3	804.7
2610	DK JADE	General Motors		44	2616	MED DK AQUA	
						General Motors	
1501	LANDAU BLACK	169.2	338.4	1559	YELLOW OXIDE	163.8	327.6
1556	FAST GREEN	312.7	625.5	1553	FAST BLUE	325.7	651.3
1554	TINTING WHITE	382.0	764.0	1554	TINTING WHITE	383.0	766.1
1553	FAST BLUE	409.6	819.3	1501	LANDAU BLACK	411.4	822.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 25

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2617	MED DK GREEN	General Motors	42
1551	FAST YELLOW	247.1	494.2
1554	TINTING WHITE	325.0	650.0
1501	LANDAU BLACK	368.2	736.4
1556	FAST GREEN	410.0	820.0

2624	SILVER MET	General Motors	16T
1508	SILVER	408.9	817.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2618	DK WAXBERRY	General Motors	46
1501	LANDAU BLACK	219.8	439.7
1559	YELLOW OXIDE	339.5	679.1
1550	RED OXIDE	380.4	760.8
1554	TINTING WHITE	410.5	821.0

2625	PASTEL WAXBERR	General Motors	35T
1554	TINTING WHITE	388.8	777.7
1559	YELLOW OXIDE	430.1	860.1
1556	FAST GREEN	432.6	865.3
1550	RED OXIDE	434.5	869.1

2619	MED DK WAXBERR	General Motors	45
1559	YELLOW OXIDE	276.5	553.1
1501	LANDAU BLACK	377.9	755.8
1550	RED OXIDE	406.0	812.1
1554	TINTING WHITE	411.4	822.9

2626	LT WAXBERRY ME	General Motors	36T
1508	SILVER	297.8	595.7
1551	FAST YELLOW	364.7	729.4
1552	FAST RED	392.1	784.1
1501	LANDAU BLACK	407.6	815.1

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

2620	DK JADESTONE	General Motors	47
1501	LANDAU BLACK	140.6	281.2
1302	LOW LUSTER CLEAR	277.7	555.4
1554	TINTING WHITE	326.5	653.0
1551	FAST YELLOW	367.4	734.7
1553	FAST BLUE	407.1	814.2

2627	PASTEL JADESTON	General Motors	44T
1554	TINTING WHITE	413.5	827.1
1553	FAST BLUE	422.2	844.4
1501	LANDAU BLACK	429.9	859.8
1551	FAST YELLOW	435.6	871.2

2621	DK DOESKIN	General Motors	63
1559	YELLOW OXIDE	211.8	423.5
1501	LANDAU BLACK	325.9	651.9
1550	RED OXIDE	411.1	822.1

2628	LT JADESTONE	General Motors	45T
1508	SILVER	325.4	650.8
1553	FAST BLUE	362.6	725.2
1551	FAST YELLOW	383.0	766.1
1554	TINTING WHITE	398.9	797.8
1501	LANDAU BLACK	408.4	816.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2622	MED DK DOESKIN	General Motors	64
1559	YELLOW OXIDE	203.8	407.6
1501	LANDAU BLACK	310.0	620.0
1550	RED OXIDE	397.7	795.3
1554	TINTING WHITE	412.1	824.2

2629	DK DOESKIN MET	General Motors	1508 SILVER
1551	FAST YELLOW	200.3	400.5
1552	FAST RED	328.4	656.8
1508	SILVER	372.5	745.0
1501	LANDAU BLACK	404.5	809.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2623	MED DK MAUVE	General Motors	99
1559	YELLOW OXIDE	166.7	333.5
1550	RED OXIDE	264.3	528.6
1554	TINTING WHITE	348.3	696.5
1501	LANDAU BLACK	416.6	833.2

2630	PASTEL SANDSTON	General Motors	63T
1554	TINTING WHITE	268.7	537.3
1559	YELLOW OXIDE	391.5	783.0
1550	RED OXIDE	415.2	830.5
1501	LANDAU BLACK	427.8	855.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 26

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2631	DK SANDSTONE ME	General Motors	69T	2638	MED DK AMBER TA	General Motors	62
1552	FAST RED	202.3	404.5	1559	YELLOW OXIDE	303.3	606.7
1551	FAST YELLOW	315.5	631.0	1550	RED OXIDE	393.0	786.0
1501	LANDAU BLACK	364.0	728.1	1554	TINTING WHITE	409.9	819.9
1508	SILVER	404.5	809.0	1501	LANDAU BLACK	414.2	828.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2632	DK MAPLE MET	General Motors	77T	2639	DK AMBER TAN	General Motors	62
1552	FAST RED	359.1	718.2	1559	YELLOW OXIDE	184.4	368.8
1501	LANDAU BLACK	375.3	750.7	1550	RED OXIDE	340.3	680.6
1551	FAST YELLOW	390.0	780.0	1501	LANDAU BLACK	412.1	824.2
1508	SILVER	404.2	808.5				

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2633	SAXONY RED	General Motors	78T	2640	DK GRAY BLUE	General Motors	24
1552	FAST RED	298.2	596.4	1554	TINTING WHITE	142.9	285.8
1559	YELLOW OXIDE	377.2	754.3	1501	LANDAU BLACK	277.0	554.0
1550	RED OXIDE	405.3	810.5	1553	FAST BLUE	362.8	725.6
1554	TINTING WHITE	406.4	812.8	1550	RED OXIDE	416.1	832.2

2634	MED SLATE MET	General Motors	85T	2641	DK SPRUCE	General Motors	48
1508	SILVER	132.9	265.8	1501	LANDAU BLACK	174.9	349.8
1552	FAST RED	238.2	476.3	1554	TINTING WHITE	345.7	691.4
1501	LANDAU BLACK	329.9	659.9	1551	FAST YELLOW	392.6	785.3
1553	FAST BLUE	405.5	810.9	1556	FAST GREEN	417.5	835.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2635	MED JADESTONE M	General Motors	96T	2642	MED SADDLE TAN	General Motors	61
1508	SILVER	186.7	373.4	1559	YELLOW OXIDE	208.1	416.1
1553	FAST BLUE	301.0	601.9	1554	TINTING WHITE	381.5	763.0
1501	LANDAU BLACK	361.1	722.2	1550	RED OXIDE	410.8	821.6
1551	FAST YELLOW	405.9	811.9	1501	LANDAU BLACK	422.6	845.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2636	DOESKIN MET	General Motors	97T	2643	MED DK SADDLE T	General Motors	61
1508	SILVER	174.7	349.4	1559	YELLOW OXIDE	267.2	534.5
1551	FAST YELLOW	326.7	653.4	1550	RED OXIDE	350.4	700.7
1552	FAST RED	406.0	812.1	1501	LANDAU BLACK	394.0	787.9
				1554	TINTING WHITE	413.5	827.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2637	CHARCOAL	General Motors	18	2644	DK SADDLE TAN	General Motors	61
1501	LANDAU BLACK	226.7	453.3	1559	YELLOW OXIDE	232.2	464.4
1554	TINTING WHITE	296.6	593.2	1550	RED OXIDE	327.2	654.4
1552	FAST RED	353.3	706.6	1501	LANDAU BLACK	411.7	823.5
1551	FAST YELLOW	410.0	820.0				

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 27

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
2645	DK SABLE	General Motors		67	2652	ALMOND	General Motors		61T
1559	YELLOW OXIDE	141.5	282.9		1554	TINTING WHITE	276.2	552.3	
1550	RED OXIDE	260.7	521.4		1559	YELLOW OXIDE	414.0	828.0	
1501	LANDAU BLACK	352.4	704.7		1550	RED OXIDE	424.3	848.5	
1554	TINTING WHITE	415.2	830.3		1501	LANDAU BLACK	428.3	856.5	
2646	MED DK AUTUMN	General Motors		72	2653	SABLE MET	General Motors		64T
1552	FAST RED	319.6	639.2		1552	FAST RED	177.3	354.5	
1550	RED OXIDE	384.9	769.9		1508	SILVER	273.4	546.8	
1553	FAST BLUE	398.7	797.4		1501	LANDAU BLACK	354.2	708.3	
1554	TINTING WHITE	406.0	812.1		1551	FAST YELLOW	405.3	810.5	
2647	DK REDWOOD	General Motors		77	MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1552	FAST RED	295.6	591.3		2654	AUTUMN MAPLE M	General Motors		74T
1551	FAST YELLOW	378.7	757.3		1552	FAST RED	394.9	789.8	
1501	LANDAU BLACK	392.7	785.5		1508	SILVER	401.0	802.0	
1554	TINTING WHITE	404.9	809.8		1553	FAST BLUE	404.0	808.1	
2648	MED SANDSTONE	General Motors		63	MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1559	YELLOW OXIDE	174.1	348.3		2655	DK REDWOOD MET	General Motors		77T
1554	TINTING WHITE	339.0	677.9		1552	FAST RED	304.0	608.0	
1550	RED OXIDE	390.9	781.9		1551	FAST YELLOW	373.4	746.9	
1501	LANDAU BLACK	421.8	843.6		1501	LANDAU BLACK	389.4	778.8	
					1508	SILVER	404.1	808.3	
2649	DK BLUE	General Motors		28T	MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1553	FAST BLUE	291.3	582.5		2656	SLATE GRAY	General Motors		80T
1501	LANDAU BLACK	392.4	784.7		1554	TINTING WHITE	393.7	787.4	
1554	TINTING WHITE	404.0	808.1		1559	YELLOW OXIDE	416.3	832.6	
					1501	LANDAU BLACK	434.2	868.3	
					1550	RED OXIDE	434.6	869.3	
2650	LT JADESTONE	General Motors		45T	MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
1554	TINTING WHITE	341.1	682.1		2657	LT DOESKIN	General Motors		86T
1501	LANDAU BLACK	399.8	799.5		1559	YELLOW OXIDE	204.8	409.6	
1556	FAST GREEN	416.7	833.3		1554	TINTING WHITE	375.6	751.3	
1551	FAST YELLOW	430.2	860.3		1550	RED OXIDE	412.4	824.8	
					1501	LANDAU BLACK	422.6	845.1	
2651	LT YELLOW	General Motors		54T	2658	DK REDWOOD	General Motors		87T
1554	TINTING WHITE	389.0	778.1		1550	RED OXIDE	172.2	344.5	
1551	FAST YELLOW	422.6	845.1		1552	FAST RED	328.2	656.5	
1552	FAST RED	431.7	863.4		1501	LANDAU BLACK	406.7	813.4	
1556	FAST GREEN	433.7	867.4		1554	TINTING WHITE	408.6	817.2	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 28

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MED SPRUCE MET	General Motors	91T
1508	SILVER	262.0	524.0
1501	LANDAU BLACK	368.8	737.6
1556	FAST GREEN	407.5	814.9

	MED RED	Ford Motor	D
1552	FAST RED	395.7	791.4
1554	TINTING WHITE	401.3	802.6
1553	FAST BLUE	404.4	808.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT SABLE MET	General Motors	96T
1508	SILVER	274.0	548.0
1552	FAST RED	353.5	707.0
1501	LANDAU BLACK	390.6	781.3
1551	FAST YELLOW	407.4	814.7

	DK SPRUCE MET	Ford Motor	M
1553	FAST BLUE	251.4	502.7
1551	FAST YELLOW	344.4	688.8
1508	SILVER	382.1	764.2
1501	LANDAU BLACK	403.5	806.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT REDWOOD MET	General Motors	97T
1508	SILVER	192.5	384.9
1552	FAST RED	334.9	669.8
1551	FAST YELLOW	397.6	795.2
1501	LANDAU BLACK	406.3	812.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	FAWN	Ford Motor	U
1554	TINTING WHITE	325.2	650.4
1559	YELLOW OXIDE	404.3	808.6
1550	RED OXIDE	423.1	846.3
1501	LANDAU BLACK	430.9	861.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	ALMOND MET	General Motors	98T
1508	SILVER	190.1	380.2
1551	FAST YELLOW	313.8	627.6
1552	FAST RED	399.4	798.8
1501	LANDAU BLACK	406.2	812.4

	PASTEL CAMEL	Ford Motor	Y
1554	TINTING WHITE	299.8	599.6
1559	YELLOW OXIDE	426.9	853.9
1550	RED OXIDE	428.9	857.9
1553	FAST BLUE	429.7	859.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT BLUE MET	Ford Motor	B
1508	SILVER	254.7	509.4
1553	FAST BLUE	365.8	731.7
1552	FAST RED	386.0	772.0
1554	TINTING WHITE	398.6	797.2
1551	FAST YELLOW	407.6	815.3

	MED DK NUTMEG	Ford Motor	Z
1552	FAST RED	221.4	442.7
1551	FAST YELLOW	364.1	728.3
1508	SILVER	393.7	787.4
1501	LANDAU BLACK	404.3	808.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED BITTERSWEET	Ford Motor	C
1552	FAST RED	273.0	546.1
1551	FAST YELLOW	372.3	744.6
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK BROWN MET	Ford Motor	Z
1552	FAST RED	228.4	456.8
1551	FAST YELLOW	366.6	733.2
1501	LANDAU BLACK	386.5	772.9
1508	SILVER	404.2	808.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	BITTERSWEET ME	Ford Motor	C
1552	FAST RED	301.3	602.7
1551	FAST YELLOW	377.2	754.5
1508	SILVER	396.2	792.5
1501	LANDAU BLACK	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED PEWTER MET	Ford Motor	3
1508	SILVER	266.9	533.7
1501	LANDAU BLACK	376.2	752.4
1552	FAST RED	394.8	789.6
1551	FAST YELLOW	407.5	814.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 29

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2710	LT PEWTER MET	Ford Motor	4
1508	SILVER	276.8	553.7
1501	LANDAU BLACK	342.0	684.0
1551	FAST YELLOW	383.9	767.8
1552	FAST RED	407.6	815.1

2717	DK HARBOR BLUE	Ford Motor	B
1553	FAST BLUE	221.4	442.9
1508	SILVER	291.7	583.3
1501	LANDAU BLACK	348.9	697.9
1556	FAST GREEN	391.4	782.8
1554	TINTING WHITE	405.1	810.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2711	LT GOLD MET	Ford Motor	7
1508	SILVER	219.5	439.1
1551	FAST YELLOW	354.2	708.3
1552	FAST RED	394.4	788.9
1501	LANDAU BLACK	406.6	813.2

2718	MIDNIGHT BLUE M	Ford Motor	B
1553	FAST BLUE	230.4	460.8
1501	LANDAU BLACK	320.5	641.1
1508	SILVER	369.6	739.1
1552	FAST RED	396.2	792.3
1554	TINTING WHITE	402.4	804.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2712	LT FAWN MET	Ford Motor	H
1508	SILVER	194.8	389.7
1552	FAST RED	303.0	605.9
1551	FAST YELLOW	355.6	711.2
1501	LANDAU BLACK	406.5	813.0

2719	DK RED MET	Ford Motor	D
1552	FAST RED	370.4	740.8
1508	SILVER	399.9	799.7
1553	FAST BLUE	404.1	808.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2713	DK CHAMPAGNE M	Ford Motor	J
1552	FAST RED	225.0	449.9
1551	FAST YELLOW	312.6	625.1
1501	LANDAU BLACK	391.8	783.6
1508	SILVER	404.4	808.8

2720	BITTERSWEET	Ford Motor	E
1552	FAST RED	197.8	395.6
1551	FAST YELLOW	353.6	707.2
1554	TINTING WHITE	405.9	811.9
1501	LANDAU BLACK	408.0	816.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2714	DK RED MET	Ford Motor	N
1552	FAST RED	389.3	778.6
1554	TINTING WHITE	395.1	790.2
1508	SILVER	400.0	800.1
1553	FAST BLUE	404.4	808.8

2721	MULBERRY MET	Ford Motor	F
1552	FAST RED	278.2	556.3
1551	FAST YELLOW	338.8	677.5
1501	LANDAU BLACK	375.3	750.7
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2715	SILVER MET	Ford Motor	P
1508	SILVER	393.2	786.4
1501	LANDAU BLACK	408.7	817.4

2722	VAQUERO	Ford Motor	F
1550	RED OXIDE	350.8	701.7
1559	YELLOW OXIDE	382.0	764.0
1501	LANDAU BLACK	406.4	812.8
1554	TINTING WHITE	414.1	828.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2716	CREAM	Ford Motor	V
1554	TINTING WHITE	345.5	691.0
1559	YELLOW OXIDE	428.8	857.7
1556	FAST GREEN	430.9	861.8
1552	FAST RED	432.2	864.3

2723	TEAL MET	Ford Motor	K
1553	FAST BLUE	264.5	529.0
1551	FAST YELLOW	321.8	643.5
1501	LANDAU BLACK	363.9	727.7
1508	SILVER	403.5	806.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 30

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2724	DK TEAL MET	Ford Motor	K
1553	FAST BLUE	325.9	651.7
1551	FAST YELLOW	385.8	771.6
1508	SILVER	402.9	805.8

2731	DK BROWN MET	Ford Motor	F
1552	FAST RED	246.5	493.1
1551	FAST YELLOW	323.1	646.2
1501	LANDAU BLACK	389.8	779.6
1508	SILVER	404.3	808.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2725	FRENCH VANILLA	Ford Motor	L
1554	TINTING WHITE	341.4	682.9
1559	YELLOW OXIDE	424.9	849.9
1550	RED OXIDE	430.1	860.1
1501	LANDAU BLACK	432.0	863.9

2732	MED DK MULBERR	Ford Motor	F
1552	FAST RED	313.8	627.6
1551	FAST YELLOW	360.2	720.5
1501	LANDAU BLACK	386.2	772.4
1508	SILVER	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

2726	LT FRENCH VANIL	Ford Motor	L
1554	TINTING WHITE	217.6	435.3
1559	YELLOW OXIDE	395.9	791.7
1550	RED OXIDE	417.9	835.8
1501	LANDAU BLACK	425.1	850.3

2733	FRENCH VANILLA	Ford Motor	L
1554	TINTING WHITE	392.1	784.1
1559	YELLOW OXIDE	431.9	863.7
1550	RED OXIDE	433.9	867.7
1501	LANDAU BLACK	434.8	869.6

2727	MED VANILLA	Ford Motor	L
1559	YELLOW OXIDE	244.3	488.7
1554	TINTING WHITE	372.8	745.6
1550	RED OXIDE	406.1	812.3
1501	LANDAU BLACK	420.1	840.2

3000	DK CHARCOAL	General Motors	17
1501	LANDAU BLACK	168.6	337.3
1559	YELLOW OXIDE	304.2	608.4
1550	RED OXIDE	360.8	721.6
1554	TINTING WHITE	412.9	825.7

2728	MED FAWN	Ford Motor	U
1559	YELLOW OXIDE	202.9	405.8
1554	TINTING WHITE	319.6	639.2
1550	RED OXIDE	389.8	779.6
1501	LANDAU BLACK	419.2	838.5

3001	DK ROYAL BLUE	General Motors	22
1501	LANDAU BLACK	149.7	299.4
1554	TINTING WHITE	289.6	579.1
1552	FAST RED	358.4	716.9
1553	FAST BLUE	414.9	829.7

2729	OPAL	Ford Motor	W
1554	TINTING WHITE	399.3	798.6
1559	YELLOW OXIDE	429.3	858.6
1501	LANDAU BLACK	432.6	865.3
1550	RED OXIDE	435.2	870.4

3002	MED GRAY FERN	General Motors	42
1554	TINTING WHITE	216.4	432.8
1501	LANDAU BLACK	353.0	706.0
1551	FAST YELLOW	418.6	837.1
1552	FAST RED	420.9	841.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

2730	LT BLUE MET	Ford Motor	B
1508	SILVER	308.8	617.7
1553	FAST BLUE	364.8	729.6
1501	LANDAU BLACK	387.0	774.1
1554	TINTING WHITE	401.7	803.3
1552	FAST RED	408.7	817.4

3003	DK GRAY FERN	General Motors	
1501	LANDAU BLACK	206.9	413.8
1554	TINTING WHITE	304.6	609.1
1551	FAST YELLOW	398.5	797.1
1550	RED OXIDE	412.3	824.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 31

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MED BEECH	General Motors		
3004				58
1559	YELLOW OXIDE	278.6	557.3	
1550	RED OXIDE	358.6	717.3	
1554	TINTING WHITE	409.8	819.7	
1501	LANDAU BLACK	416.1	832.2	

	LT ROYAL BLUE M	General Motors		
3011				22T
1508	SILVER	270.1	540.2	
1552	FAST RED	344.5	688.9	
1553	FAST BLUE	407.0	814.0	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK BEECH	General Motors		
3005				58
1559	YELLOW OXIDE	239.3	478.6	
1550	RED OXIDE	354.0	707.9	
1501	LANDAU BLACK	391.2	782.4	
1554	TINTING WHITE	414.0	828.0	

	MED DK RYL BLUE	General Motors		
3012				27T
1552	FAST RED	140.2	280.4	
1553	FAST BLUE	279.6	559.2	
1508	SILVER	362.7	725.4	
1501	LANDAU BLACK	388.4	776.7	
1551	FAST YELLOW	404.5	809.0	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT SAND GRAY	General Motors		
3006				60
1554	TINTING WHITE	342.5	685.0	
1559	YELLOW OXIDE	401.7	803.3	
1550	RED OXIDE	417.6	835.2	
1501	LANDAU BLACK	431.9	863.7	

	LT GRAY FERN ME	General Motors		
3013				42T
1508	SILVER	347.7	695.4	
1501	LANDAU BLACK	381.5	763.0	
1551	FAST YELLOW	397.5	795.0	
1553	FAST BLUE	408.1	816.2	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED SAND GRAY	General Motors		
3007				60
1554	TINTING WHITE	217.6	435.3	
1501	LANDAU BLACK	300.0	600.0	
1552	FAST RED	365.4	730.7	
1551	FAST YELLOW	411.4	822.7	

	DK GRAY FERN ME	General Motors		
3014				48T
1501	LANDAU BLACK	276.5	553.1	
1508	SILVER	331.8	663.7	
1551	FAST YELLOW	385.5	771.0	
1556	FAST GREEN	405.5	810.9	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK BRIAR BROWN	General Motors		
3008				67
1550	RED OXIDE	160.8	321.7	
1501	LANDAU BLACK	287.3	574.6	
1559	YELLOW OXIDE	394.8	789.6	
1554	TINTING WHITE	412.0	824.0	

	FLAX	General Motors		
3015				50T
1554	TINTING WHITE	420.7	841.3	
1551	FAST YELLOW	434.6	869.3	
1550	RED OXIDE	435.5	871.0	
1501	LANDAU BLACK	436.1	872.3	

	DK MAPLE	General Motors		
3009				77
1552	FAST RED	337.9	675.8	
1551	FAST YELLOW	382.5	764.9	
1501	LANDAU BLACK	394.4	788.9	
1554	TINTING WHITE	404.7	809.4	

	LT SAND GRAY	General Motors		
3016				60T
1554	TINTING WHITE	343.5	687.0	
1559	YELLOW OXIDE	402.4	804.8	
1550	RED OXIDE	418.3	836.6	
1501	LANDAU BLACK	432.0	863.9	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	SILVER SAND MET	General Motors		
3010				15T
1508	SILVER	297.4	594.9	
1501	LANDAU BLACK	374.9	749.7	
1552	FAST RED	396.7	793.4	
1551	FAST YELLOW	407.6	815.3	

	LT BRIAR BROWN	General Motors		
3017				62T
1508	SILVER	286.0	572.1	
1552	FAST RED	349.5	699.0	
1501	LANDAU BLACK	388.7	777.5	
1551	FAST YELLOW	407.4	814.7	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 32

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

3018	DK ROYAL BLUE M	General Motors	90T
1553	FAST BLUE	243.0	486.0
1556	FAST GREEN	342.2	684.4
1501	LANDAU BLACK	394.7	789.5
1508	SILVER	403.3	806.6

3026	DK BROWN	Chrysler Motors	T8
1559	YELLOW OXIDE	157.4	314.8
1501	LANDAU BLACK	301.9	603.8
1550	RED OXIDE	401.2	802.4
1554	TINTING WHITE	411.2	822.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3019	LT FLAX MET	General Motors	91T
1508	SILVER	226.5	453.0
1551	FAST YELLOW	320.1	640.1
1552	FAST RED	399.4	798.8
1556	FAST GREEN	406.7	813.4

3027	BEIGE MET	Chrysler Motors	L4
1508	SILVER	210.2	420.5
1551	FAST YELLOW	288.0	576.1
1552	FAST RED	361.5	723.0
1554	TINTING WHITE	387.0	774.1
1501	LANDAU BLACK	408.6	817.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

3021	DK BEECH MET	General Motors	94T
1552	FAST RED	173.9	347.7
1551	FAST YELLOW	318.9	637.8
1508	SILVER	391.6	783.2
1501	LANDAU BLACK	404.9	809.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3028	BEIGE	Chrysler Motors	L6
1554	TINTING WHITE	284.2	568.5
1559	YELLOW OXIDE	397.9	795.7
1550	RED OXIDE	419.7	839.4
1501	LANDAU BLACK	428.7	857.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3022	SILVER	Chrysler Motors	A2
1508	SILVER	270.6	541.1
1554	TINTING WHITE	386.0	772.0
1552	FAST RED	401.8	803.5
1551	FAST YELLOW	409.8	819.7
1553	FAST BLUE	416.0	832.0

3029	DK BROWN	Chrysler Motors	T8
1559	YELLOW OXIDE	157.4	314.8
1501	LANDAU BLACK	301.9	603.8
1550	RED OXIDE	401.2	802.4
1554	TINTING WHITE	411.2	822.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3023	MED BLUE	Chrysler Motors	B5
1554	TINTING WHITE	244.0	487.9
1553	FAST BLUE	320.2	640.3
1501	LANDAU BLACK	386.8	773.7
1552	FAST RED	422.6	845.1

3030	MIDNIGHT BLUE	Ford Motor	B
1553	FAST BLUE	222.1	444.2
1501	LANDAU BLACK	366.4	732.8
1554	TINTING WHITE	406.6	813.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3024	BEIGE	Chrysler Motors	L
1554	TINTING WHITE	264.7	529.3
1559	YELLOW OXIDE	391.3	782.6
1550	RED OXIDE	416.3	832.6
1501	LANDAU BLACK	427.6	855.2

3031	MED RED	Ford Motor	D
1552	FAST RED	309.9	619.8
1550	RED OXIDE	394.6	789.3
1554	TINTING WHITE	406.6	813.2
1501	LANDAU BLACK	407.1	814.2

3025	DK SADDLE	Chrysler Motors	K9
1559	YELLOW OXIDE	249.5	498.9
1550	RED OXIDE	404.3	808.6
1501	LANDAU BLACK	413.3	826.7

3032	DK RED	Ford Motor	D
1552	FAST RED	365.0	730.0
1551	FAST YELLOW	389.9	779.8
1554	TINTING WHITE	398.7	797.4
1553	FAST BLUE	404.6	809.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 33

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MULBERRY	Ford Motor		
3033				F
1550	RED OXIDE	273.9	547.8	
1501	LANDAU BLACK	379.5	759.1	
1559	YELLOW OXIDE	399.3	798.6	
1554	TINTING WHITE	412.5	825.0	

	DESERT TAN	Ford Motor		
3040				U
1559	YELLOW OXIDE	210.0	420.1	
1554	TINTING WHITE	352.7	705.5	
1550	RED OXIDE	407.8	815.7	
1501	LANDAU BLACK	420.9	841.7	

	TEAL	Ford Motor		
3034				K
1553	FAST BLUE	272.5	544.9	
1551	FAST YELLOW	344.9	689.9	
1501	LANDAU BLACK	377.6	755.3	
1554	TINTING WHITE	405.2	810.4	

	WALNUT	Ford Motor		
3041				Z
1559	YELLOW OXIDE	169.0	338.0	
1550	RED OXIDE	309.6	619.2	
1501	LANDAU BLACK	397.4	794.8	
1554	TINTING WHITE	412.7	825.4	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT FRENCH VANIL	Ford Motor		
3035				L
1554	TINTING WHITE	343.0	686.1	
1559	YELLOW OXIDE	424.2	848.4	
1550	RED OXIDE	430.5	861.1	
1501	LANDAU BLACK	432.2	864.3	

	DK. Harbor Blue	Ford Motor		
3042				B
1553	FAST BLUE	250.7	501.5	
1554	TINTING WHITE	327.7	655.4	
1501	LANDAU BLACK	394.5	789.0	
1551	FAST YELLOW	419.1	838.2	

	MED FRENCH VANI	Ford Motor		
3036				L
1554	TINTING WHITE	217.6	435.3	
1559	YELLOW OXIDE	395.9	791.7	
1550	RED OXIDE	417.9	835.8	
1501	LANDAU BLACK	425.1	850.3	

	DK TEAL MET	Ford Motor		
3043				K
1553	FAST BLUE	289.8	579.5	
1551	FAST YELLOW	355.7	711.4	
1508	SILVER	394.7	789.5	
1501	LANDAU BLACK	403.3	806.6	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK FRENCH VANIL	Ford Motor		
3037				L
1559	YELLOW OXIDE	241.3	482.6	
1554	TINTING WHITE	371.6	743.3	
1550	RED OXIDE	405.5	810.9	
1501	LANDAU BLACK	420.2	840.4	

	FRENCH VANILLA	Ford Motor		
3044				L
1508	SILVER	207.2	414.4	
1551	FAST YELLOW	304.9	609.7	
1552	FAST RED	397.4	794.8	
1501	LANDAU BLACK	406.5	813.0	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	CHARCOAL	Ford Motor		
3038				P
1501	LANDAU BLACK	170.1	340.1	
1554	TINTING WHITE	297.4	594.7	
1551	FAST YELLOW	356.5	713.1	
1552	FAST RED	414.1	828.2	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	SILVER MET	Ford Motor		
3045				P
1508	SILVER	337.1	674.1	
1554	TINTING WHITE	390.5	780.9	
1501	LANDAU BLACK	412.1	824.2	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	CADET BLUE	Ford Motor		
3039				S
1554	TINTING WHITE	233.4	466.8	
1550	RED OXIDE	347.5	695.0	
1553	FAST BLUE	401.8	803.5	
1559	YELLOW OXIDE	424.9	849.9	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	PASTEL CADET BL	Ford Motor		
3046				S
1508	SILVER	321.5	643.0	
1553	FAST BLUE	367.8	735.7	
1552	FAST RED	402.6	805.2	
1501	LANDAU BLACK	407.6	815.1	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 34

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

3047	MED WALNUT MET	Ford Motor	Z
1552	FAST RED	202.4	404.9
1501	LANDAU BLACK	293.6	587.3
1551	FAST YELLOW	373.1	746.1
1508	SILVER	404.6	809.2

3054	DK BRONZE MET	General Motors	76DN
1552	FAST RED	299.1	598.1
1551	FAST YELLOW	359.3	718.6
1501	LANDAU BLACK	385.6	771.2
1508	SILVER	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3048	SILVER MET	Ford Motor	P
1508	SILVER	381.0	762.1
1501	LANDAU BLACK	402.9	805.8
1553	FAST BLUE	408.5	817.0

3055	RED	Chrysler Motors	M5
1552	FAST RED	393.6	787.2
1553	FAST BLUE	399.0	798.0
1554	TINTING WHITE	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3049	DK CHARCOAL	General Motors	18DN
1501	LANDAU BLACK	253.6	507.1
1559	YELLOW OXIDE	349.7	699.4
1554	TINTING WHITE	400.0	800.1
1550	RED OXIDE	410.9	821.8

3056	SILVER	Chrysler Motors	A4
1508	SILVER	202.2	404.3
1554	TINTING WHITE	387.4	774.8
1501	LANDAU BLACK	408.1	816.2
1551	FAST YELLOW	420.7	841.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3050	MED DK CHARCOA	General Motors	18CN
1501	LANDAU BLACK	192.8	385.5
1554	TINTING WHITE	310.5	620.9
1559	YELLOW OXIDE	415.9	831.8

3057	MED TAN	Chrysler Motors	T6
1559	YELLOW OXIDE	269.7	539.4
1554	TINTING WHITE	347.7	695.4
1550	RED OXIDE	396.7	793.4
1501	LANDAU BLACK	417.1	834.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3051	MED DK ALMOND	General Motors	61CN
1559	YELLOW OXIDE	224.1	448.2
1302	LOW LUSTER CLEAR	306.2	612.4
1550	RED OXIDE	370.8	741.6
1501	LANDAU BLACK	405.1	810.2
1554	TINTING WHITE	410.5	821.0

3058	DK BRIAR BROWN	General Motors	67T
1552	FAST RED	205.0	410.0
1501	LANDAU BLACK	297.5	595.1
1551	FAST YELLOW	351.8	703.6
1508	SILVER	404.8	809.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3052	DK ALMOND	General Motors	61DN
1559	YELLOW OXIDE	212.6	425.2
1550	RED OXIDE	293.6	587.3
1501	LANDAU BLACK	365.1	730.2
1302	LOW LUSTER CLEAR	410.6	821.2

3059	DK AUTUMN MAPL	General Motors	78T
1552	FAST RED	342.3	684.6
1501	LANDAU BLACK	371.1	742.1
1551	FAST YELLOW	388.8	777.7
1508	SILVER	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3053	VERY DK CARMINE	General Motors	74DN
1552	FAST RED	326.9	653.8
1551	FAST YELLOW	361.3	722.6
1554	TINTING WHITE	387.8	775.6
1501	LANDAU BLACK	406.0	812.1

3060	MED BRIAR BROW	General Motors	92T
1508	SILVER	166.7	333.5
1552	FAST RED	293.7	587.5
1501	LANDAU BLACK	373.3	746.5
1551	FAST YELLOW	406.2	812.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 35

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

3061	DK CADET BLUE M	Ford Motor	S
1553	FAST BLUE	149.9	299.8
1552	FAST RED	278.8	557.7
1501	LANDAU BLACK	344.0	688.0
1508	SILVER	383.9	767.8
1554	TINTING WHITE	405.7	811.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3062	MIDNT CADET BLU	Ford Motor	S
1553	FAST BLUE	210.8	421.6
1552	FAST RED	301.0	601.9
1501	LANDAU BLACK	383.2	766.5
1508	SILVER	403.6	807.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

3063	OYSTER WHITE	General Motors	12AN
1554	TINTING WHITE	419.6	839.2
1551	FAST YELLOW	426.6	853.1
1501	LANDAU BLACK	432.3	864.7
1552	FAST RED	436.0	871.9

3064	LT SLATE GRAY	General Motors	13AN
1554	TINTING WHITE	362.6	725.2
1559	YELLOW OXIDE	396.2	792.5
1501	LANDAU BLACK	423.0	846.1
1550	RED OXIDE	432.7	865.5

3065	MED DK SLATE GR	General Motors	13CN
1554	TINTING WHITE	251.8	503.5
1501	LANDAU BLACK	349.1	698.3
1559	YELLOW OXIDE	407.4	814.7
1550	RED OXIDE	425.2	850.4

3066	DK GRAY	General Motors	15DN
1501	LANDAU BLACK	285.2	570.4
1554	TINTING WHITE	397.7	795.3
1551	FAST YELLOW	413.4	826.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3067	MED LT BLUE	General Motors	23BN
1554	TINTING WHITE	157.0	314.1
1553	FAST BLUE	297.4	594.9
1501	LANDAU BLACK	374.2	748.4
1550	RED OXIDE	416.7	833.3

3068	MED BLUE	General Motors	23CN
1553	FAST BLUE	200.6	401.3
1501	LANDAU BLACK	327.0	654.0
1554	TINTING WHITE	395.1	790.2
1556	FAST GREEN	408.7	817.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3069	DK BLUE	General Motors	23DN
1553	FAST BLUE	161.4	322.8
1501	LANDAU BLACK	312.6	625.3
1554	TINTING WHITE	385.9	771.8
1550	RED OXIDE	409.9	819.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3070	MED JADESTONE	General Motors	47DN
1554	TINTING WHITE	245.8	491.5
1501	LANDAU BLACK	349.1	698.3
1551	FAST YELLOW	393.0	786.0
1553	FAST BLUE	422.9	845.9

3071	MED DK JADESTON	General Motors	47CN
1302	LOW LUSTER CLEAR	136.6	273.2
1501	LANDAU BLACK	242.1	484.1
1554	TINTING WHITE	315.6	631.2
1559	YELLOW OXIDE	385.0	770.1
1553	FAST BLUE	410.4	820.8

3072	DK JADESTONE	General Motors	47DN
1501	LANDAU BLACK	194.5	388.9
1553	FAST BLUE	292.5	585.0
1551	FAST YELLOW	351.3	702.6
1554	TINTING WHITE	408.5	817.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

3073	MED ALMOND	General Motors	61BN
1554	TINTING WHITE	236.4	472.7
1552	FAST RED	323.2	646.4
1551	FAST YELLOW	403.5	806.9
1556	FAST GREEN	422.0	844.0

3074	DK CARMINE	General Motors	74CN
1552	FAST RED	329.0	658.0
1551	FAST YELLOW	385.3	770.6
1554	TINTING WHITE	401.1	802.2
1553	FAST BLUE	405.2	810.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 36

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK GRAY	General Motors	13DN
1501	LANDAU BLACK	171.9	343.7
1554	TINTING WHITE	343.2	686.5
1559	YELLOW OXIDE	406.7	813.4
1550	RED OXIDE	419.2	838.5

	DK GARNET	American Moto	83P96
1552	FAST RED	196.4	392.7
1550	RED OXIDE	297.0	593.9
1302	LOW LUSTER CLEAR	378.1	756.2
1501	LANDAU BLACK	398.2	796.5
1554	TINTING WHITE	406.7	813.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	WALNUT	Ford Motor	N
1559	YELLOW OXIDE	259.6	519.3
1302	LOW LUSTER CLEAR	341.9	683.8
1550	RED OXIDE	390.3	780.5
1554	TINTING WHITE	405.0	810.0
1501	LANDAU BLACK	411.4	822.9

	DK GRAY	American Moto	83P97
1554	TINTING WHITE	254.6	509.2
1501	LANDAU BLACK	381.2	762.5
1551	FAST YELLOW	405.0	810.0
1552	FAST RED	423.7	847.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	GRAY	American Moto	83P18
1554	TINTING WHITE	330.0	660.1
1501	LANDAU BLACK	385.0	770.1
1551	FAST YELLOW	407.4	814.7
1552	FAST RED	429.3	858.6

	DK NUTMEG	American Moto	83P98
1551	FAST YELLOW	166.2	332.3
1550	RED OXIDE	293.5	586.9
1302	LOW LUSTER CLEAR	375.2	750.3
1554	TINTING WHITE	399.7	799.3
1501	LANDAU BLACK	408.5	817.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	GARNET	American Moto	83P19
1552	FAST RED	164.9	329.8
1550	RED OXIDE	309.2	618.5
1302	LOW LUSTER CLEAR	390.6	781.3
1501	LANDAU BLACK	401.8	803.5
1554	TINTING WHITE	407.5	814.9

	DK SLATE BLUE	American Moto	83P120
1501	LANDAU BLACK	278.8	557.7
1554	TINTING WHITE	382.6	765.1
1553	FAST BLUE	409.9	819.9
1551	FAST YELLOW	412.5	825.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	ALMOND	American Moto	83P20
1554	TINTING WHITE	239.9	479.8
1559	YELLOW OXIDE	389.0	778.1
1550	RED OXIDE	414.4	828.8
1501	LANDAU BLACK	426.4	852.7

	WEDGEWOOD BLU	Ford Motor	B
1554	TINTING WHITE	196.4	392.7
1501	LANDAU BLACK	310.1	620.2
1553	FAST BLUE	409.0	818.0
1556	FAST GREEN	418.9	837.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	DK ALMOND	American Moto	83P21
1302	LOW LUSTER CLEAR	139.9	279.9
1559	YELLOW OXIDE	272.4	544.7
1554	TINTING WHITE	365.8	731.7
1550	RED OXIDE	400.8	801.6
1501	LANDAU BLACK	413.9	827.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT GRAY	General Motors	16AN
1554	TINTING WHITE	362.6	725.2
1501	LANDAU BLACK	395.6	791.2
1559	YELLOW OXIDE	428.2	856.3
1550	RED OXIDE	432.6	865.3

	DEEP DK ALMOND	American Moto	83P95
1559	YELLOW OXIDE	238.5	477.1
1550	RED OXIDE	321.7	643.3
1554	TINTING WHITE	390.5	781.1
1501	LANDAU BLACK	416.7	833.3

	MED GRAY	General Motors	16BN
1554	TINTING WHITE	254.0	508.1
1501	LANDAU BLACK	364.5	729.0
1551	FAST YELLOW	400.3	800.7
1552	FAST RED	423.7	847.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 37

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
3089	DK GRAY	General Motors	16CN	3096	MED SADDLE	Corvette	62BN
1501	LANDAU BLACK	201.4	402.8	1559	YELLOW OXIDE	167.8	335.5
1554	TINTING WHITE	347.3	694.6	1302	LOW LUSTER CLEAR	304.8	609.5
1551	FAST YELLOW	393.5	787.0	1550	RED OXIDE	350.6	701.3
1552	FAST RED	415.6	831.3	1554	TINTING WHITE	395.2	790.4
				1501	LANDAU BLACK	411.4	822.7
3090	GRAPHITE	Corvette	12DN	3097	DK BRONZE MET	Corvette	64CM
1501	LANDAU BLACK	213.3	426.6	1552	FAST RED	145.2	290.3
1554	TINTING WHITE	312.1	624.2	1501	LANDAU BLACK	267.0	533.9
1552	FAST RED	365.4	730.7	1551	FAST YELLOW	337.1	674.1
1551	FAST YELLOW	412.0	824.0	1508	SILVER	400.9	801.8
				1554	TINTING WHITE	405.4	810.7
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
3091	MED GRAY MET	Corvette	15BM	3098	DK BRONZE	Corvette	64CN
1508	SILVER	332.6	665.2	1559	YELLOW OXIDE	182.7	365.4
1501	LANDAU BLACK	394.1	788.1	1501	LANDAU BLACK	298.0	596.0
1553	FAST BLUE	402.4	804.8	1550	RED OXIDE	371.9	743.9
1551	FAST YELLOW	408.0	816.1	1554	TINTING WHITE	413.3	826.7
						0.0	0.0
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
3092	MED GRAY	Corvette	15BN	3099	DK CARMINE	Corvette	74CN
1554	TINTING WHITE	276.5	552.9	1552	FAST RED	310.0	620.0
1501	LANDAU BLACK	365.5	730.9	1551	FAST YELLOW	393.6	787.2
1551	FAST YELLOW	404.5	809.0	1554	TINTING WHITE	402.3	804.7
1552	FAST RED	425.3	850.6	1553	FAST BLUE	404.6	809.2
						0.0	0.0
3093	MED BLUE MET	Corvette	28BM	3903	Charcoal Trim Metalli		
1553	FAST BLUE	132.0	263.9	1501	LANDAU BLACK	266.6	533.2
1508	SILVER	263.9	527.8	1508	SILVER	350.3	700.6
1552	FAST RED	379.1	758.3	1553	FAST BLUE	375.9	751.8
1501	LANDAU BLACK	397.8	795.5	1302	LOW LUSTER CLEAR	395.7	791.3
1551	FAST YELLOW	405.2	810.4	1557	MAGENTA	415.3	830.5
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
3094	MED BLUE	Corvette	28BN	3929	Honda Black	Honda	
1501	LANDAU BLACK	85.3	170.6	1302	LOW LUSTER CLEAR	128.9	257.7
1551	FAST YELLOW	96.9	193.8	1559	YELLOW OXIDE	233.1	466.1
1552	FAST RED	174.9	349.8	1557	MAGENTA	301.3	602.6
1553	FAST BLUE	256.5	513.0	1553	FAST BLUE	355.2	710.4
1554	TINTING WHITE	416.1	832.2	1501	LANDAU BLACK	405.0	810.1
				1552	FAST RED	415.2	830.4
3095	LT SADDLE	Corvette	62AN	4001	CHARCOAL	Ford Motor	P
1559	YELLOW OXIDE	229.1	458.3	1501	LANDAU BLACK	167.6	335.2
1554	TINTING WHITE	373.2	746.3	1554	TINTING WHITE	289.3	578.6
1550	RED OXIDE	410.2	820.4	1552	FAST RED	352.1	704.1
1501	LANDAU BLACK	420.9	841.9	1551	FAST YELLOW	408.3	816.6
				1553	FAST BLUE	413.7	827.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 38

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4002	CANYON RED	Ford Motor	D	4009	BLUE	Mercedes Benz	252
1552	FAST RED	305.3	610.7	1302	LOW LUSTER CLEAR	132.1	264.1
1551	FAST YELLOW	384.8	769.7	1553	FAST BLUE	230.7	461.3
1554	TINTING WHITE	398.5	797.1	1501	LANDAU BLACK	325.9	651.7
1501	LANDAU BLACK	405.1	810.2	1550	RED OXIDE	372.9	745.8
		0.0	0.0	1554	TINTING WHITE	406.7	813.4
4003	WHITE TEXTURE	American Moto	83J134	4010	DK BROWN	Mercedes Benz	253
1554	TINTING WHITE	423.6	847.2	1302	LOW LUSTER CLEAR	135.8	271.5
1559	YELLOW OXIDE	432.3	864.7	1501	LANDAU BLACK	254.3	508.6
1550	RED OXIDE	434.8	869.6	1559	YELLOW OXIDE	331.2	662.3
1556	FAST GREEN	436.5	873.1	1550	RED OXIDE	402.8	805.6
		0.0	0.0	1554	TINTING WHITE	407.3	814.5
4004	NUTMEG TEXTURE	American Moto	83J135	4011	PALOMINO	Mercedes Benz	254
1551	FAST YELLOW	159.4	318.8	1559	YELLOW OXIDE	191.3	382.7
1552	FAST RED	317.1	634.2	1302	LOW LUSTER CLEAR	328.6	657.2
1554	TINTING WHITE	390.6	781.3	1554	TINTING WHITE	373.1	746.1
1501	LANDAU BLACK	409.5	819.1	1550	RED OXIDE	404.9	809.8
		0.0	0.0	1501	LANDAU BLACK	411.4	822.9
4005	BLUE TEXTURE	American Moto	82J154	4012	BEIGE	Mercedes Benz	255
1554	TINTING WHITE	189.9	379.8	1302	LOW LUSTER CLEAR	138.5	277.0
1501	LANDAU BLACK	345.8	691.6	1554	TINTING WHITE	271.2	542.5
1553	FAST BLUE	408.6	817.2	1559	YELLOW OXIDE	399.3	798.6
1556	FAST GREEN	418.8	837.5	1501	LANDAU BLACK	407.8	815.7
		0.0	0.0	1550	RED OXIDE	416.2	832.4
4006	TOBACCO	Mercedes Benz	203	4013	DK GREEN	Mercedes Benz	256
1559	YELLOW OXIDE	160.6	321.3	1551	FAST YELLOW	202.7	405.5
1302	LOW LUSTER CLEAR	297.3	594.5	1501	LANDAU BLACK	347.4	694.8
1550	RED OXIDE	372.1	744.2	1554	TINTING WHITE	409.2	818.3
1501	LANDAU BLACK	393.4	786.8				
1554	TINTING WHITE	409.8	819.7				
4007	BAMBOO	Mercedes Benz	204	MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
1559	YELLOW OXIDE	215.4	430.7	4014	HENNA RED	Mercedes Benz	257
1302	LOW LUSTER CLEAR	352.1	704.1	1302	LOW LUSTER CLEAR	135.4	270.8
1550	RED OXIDE	386.9	773.9	1559	YELLOW OXIDE	262.4	524.8
1554	TINTING WHITE	404.9	809.8	1552	FAST RED	389.1	778.2
1501	LANDAU BLACK	410.0	820.0	1501	LANDAU BLACK	404.0	808.1
				1554	TINTING WHITE	406.2	812.4
4008	PARCHMENT	Mercedes Benz	205	4015	GREY	Mercedes Benz	258
1554	TINTING WHITE	263.7	527.4	1554	TINTING WHITE	267.0	533.9
1559	YELLOW OXIDE	405.3	810.5	1552	FAST RED	326.4	652.8
1501	LANDAU BLACK	418.1	836.2	1501	LANDAU BLACK	370.3	740.6
1550	RED OXIDE	427.5	855.0	1551	FAST YELLOW	406.1	812.3
		0.0	0.0	1553	FAST BLUE	424.4	848.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 39

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4016	MED BLUE	Chrysler Motors	B5	4023	SABLE MET	Chrysler Motors	T6
1554	TINTING WHITE	165.9	331.7	1552	FAST RED	171.4	342.8
1550	RED OXIDE	289.8	579.7	1501	LANDAU BLACK	276.5	552.9
1553	FAST BLUE	378.4	756.8	1551	FAST YELLOW	365.2	730.4
1559	YELLOW OXIDE	420.3	840.6	1508	SILVER	404.8	809.6
4017	DK BLUE	Chrysler Motors	C7	4024	DK BLUE MET	Ford Motor	B
1501	LANDAU BLACK	180.7	361.4	1553	FAST BLUE	227.1	454.3
1553	FAST BLUE	337.5	675.1	1552	FAST RED	313.3	626.6
1554	TINTING WHITE	382.8	765.5	1501	LANDAU BLACK	375.0	749.9
1550	RED OXIDE	407.8	815.7	1508	SILVER	395.9	791.7
				1551	FAST YELLOW	403.6	807.1
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4018	SADDLE TAN	Chrysler Motors	K5	4025	MIDNITE CANYON	Ford Motor	D
1551	FAST YELLOW	193.7	387.4	1552	FAST RED	393.1	786.2
1550	RED OXIDE	352.9	705.9	1553	FAST BLUE	399.7	799.3
1554	TINTING WHITE	396.9	793.8	1554	TINTING WHITE	404.4	808.8
1501	LANDAU BLACK	411.3	822.5				
4019	RED	Chrysler Motors	M5	4026	MED SAGE MET	Ford Motor	G
1552	FAST RED	361.8	723.5	1501	LANDAU BLACK	235.0	470.1
1551	FAST YELLOW	391.9	783.8	1508	SILVER	329.1	658.2
1554	TINTING WHITE	400.5	801.0	1551	FAST YELLOW	397.8	795.5
1553	FAST BLUE	404.6	809.2	1556	FAST GREEN	405.7	811.5
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4020	CHARCOAL	Chrysler Motors	S8	4027	LT WHEAT	Ford Motor	Y
1501	LANDAU BLACK	204.7	409.5	1554	TINTING WHITE	337.2	674.3
1554	TINTING WHITE	337.2	674.3	1559	YELLOW OXIDE	428.4	856.7
1551	FAST YELLOW	384.3	768.6	1550	RED OXIDE	430.5	861.1
1552	FAST RED	414.7	829.4	1501	LANDAU BLACK	431.9	863.7
4021	CHARCOAL	Chrysler Motors	A9	4028	DK WALNUT MET	Ford Motor	Z
1508	SILVER	179.0	358.0	1552	FAST RED	242.0	483.9
1501	LANDAU BLACK	337.6	675.3	1551	FAST YELLOW	325.3	650.6
1553	FAST BLUE	376.2	752.4	1501	LANDAU BLACK	391.9	783.8
1552	FAST RED	406.4	812.8	1508	SILVER	404.3	808.6
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4022	SLATE BLUE MET	Chrysler Motors	C6	4029	LT SLATE GRAY	General Motors	13
1553	FAST BLUE	145.3	290.5	1554	TINTING WHITE	238.3	476.5
1501	LANDAU BLACK	275.1	550.2	1302	LOW LUSTER CLEAR	378.8	757.5
1508	SILVER	374.0	748.0	1501	LANDAU BLACK	399.0	798.0
1552	FAST RED	404.9	809.8	1559	YELLOW OXIDE	418.4	836.8
				1550	RED OXIDE	421.7	843.4
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 40

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4030	VERY DK ROYAL B	General Motors	22
1553	FAST BLUE	244.6	489.3
1501	LANDAU BLACK	393.2	786.4
1554	TINTING WHITE	404.2	808.5

4037	SILVER MET	General Motors	13T
1508	SILVER	408.9	817.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4031	MED WAXBERRY	General Motors	45
1554	TINTING WHITE	228.1	456.2
1552	FAST RED	313.7	627.4
1551	FAST YELLOW	394.7	789.5
1556	FAST GREEN	421.4	842.8

4038	PASTEL SANDSTON	General Motors	63T
1554	TINTING WHITE	278.4	556.9
1559	YELLOW OXIDE	392.8	785.7
1550	RED OXIDE	416.0	832.0
1501	LANDAU BLACK	428.5	856.9

4032	MED DK DOESKIN	General Motors	64
1551	FAST YELLOW	189.1	378.1
1552	FAST RED	340.7	681.3
1501	LANDAU BLACK	378.6	757.2
1554	TINTING WHITE	406.2	812.4

4039	DK SANDSTONE ME	General Motors	68T
1552	FAST RED	153.0	306.1
1551	FAST YELLOW	274.5	548.9
1508	SILVER	346.8	693.7
1501	LANDAU BLACK	405.0	810.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4033	MED BEIGE	General Motors	69
1554	TINTING WHITE	185.0	369.9
1559	YELLOW OXIDE	355.5	711.0
1550	RED OXIDE	395.8	791.5
1501	LANDAU BLACK	422.9	845.9

4040	GUNMETAL MET	General Motors	84T
1501	LANDAU BLACK	195.5	391.0
1508	SILVER	377.9	755.8
1553	FAST BLUE	402.2	804.5
1552	FAST RED	406.6	813.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4034	DK BEIGE	General Motors	69
1559	YELLOW OXIDE	195.4	390.8
1501	LANDAU BLACK	327.5	654.9
1550	RED OXIDE	400.2	800.5
1554	TINTING WHITE	411.4	822.7

4041	VERY LT GRAYFER	General Motors	97T
1508	SILVER	380.4	760.8
1501	LANDAU BLACK	396.1	792.1
1551	FAST YELLOW	405.1	810.2
1556	FAST GREEN	408.6	817.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4035	MED DK GRAY	General Motors	82
1554	TINTING WHITE	212.9	425.8
1501	LANDAU BLACK	337.4	674.9
1559	YELLOW OXIDE	421.1	842.3
1553	FAST BLUE	422.4	844.7

4042	MED DK WAXBERR	General Motors	45
1559	YELLOW OXIDE	261.3	522.7
1501	LANDAU BLACK	328.1	656.3
1554	TINTING WHITE	387.9	775.8
1550	RED OXIDE	415.2	830.5

4036	BLACK CHERRY	General Motors	99
1552	FAST RED	310.4	620.7
1553	FAST BLUE	375.0	749.9
1551	FAST YELLOW	400.6	801.2
1554	TINTING WHITE	403.9	807.9

4043	BLACK CHERRY M	General Motors	99T
1552	FAST RED	305.6	611.2
1553	FAST BLUE	369.6	739.3
1551	FAST YELLOW	395.3	790.6
1508	SILVER	403.8	807.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 41

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4044	LT SANDSTONE ME	General Motors	96T	4051	VERY DK MAPLE	General Motors	77EN
1508	SILVER	213.8	427.5	1552	FAST RED	329.9	659.9
1552	FAST RED	299.5	599.1	1553	FAST BLUE	377.8	755.6
1551	FAST YELLOW	362.6	725.2	1551	FAST YELLOW	401.0	802.0
1501	LANDAU BLACK	406.8	813.6	1554	TINTING WHITE	404.0	808.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4045	DK CRIMSON MAPL	General Motors	98T	4052	MED DK GRAY	General Motors	82CN
1552	FAST RED	305.8	611.6	1554	TINTING WHITE	211.1	422.2
1551	FAST YELLOW	342.4	684.8	1501	LANDAU BLACK	335.8	671.7
1508	SILVER	373.6	747.3	1559	YELLOW OXIDE	418.1	836.2
1501	LANDAU BLACK	404.4	808.8	1550	RED OXIDE	422.4	844.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4046	LT SADDLE	General Motors	62AN	4053	HONEY	General Motors	84P5
1559	YELLOW OXIDE	195.2	390.5	1559	YELLOW OXIDE	285.9	571.7
1554	TINTING WHITE	346.9	693.9	1550	RED OXIDE	348.7	697.5
1550	RED OXIDE	411.5	823.1	1554	TINTING WHITE	405.4	810.7
1556	FAST GREEN	421.4	842.8	1501	LANDAU BLACK	416.2	832.4

4047	MED SADDLE	General Motors	62BN	4054	ALMOND	American Moto	83P24
1559	YELLOW OXIDE	167.8	335.5	1554	TINTING WHITE	255.2	510.3
1302	LOW LUSTER CLEAR	304.8	609.5	1559	YELLOW OXIDE	396.0	791.9
1550	RED OXIDE	350.6	701.3	1550	RED OXIDE	416.9	833.7
1554	TINTING WHITE	395.2	790.4	1501	LANDAU BLACK	427.1	854.2
1501	LANDAU BLACK	411.4	822.7				

4048	DK SADDLE	General Motors		4055	DK BLUE	American Moto	82P46
1551	FAST YELLOW	179.2	358.3	1553	FAST BLUE	179.9	359.9
1552	FAST RED	343.8	687.6	1501	LANDAU BLACK	326.7	653.4
1501	LANDAU BLACK	383.7	767.4	1550	RED OXIDE	378.8	757.5
1554	TINTING WHITE	405.7	811.5	1554	TINTING WHITE	407.2	814.3

4049	VERY DK SADDLE	General Motors	62EN	4056	GARNET MET	American Moto	84P60
1501	LANDAU BLACK	144.2	288.4	1552	FAST RED	348.2	696.4
1551	FAST YELLOW	282.4	564.9	1551	FAST YELLOW	375.3	750.5
1550	RED OXIDE	402.8	805.6	1508	SILVER	397.6	795.2
1554	TINTING WHITE	407.7	815.5	1553	FAST BLUE	404.2	808.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4050	VERY DK BRONZE	General Motors	76EN	4057	ALMOND	American Moto	84P68
1501	LANDAU BLACK	249.6	499.1	1554	TINTING WHITE	330.1	660.3
1553	FAST BLUE	335.4	670.7	1559	YELLOW OXIDE	419.6	839.2
1550	RED OXIDE	405.5	810.9	1550	RED OXIDE	426.4	852.7
1554	TINTING WHITE	406.1	812.3	1501	LANDAU BLACK	431.4	862.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 42

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4058	SAGE GREEN	Ford Motor	G
1554	TINTING WHITE	210.6	421.2
1559	YELLOW OXIDE	373.4	746.7
1501	LANDAU BLACK	417.4	834.9
1556	FAST GREEN	423.8	847.6

4065	GRAPHITE	General Motors	82DN
1501	LANDAU BLACK	226.7	453.3
1554	TINTING WHITE	296.6	593.2
1551	FAST YELLOW	353.4	706.8
1552	FAST RED	409.9	819.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4059	WHITE	Ford Motor	W
1554	TINTING WHITE	432.3	864.5
1559	YELLOW OXIDE	434.9	869.8
1501	LANDAU BLACK	437.1	874.2

4066	HONEY	American Moto	84P69
1551	FAST YELLOW	197.4	394.8
1552	FAST RED	324.9	649.8
1508	SILVER	397.2	794.4
1501	LANDAU BLACK	405.0	810.0

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4060	OXFORD GRAY	Ford Motor	P
1554	TINTING WHITE	334.5	669.0
1501	LANDAU BLACK	377.0	753.9
1559	YELLOW OXIDE	418.5	837.0
1550	RED OXIDE	430.9	861.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4067	BLUE GREEN MET	American Moto	82P47
1553	FAST BLUE	170.1	340.3
1556	FAST GREEN	329.4	658.7
1501	LANDAU BLACK	370.6	741.2
1508	SILVER	403.8	807.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4061	WHEAT	Ford Motor	Y
1559	YELLOW OXIDE	148.9	297.7
1302	LOW LUSTER CLEAR	287.4	574.8
1554	TINTING WHITE	403.0	806.0
1550	RED OXIDE	411.1	822.1
1501	LANDAU BLACK	415.4	830.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4068	LT DESERT TAN	Ford Motor	U
1554	TINTING WHITE	264.6	529.2
1559	YELLOW OXIDE	400.9	801.8
1550	RED OXIDE	423.5	847.0
1501	LANDAU BLACK	427.8	855.6

4062	MED RED MET	Ford Motor	D
1552	FAST RED	352.3	704.5
1508	SILVER	378.2	756.4
1551	FAST YELLOW	400.2	800.5
1501	LANDAU BLACK	404.3	808.6

4069	DK HONEY	American Moto	84P9
1559	YELLOW OXIDE	197.0	394.1
1302	LOW LUSTER CLEAR	333.5	666.9
1550	RED OXIDE	385.0	770.1
1554	TINTING WHITE	399.2	798.4
1501	LANDAU BLACK	409.8	819.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4063	LT SAGE MET	Ford Motor	G
1508	SILVER	302.7	605.3
1501	LANDAU BLACK	357.4	714.8
1551	FAST YELLOW	400.7	801.4
1556	FAST GREEN	407.8	815.7

4070	SADDLE	Ford Motor	Z
1302	LOW LUSTER CLEAR	199.1	398.2
1551	FAST YELLOW	303.4	606.9
1552	FAST RED	383.6	767.2
1554	TINTING WHITE	394.1	788.1
1501	LANDAU BLACK	403.5	806.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4064	DESERT TAN MET	Ford Motor	U
1552	FAST RED	165.3	330.6
1551	FAST YELLOW	313.1	626.2
1508	SILVER	376.1	752.2
1501	LANDAU BLACK	398.0	795.9
1554	TINTING WHITE	405.3	810.5

4071	CHARCOAL MDNIT	Ford Motor	B
1553	FAST BLUE	222.1	444.2
1501	LANDAU BLACK	366.4	732.8
1554	TINTING WHITE	406.6	813.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 43

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4072	NUTMEG	American Moto	81P24
1551	FAST YELLOW	219.4	438.7
1552	FAST RED	345.8	691.6
1554	TINTING WHITE	396.8	793.6
1501	LANDAU BLACK	407.9	815.9

4079	CHAMOIS	General Motors	52AM
1554	TINTING WHITE	218.8	437.6
1559	YELLOW OXIDE	405.1	810.2
1550	RED OXIDE	419.3	838.7
1501	LANDAU BLACK	425.3	850.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4073	WHEAT MET	Ford Motor	Y
1508	SILVER	257.6	515.3
1551	FAST YELLOW	332.1	664.2
1552	FAST RED	402.7	805.4
1501	LANDAU BLACK	407.1	814.2

4080	LT CHAMOIS	General Motors	52BN
1559	YELLOW OXIDE	240.8	481.7
1554	TINTING WHITE	384.6	769.1
1550	RED OXIDE	411.9	823.8
1501	LANDAU BLACK	421.0	842.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4074	MED DK ROYAL BL	General Motors	22
1554	TINTING WHITE	235.3	470.6
1501	LANDAU BLACK	312.9	625.9
1552	FAST RED	378.2	756.4
1553	FAST BLUE	419.7	839.4

4081	DK CHAMOIS	General Motors	52CN
1559	YELLOW OXIDE	213.8	427.5
1550	RED OXIDE	299.9	599.8
1554	TINTING WHITE	357.7	715.4
1501	LANDAU BLACK	415.4	830.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4075	DK BLUE	General Motors	27CN
1501	LANDAU BLACK	212.2	424.5
1553	FAST BLUE	301.1	602.1
1554	TINTING WHITE	361.4	722.8
1556	FAST GREEN	408.9	817.8

4082	LT SADDLE	General Motors	62AN
1559	YELLOW OXIDE	217.6	435.3
1554	TINTING WHITE	374.4	748.8
1550	RED OXIDE	410.9	821.8
1501	LANDAU BLACK	421.7	843.4

4076	MED SAGE	General Motors	43BN
1554	TINTING WHITE	235.2	470.4
1501	LANDAU BLACK	349.8	699.6
1551	FAST YELLOW	422.3	844.6

4083	DK BEIGE	General Motors	69CN
1559	YELLOW OXIDE	160.8	321.7
1302	LOW LUSTER CLEAR	243.6	487.2
1554	TINTING WHITE	312.5	624.9
1550	RED OXIDE	366.0	732.1
1501	LANDAU BLACK	413.7	827.5

4077	DK SAGE	General Motors	43CN
1554	TINTING WHITE	196.5	392.9
1501	LANDAU BLACK	333.7	667.5
1551	FAST YELLOW	419.3	838.7

4084	DK SADDLE	General Motors	62CN
1552	FAST RED	143.1	286.1
1551	FAST YELLOW	279.2	558.4
1554	TINTING WHITE	369.6	739.3
1501	LANDAU BLACK	411.0	821.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4078	MIDNIGHT SAGE	General Motors	49CN
1501	LANDAU BLACK	206.6	413.3
1551	FAST YELLOW	345.8	691.6
1554	TINTING WHITE	387.4	774.8
1556	FAST GREEN	407.6	815.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4085	RUSSET	General Motors	68CN
1550	RED OXIDE	255.4	510.7
1551	FAST YELLOW	368.3	736.6
1554	TINTING WHITE	391.0	782.0
1501	LANDAU BLACK	412.0	824.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 44

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	CARMINE	General Motors	72CN
1552	FAST RED	347.5	695.0
1550	RED OXIDE	394.9	789.8
1554	TINTING WHITE	404.0	808.1
1501	LANDAU BLACK	405.8	811.7

	LT SAGE GREEN M	General Motors	43T
1508	SILVER	315.0	630.0
1501	LANDAU BLACK	363.6	727.1
1551	FAST YELLOW	397.5	795.0
1556	FAST GREEN	407.9	815.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK CLARET	General Motors	79CN
1552	FAST RED	274.6	549.3
1302	LOW LUSTER CLEAR	355.5	711.0
1501	LANDAU BLACK	388.2	776.3
1559	YELLOW OXIDE	397.8	795.5
1554	TINTING WHITE	404.2	808.5

	MED SAGE	General Motors	47T
1552	FAST RED	115.4	230.9
1553	FAST BLUE	215.7	431.3
1551	FAST YELLOW	306.8	613.5
1508	SILVER	372.1	744.2
1501	LANDAU BLACK	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	GRAY	General Motors	12T
1554	TINTING WHITE	240.6	481.3
1302	LOW LUSTER CLEAR	386.7	773.3
1501	LANDAU BLACK	411.2	822.3
1551	FAST YELLOW	416.7	833.3
1552	FAST RED	421.3	842.7

	YELLOW BEIGE	General Motors	54T
1554	TINTING WHITE	403.9	807.9
1551	FAST YELLOW	428.7	857.5
1552	FAST RED	434.0	867.9
1501	LANDAU BLACK	434.8	869.6

	DK BLUE	General Motors	28T
1501	LANDAU BLACK	150.5	301.0
1302	LOW LUSTER CLEAR	285.4	570.8
1556	FAST GREEN	338.2	676.4
1553	FAST BLUE	387.8	775.6
1554	TINTING WHITE	404.5	809.0

	VRY DK SANDSTON	General Motors	57T
1552	FAST RED	242.8	485.6
1501	LANDAU BLACK	324.4	648.9
1551	FAST YELLOW	384.8	769.7
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	DK GRAY	General Motors	82DN
1554	TINTING WHITE	192.8	385.5
1501	LANDAU BLACK	385.0	770.1
1551	FAST YELLOW	414.2	828.4
1552	FAST RED	419.2	838.5

	LT SADDLE	General Motors	58T
1554	TINTING WHITE	224.3	448.6
1552	FAST RED	314.8	629.7
1551	FAST YELLOW	400.7	801.4
1556	FAST GREEN	421.1	842.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	DK BLUE MET	General Motors	31T
1553	FAST BLUE	242.9	485.8
1501	LANDAU BLACK	306.8	613.5
1552	FAST RED	360.0	719.9
1551	FAST YELLOW	388.1	776.2
1508	SILVER	403.4	806.7

	DK RED MET	General Motors	79T
1552	FAST RED	314.6	629.3
1553	FAST BLUE	371.1	742.1
1551	FAST YELLOW	395.0	790.0
1508	SILVER	403.8	807.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT BLUE MET	General Motors	34T
1508	SILVER	264.3	528.6
1553	FAST BLUE	349.5	699.0
1552	FAST RED	386.9	773.9
1551	FAST YELLOW	397.3	794.6
1554	TINTING WHITE	407.6	815.3

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	DK RED	General Motors	79T
1302	LOW LUSTER CLEAR	135.2	270.4
1552	FAST RED	259.2	518.3
1501	LANDAU BLACK	332.5	665.0
1550	RED OXIDE	396.7	793.4
1554	TINTING WHITE	405.6	811.1

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 45

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4100	HEATHER MET	General Motors	91T
1508	SILVER	281.2	562.4
1552	FAST RED	354.0	707.9
1501	LANDAU BLACK	407.6	815.1

4107	SABLE	Ford Motor	Z
1559	YELLOW OXIDE	134.2	268.5
1501	LANDAU BLACK	242.0	483.9
1302	LOW LUSTER CLEAR	323.5	647.0
1550	RED OXIDE	404.3	808.6
1554	TINTING WHITE	409.1	818.1

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4101	CANYON RED MET	General Motors	92T
1552	FAST RED	361.3	722.6
1553	FAST BLUE	381.5	763.0
1508	SILVER	401.8	803.5
1551	FAST YELLOW	404.2	808.5

4108	CANYON RED	Ford Motor	D
1552	FAST RED	315.6	631.2
1559	YELLOW OXIDE	389.4	778.8
1501	LANDAU BLACK	405.7	811.3

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4102	MED BLUE MET	General Motors	94T
1553	FAST BLUE	168.5	337.1
1552	FAST RED	325.9	651.9
1508	SILVER	375.0	749.9
1551	FAST YELLOW	403.9	807.9

4109	CHARCOAL	Ford Motor	P
1501	LANDAU BLACK	245.8	491.5
1554	TINTING WHITE	339.3	678.7
1550	RED OXIDE	377.1	754.1
1559	YELLOW OXIDE	413.5	827.1

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4103	DK GRAY FIREMIS	General Motors	97T
1501	LANDAU BLACK	265.6	531.2
1556	FAST GREEN	332.9	665.8
1553	FAST BLUE	380.7	761.3
1508	SILVER	404.8	809.6

4112	MED BLUE	American Moto	85P1
1554	TINTING WHITE	140.1	280.3
1553	FAST BLUE	244.9	489.8
1550	RED OXIDE	339.9	679.8
1559	YELLOW OXIDE	418.3	836.6

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4104	MED SLATE	General Motors	82BN
1554	TINTING WHITE	346.2	692.4
1501	LANDAU BLACK	405.1	810.2
1551	FAST YELLOW	418.1	836.2
1552	FAST RED	430.6	861.3

4113	DK GRAY MET	American Moto	85P5
1501	LANDAU BLACK	232.8	465.7
1508	SILVER	404.4	808.8
1551	FAST YELLOW	406.6	813.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4105	MED BLUE	General Motors	26AN
1501	LANDAU BLACK	136.6	273.2
1554	TINTING WHITE	264.6	529.2
1553	FAST BLUE	380.1	760.2
1556	FAST GREEN	413.7	827.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4114	DK VALUE MED BL	American Moto	85P2
1554	TINTING WHITE	126.4	252.7
1553	FAST BLUE	245.4	490.8
1552	FAST RED	357.6	715.2
1551	FAST YELLOW	398.7	797.4
1501	LANDAU BLACK	413.3	826.5

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4106	MULBERRY	Ford Motor	F
1550	RED OXIDE	273.9	547.8
1501	LANDAU BLACK	379.5	759.1
1559	YELLOW OXIDE	399.3	798.6
1554	TINTING WHITE	412.5	825.0

4115	DK HONEY TEXTU	American Moto	85J6
1559	YELLOW OXIDE	301.9	603.8
1550	RED OXIDE	380.4	760.8
1501	LANDAU BLACK	399.2	798.4
1554	TINTING WHITE	413.9	827.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 46

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4116	DK SILVER	Chrysler Motors	A7
1554	TINTING WHITE	251.8	503.5
1501	LANDAU BLACK	365.3	730.6
1551	FAST YELLOW	398.0	795.9
1552	FAST RED	423.5	847.0

4123	LT BLUE MET	Chrysler Motors	B1
1508	SILVER	364.6	729.2
1553	FAST BLUE	394.4	788.9
1501	LANDAU BLACK	408.2	816.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4117	RED	Chrysler Motors	M4
1552	FAST RED	362.5	725.0
1551	FAST YELLOW	391.4	782.8
1554	TINTING WHITE	399.9	799.7
1553	FAST BLUE	404.7	809.4

4124	GUNMETAL MET	Chrysler Motors	C6
1501	LANDAU BLACK	138.5	277.0
1553	FAST BLUE	263.4	526.9
1508	SILVER	356.3	712.7
1552	FAST RED	404.9	809.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4118	CRIMSON	Chrysler Motors	M6
1552	FAST RED	239.6	479.2
1302	LOW LUSTER CLEAR	378.1	756.2
1551	FAST YELLOW	392.3	784.5
1554	TINTING WHITE	400.0	800.1
1553	FAST BLUE	403.7	807.3

4125	CRIMSON RED	Chrysler Motors	M6
1552	FAST RED	365.0	730.0
1551	FAST YELLOW	389.9	779.8
1554	TINTING WHITE	398.7	797.4
1553	FAST BLUE	404.6	809.2

4119	TAN PRINT	Chrysler Motors	T3
1559	YELLOW OXIDE	248.6	497.2
1554	TINTING WHITE	391.2	782.4
1550	RED OXIDE	419.0	837.9
1501	LANDAU BLACK	421.0	842.1

4126	CREAM TAN	Chrysler Motors	T2
1554	TINTING WHITE	388.1	776.2
1551	FAST YELLOW	421.8	843.6
1552	FAST RED	432.3	864.5
1501	LANDAU BLACK	433.7	867.4

4120	LT PALOMINO	Chrysler Motors	DT3
1559	YELLOW OXIDE	239.0	478.0
1554	TINTING WHITE	389.5	779.0
1550	RED OXIDE	419.4	838.9
1501	LANDAU BLACK	421.5	843.0

4127	TAN MET	Chrysler Motors	T4
1508	SILVER	216.6	433.2
1551	FAST YELLOW	309.1	618.3
1552	FAST RED	392.4	784.9
1554	TINTING WHITE	402.1	804.3
1501	LANDAU BLACK	407.3	814.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4121	DK TAN PRINT	Chrysler Motors	T5
1559	YELLOW OXIDE	297.1	594.1
1550	RED OXIDE	355.1	710.2
1554	TINTING WHITE	407.3	814.5
1501	LANDAU BLACK	416.0	832.0

4128	TAN	Chrysler Motors	T5
1559	YELLOW OXIDE	273.2	546.4
1554	TINTING WHITE	350.3	700.5
1550	RED OXIDE	407.2	814.3
1501	LANDAU BLACK	417.4	834.9

4122	DK PALOMINO	Chrysler Motors	T5
1559	YELLOW OXIDE	297.8	595.7
1554	TINTING WHITE	353.0	706.0
1550	RED OXIDE	407.4	814.7
1501	LANDAU BLACK	416.3	832.6

4129	TAN	Chrysler Motors	T3
1559	YELLOW OXIDE	239.0	478.0
1554	TINTING WHITE	389.5	779.0
1550	RED OXIDE	419.4	838.9
1501	LANDAU BLACK	421.5	843.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 47

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4130	REGATTA BLUE	Ford Motor		B	4137	LT CHARCOAL PRI	Ford Motor	P
1554	TINTING WHITE	139.5	278.9		1554	TINTING WHITE	363.2	726.4
1553	FAST BLUE	242.7	485.5		1501	LANDAU BLACK	403.6	807.1
1501	LANDAU BLACK	335.8	671.7		1552	FAST RED	419.7	839.4
1550	RED OXIDE	416.4	832.8		1551	FAST YELLOW	431.8	863.6
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
4131	DK BLUE	Ford Motor		B	4138	DK CHARCOAL	Ford Motor	P
1553	FAST BLUE	186.3	372.6		1501	LANDAU BLACK	198.5	396.9
1501	LANDAU BLACK	338.3	676.6		1553	FAST BLUE	353.0	706.0
1550	RED OXIDE	377.5	755.1		1554	TINTING WHITE	385.6	771.2
1554	TINTING WHITE	407.0	814.0		1552	FAST RED	406.4	812.8
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
4132	PASTEL REGATTA	Ford Motor		5	4139	SAND BEIGE PRINT	Ford Motor	T
1554	TINTING WHITE	309.8	619.6		1554	TINTING WHITE	322.7	645.4
1501	LANDAU BLACK	398.8	797.6		1559	YELLOW OXIDE	408.1	816.2
1553	FAST BLUE	417.4	834.9		1550	RED OXIDE	423.0	846.1
1550	RED OXIDE	428.1	856.1		1501	LANDAU BLACK	430.9	861.8
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
4133	SAND BEIGE	Ford Motor		T	4140	MED SAND BEIGE P	Ford Motor	T
1554	TINTING WHITE	164.7	329.5		1559	YELLOW OXIDE	246.2	492.5
1559	YELLOW OXIDE	299.7	599.5		1550	RED OXIDE	321.6	643.2
1302	LOW LUSTER CLEAR	383.1	766.3		1554	TINTING WHITE	378.5	757.0
1550	RED OXIDE	405.0	810.0		1501	LANDAU BLACK	415.7	831.4
1501	LANDAU BLACK	419.7	839.4					
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
4134	CARMEL	Ford Motor		T	4141	MED CANYON RED	Ford Motor	D
1551	FAST YELLOW	231.5	463.0		1552	FAST RED	357.3	714.6
1554	TINTING WHITE	318.7	637.5		1508	SILVER	379.8	759.6
1552	FAST RED	400.9	801.8		1551	FAST YELLOW	401.9	803.7
1501	LANDAU BLACK	410.6	821.2		1553	FAST BLUE	404.2	808.5
					MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR			
4135	MED SAGE	Ford Motor		G	4142	DK ROSEWOOD	Ford Motor	F
1559	YELLOW OXIDE	176.6	353.2		1550	RED OXIDE	204.6	409.3
1501	LANDAU BLACK	343.4	686.9		1501	LANDAU BLACK	371.8	743.7
1302	LOW LUSTER CLEAR	380.5	761.0		1553	FAST BLUE	391.6	783.2
1556	FAST GREEN	402.0	804.1		1554	TINTING WHITE	410.9	821.8
1554	TINTING WHITE	408.6	817.2					
					MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR			
4136	DK SLATE PRINT	Ford Motor		K	4143	BLUE	Ford Motor	B
1501	LANDAU BLACK	199.4	398.8		1302	LOW LUSTER CLEAR	135.0	270.0
1553	FAST BLUE	301.8	603.6		1501	LANDAU BLACK	243.0	486.0
1551	FAST YELLOW	370.3	740.6		1553	FAST BLUE	348.6	697.1
1554	TINTING WHITE	406.9	813.8		1552	FAST RED	377.8	755.6
					1554	TINTING WHITE	405.1	810.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 48

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4144	SAND BEIGE	Ford Motor		U	4151	DK TAN	American Moto	86P84
1302	LOW LUSTER CLEAR	138.0	276.1		1559	YELLOW OXIDE	257.5	515.1
1559	YELLOW OXIDE	271.0	542.1		1554	TINTING WHITE	355.0	710.0
1554	TINTING WHITE	366.4	732.8		1550	RED OXIDE	404.6	809.2
1550	RED OXIDE	400.6	801.2		1501	LANDAU BLACK	418.5	837.0
1501	LANDAU BLACK	414.1	828.2					
4145	MED TEAL BLUE	General Motors		26BN	4152	DK PEWTER	American Moto	86P147
1554	TINTING WHITE	156.0	312.0		1559	YELLOW OXIDE	175.6	351.1
1501	LANDAU BLACK	299.1	598.1		1501	LANDAU BLACK	344.9	689.7
1553	FAST BLUE	397.7	795.3		1554	TINTING WHITE	401.2	802.4
1551	FAST YELLOW	415.2	830.5		1550	RED OXIDE	413.0	825.9
4146	DK TEAL BLUE	General Motors		27CN	4153	BEIGE	American Moto	
1302	LOW LUSTER CLEAR	152.9	305.7		1554	TINTING WHITE	416.9	833.7
1553	FAST BLUE	259.0	517.9		1551	FAST YELLOW	430.7	861.5
1501	LANDAU BLACK	349.1	698.3		1552	FAST RED	434.0	867.9
1554	TINTING WHITE	395.3	790.6		1501	LANDAU BLACK	435.8	871.5
1556	FAST GREEN	406.3	812.6					
4147	TAN	American Moto		86P1/86P4	4154	MED BLUE MET	American Moto	V519
1559	YELLOW OXIDE	211.4	422.8		1553	FAST BLUE	200.5	401.1
1554	TINTING WHITE	295.7	591.5		1508	SILVER	314.2	628.3
1302	LOW LUSTER CLEAR	378.8	757.5		1552	FAST RED	386.1	772.2
1550	RED OXIDE	407.3	814.5		1551	FAST YELLOW	404.6	809.2
1501	LANDAU BLACK	415.4	830.9					
4148	PEWTER	American Moto		86P2/86P93	4155	DK BLUE MET	American Moto	V520
1501	LANDAU BLACK	178.3	356.6		1553	FAST BLUE	197.4	394.8
1554	TINTING WHITE	287.3	574.6		1501	LANDAU BLACK	369.1	738.2
1551	FAST YELLOW	368.7	737.4		1508	SILVER	392.9	785.8
1552	FAST RED	412.7	825.4		1551	FAST YELLOW	403.9	807.9
4149	DEEP DK TAN	American Moto		86P5	4156	DK SILVER	Chrysler Motors	A7
1559	YELLOW OXIDE	262.7	525.4		1554	TINTING WHITE	164.0	327.9
1554	TINTING WHITE	342.5	685.0		1302	LOW LUSTER CLEAR	303.3	606.7
1550	RED OXIDE	397.8	795.5		1501	LANDAU BLACK	377.8	755.6
1501	LANDAU BLACK	417.2	834.5		1551	FAST YELLOW	397.1	794.2
					1552	FAST RED	415.8	831.6
4150	DK TAN	American Moto		86P6	4157	Twilight Blue	Chrysler Motors	FC5
1559	YELLOW OXIDE	185.8	371.6		1550	RED OXIDE	127.8	255.6
1302	LOW LUSTER CLEAR	322.9	645.8		1553	FAST BLUE	216.6	433.2
1554	TINTING WHITE	370.2	740.4		1554	TINTING WHITE	295.7	591.4
1550	RED OXIDE	402.5	805.0		1302	LOW LUSTER CLEAR	367.0	734.1
1501	LANDAU BLACK	411.5	823.1		1559	YELLOW OXIDE	423.4	846.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 49

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4158	DK BLUE	Chrysler Motors		C9	4165	ALMOND	
1553	FAST BLUE	199.2	398.4		1559	YELLOW OXIDE	155.6
1501	LANDAU BLACK	325.9	651.7		1302	LOW LUSTER CLEAR	293.6
1552	FAST RED	369.7	739.5		1554	TINTING WHITE	388.1
1554	TINTING WHITE	406.3	812.6		1550	RED OXIDE	409.4
					1501	LANDAU BLACK	414.3
4159	CORDOVAN	Chrysler Motors		E8	4166	TAUPE	
1552	FAST RED	263.4	526.9		1554	TINTING WHITE	158.1
1302	LOW LUSTER CLEAR	335.7	671.5		1552	FAST RED	277.4
1550	RED OXIDE	382.6	765.1		1501	LANDAU BLACK	347.0
1501	LANDAU BLACK	404.6	809.2		1551	FAST YELLOW	416.3
4160	ALMOND	Chrysler Motors		K1	4167	SMOKE	
1559	YELLOW OXIDE	155.6	311.2		1554	TINTING WHITE	243.4
1302	LOW LUSTER CLEAR	293.6	587.3		1501	LANDAU BLACK	350.1
1554	TINTING WHITE	388.1	776.2		1551	FAST YELLOW	388.6
1550	RED OXIDE	409.4	818.7		1552	FAST RED	422.8
1501	LANDAU BLACK	414.3	828.6				
4161	MED ALMOND	Chrysler Motors		K3	4168	CHESTNUT	
1559	YELLOW OXIDE	288.7	577.4		1559	YELLOW OXIDE	188.4
1554	TINTING WHITE	356.6	713.3		1302	LOW LUSTER CLEAR	270.9
1550	RED OXIDE	405.5	810.9		1554	TINTING WHITE	332.7
1501	LANDAU BLACK	416.9	833.7		1550	RED OXIDE	390.9
					1501	LANDAU BLACK	413.8
4162	RED	Chrysler Motors		M6	4169	MED REGATTA BL	
1552	FAST RED	367.7	735.5		1554	TINTING WHITE	202.7
1551	FAST YELLOW	393.0	786.0		1552	FAST RED	280.1
1554	TINTING WHITE	401.1	802.2		1553	FAST BLUE	342.0
1553	FAST BLUE	404.5	809.0		1501	LANDAU BLACK	403.9
					1551	FAST YELLOW	419.4
4163	CREAM	Chrysler Motors		Y1	MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR		
1554	TINTING WHITE	398.1	796.1		4170	DK TAUPE	
1551	FAST YELLOW	420.6	841.1		1501	LANDAU BLACK	182.9
1552	FAST RED	432.3	864.5		1550	RED OXIDE	303.5
1501	LANDAU BLACK	434.4	868.9		1552	FAST RED	394.0
					1554	TINTING WHITE	408.6
4164	IVORY CREAM	Chrysler Motors		T1	4171	SMOKE	
1554	TINTING WHITE	422.6	845.1		1554	TINTING WHITE	244.4
1551	FAST YELLOW	432.6	865.3		1501	LANDAU BLACK	349.9
1552	FAST RED	436.2	872.5		1551	FAST YELLOW	388.6
					1552	FAST RED	423.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 50

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4172	DK SABLE	Ford Motor		Z	4179	MED DRIFTWOOD	General Motors	60BN
1559	YELLOW OXIDE	165.7	331.4		1559	YELLOW OXIDE	223.6	447.3
1501	LANDAU BLACK	301.6	603.3		1554	TINTING WHITE	361.8	723.5
1550	RED OXIDE	395.7	791.4		1550	RED OXIDE	397.5	795.0
1554	TINTING WHITE	411.5	823.1		1501	LANDAU BLACK	420.5	840.9
4173	SILVER TEXTURE	American Moto		82J53	4180	DK DRIFTWOOD	General Motors	60CN
1554	TINTING WHITE	320.2	640.3		1559	YELLOW OXIDE	241.9	483.7
1501	LANDAU BLACK	385.7	771.4		1554	TINTING WHITE	317.0	634.0
1559	YELLOW OXIDE	416.2	832.4		1550	RED OXIDE	372.9	745.8
1550	RED OXIDE	429.6	859.2		1501	LANDAU BLACK	416.6	833.2
4174	MED EMERALD	General Motors		48BN	4181	MED LT SADDLE	General Motors	62BN
1554	TINTING WHITE	229.2	458.5		1559	YELLOW OXIDE	274.7	549.5
1501	LANDAU BLACK	305.2	610.5		1554	TINTING WHITE	339.9	679.8
1553	FAST BLUE	356.4	712.9		1550	RED OXIDE	397.0	794.0
1551	FAST YELLOW	401.2	802.4		1501	LANDAU BLACK	416.6	833.2
1552	FAST RED	421.5	843.0					
4175	DK EMERALD	General Motors		48DN	4182	DK SADDLE	General Motors	INSTRUMENT PANEL
1554	TINTING WHITE	162.5	324.9		1551	FAST YELLOW	143.5	286.9
1501	LANDAU BLACK	248.3	496.7		1552	FAST RED	277.2	554.4
1553	FAST BLUE	315.7	631.4		1554	TINTING WHITE	370.6	741.2
1551	FAST YELLOW	369.3	738.5		1501	LANDAU BLACK	411.3	822.5
1552	FAST RED	416.4	832.8					
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				
4176	DK YELLOW	General Motors		50BN	4183	VERY DK CARMINE	General Motors	INSTRUMENT PANEL
1554	TINTING WHITE	179.1	358.2		1552	FAST RED	248.8	497.6
1551	FAST YELLOW	301.4	602.9		1302	LOW LUSTER CLEAR	379.8	759.6
1552	FAST RED	394.3	788.5		1551	FAST YELLOW	391.1	782.2
1556	FAST GREEN	417.7	835.4		1553	FAST BLUE	399.3	798.6
					1554	TINTING WHITE	403.4	806.7
4177	VERY DK YELLOW	General Motors		50CN	4184	GARNET RED	General Motors	INSTRUMENT PANEL
1559	YELLOW OXIDE	255.5	510.9		1302	LOW LUSTER CLEAR	200.6	401.3
1302	LOW LUSTER CLEAR	337.7	675.5		1552	FAST RED	393.9	787.7
1550	RED OXIDE	373.3	746.5		1553	FAST BLUE	399.1	798.2
1501	LANDAU BLACK	401.1	802.2		1554	TINTING WHITE	402.9	805.8
1554	TINTING WHITE	410.7	821.4					
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				
4178	LT DRIFTWOOD	General Motors		60AN	4185	LT QUARTZ	General Motors	94BN
1554	TINTING WHITE	271.7	543.4		1554	TINTING WHITE	202.5	405.1
1559	YELLOW OXIDE	407.7	815.5		1550	RED OXIDE	308.8	617.5
1550	RED OXIDE	421.1	842.3		1559	YELLOW OXIDE	404.3	808.6
1501	LANDAU BLACK	428.1	856.1		1501	LANDAU BLACK	424.3	848.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 51

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4186	DK QUARTZ	General Motors	PANEL ONLY
1552	FAST RED	204.9	409.8
1302	LOW LUSTER CLEAR	330.4	660.8
1551	FAST YELLOW	363.6	727.1
1554	TINTING WHITE	386.6	773.1
1501	LANDAU BLACK	404.9	809.8

4193	HONEY	American Moto
1551	FAST YELLOW	207.7 415.3
1552	FAST RED	341.7 683.4
1508	SILVER	397.5 795.0
1556	FAST GREEN	404.3 808.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4187	MIDNITE WINE	Ford Motor	J
1552	FAST RED	321.8	643.5
1553	FAST BLUE	373.8	747.7
1551	FAST YELLOW	393.2	786.4
1554	TINTING WHITE	399.7	799.3
1501	LANDAU BLACK	404.3	808.6

4194	WARM GRAY	Chrysler Motors	A3
1554	TINTING WHITE	274.4	548.7
1302	LOW LUSTER CLEAR	359.0	718.0
1559	YELLOW OXIDE	401.0	802.0
1501	LANDAU BLACK	422.4	844.7
1550	RED OXIDE	425.4	850.8

4188	DEEP SHADOW BLU	Ford Motor	B
1501	LANDAU BLACK	249.6	499.1
1553	FAST BLUE	357.4	714.8
1554	TINTING WHITE	392.4	784.7
1556	FAST GREEN	406.9	813.8

4195	CORDOVAN	Chrysler Motors	E8
1552	FAST RED	263.4	526.9
1302	LOW LUSTER CLEAR	335.7	671.5
1550	RED OXIDE	382.6	765.1
1501	LANDAU BLACK	404.6	809.2

4189	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	311.3	622.6
1551	FAST YELLOW	355.8	711.6
1554	TINTING WHITE	388.6	777.1
1552	FAST RED	407.3	814.5

4196	ALMOND	Chrysler Motors	K1
1559	YELLOW OXIDE	155.6	311.2
1302	LOW LUSTER CLEAR	293.6	587.3
1554	TINTING WHITE	388.1	776.2
1550	RED OXIDE	409.4	818.7
1501	LANDAU BLACK	414.3	828.6

4190	MED SAND BEIGE	Ford Motor	T
1559	YELLOW OXIDE	191.9	383.8
1554	TINTING WHITE	382.9	765.9
1550	RED OXIDE	411.5	823.1
1501	LANDAU BLACK	423.5	847.0

4197	DK CORDOVAN	Chrysler Motors	E9
1552	FAST RED	377.3	754.7
1553	FAST BLUE	395.7	791.4
1508	SILVER	404.0	808.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4191	PASTEL CORDOVA	Chrysler Motors	E2
1508	SILVER	319.0	638.0
1552	FAST RED	378.6	757.2
1551	FAST YELLOW	399.9	799.7
1501	LANDAU BLACK	407.8	815.7

4198	BRONZE MET	Chrysler Motors	T5
1552	FAST RED	157.8	315.6
1551	FAST YELLOW	267.5	535.0
1501	LANDAU BLACK	336.5	673.0
1508	SILVER	405.0	810.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4192	GARNET	American Moto
1552	FAST RED	344.4 688.8
1551	FAST YELLOW	383.5 767.0
1508	SILVER	395.4 790.8
1553	FAST BLUE	404.1 808.3

4199	BUCKSKIN	Ford Motor	T
1559	YELLOW OXIDE	179.7	359.5
1302	LOW LUSTER CLEAR	262.4	524.8
1554	TINTING WHITE	323.2	646.4
1550	RED OXIDE	375.2	750.3
1501	LANDAU BLACK	413.4	826.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 52

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4200	SHADOW BLUE	Ford Motor		B	4207	SUN GOLD	General Motors	38T
1553	FAST BLUE	241.2	482.4		1554	TINTING WHITE	405.8	811.7
1501	LANDAU BLACK	360.3	720.7		1551	FAST YELLOW	433.7	867.4
1554	TINTING WHITE	386.7	773.5		1501	LANDAU BLACK	435.0	870.0
1556	FAST GREEN	405.5	810.9					
4201	LT TAUPE	Ford Motor		F	4208	BLACK EMERALD	General Motors	87s ELK/TUX GR
1554	TINTING WHITE	190.0	380.0		1553	FAST BLUE	215.4	430.7
1559	YELLOW OXIDE	303.4	606.9		1501	LANDAU BLACK	308.2	616.4
1550	RED OXIDE	386.4	772.7		1551	FAST YELLOW	386.7	773.3
1501	LANDAU BLACK	423.2	846.5		1508	SILVER	403.6	807.1
MUST BE TOP COATED WITH 1301 SATIN GLOSS CLEAR								
4202	AEGEAN	Ford Motor		K	4209	CHAMOIS	General Motors	55T
1559	YELLOW OXIDE	140.9	281.8		1554	TINTING WHITE	362.6	725.2
1501	LANDAU BLACK	273.0	546.1		1551	FAST YELLOW	407.6	815.1
1554	TINTING WHITE	395.6	791.2		1552	FAST RED	427.4	854.8
1553	FAST BLUE	416.9	833.7		1501	LANDAU BLACK	431.7	863.4
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR								
4203	DEEP SANDALWOOD	Ford Motor		T	4210	LT CHESTNUT	General Motors	58T
1559	YELLOW OXIDE	176.6	353.2		1508	SILVER	263.0	525.9
1501	LANDAU BLACK	280.3	560.7		1552	FAST RED	321.7	643.3
1550	RED OXIDE	335.9	671.8		1551	FAST YELLOW	376.1	752.2
1554	TINTING WHITE	374.7	749.4		1554	TINTING WHITE	399.7	799.3
1302	LOW LUSTER CLEAR	412.3	824.6		1501	LANDAU BLACK	409.0	818.0
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR								
4204	DK DESERT TAN	Ford Motor		U	4211	LT DRIFTWOOD	General Motors	63T
1551	FAST YELLOW	148.9	297.7		1554	TINTING WHITE	306.6	613.1
1552	FAST RED	287.2	574.4		1559	YELLOW OXIDE	415.2	830.3
1554	TINTING WHITE	369.4	738.7		1550	RED OXIDE	422.8	845.7
1501	LANDAU BLACK	410.4	820.8		1501	LANDAU BLACK	430.0	859.9
4205	VERY DK EMERAL	General Motors		INSTRUMENT PANEL	4212	MED DRIFTWOOD	General Motors	65T
1501	LANDAU BLACK	175.0	350.0		1501	LANDAU BLACK	128.8	257.6
1556	FAST GREEN	319.8	639.5		1552	FAST RED	251.7	503.3
1554	TINTING WHITE	407.5	814.9		1508	SILVER	341.2	682.5
1551	FAST YELLOW	411.3	822.5		1551	FAST YELLOW	405.5	810.9
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR								
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR								
4206	WHITE	General Motors		11T	4213	FLAME RED MET	General Motors	74T
1554	TINTING WHITE	423.7	847.4		1552	FAST RED	335.2	670.3
1559	YELLOW OXIDE	432.5	865.1		1551	FAST YELLOW	393.2	786.4
1550	RED OXIDE	435.6	871.2		1508	SILVER	400.0	800.1
1556	FAST GREEN	436.7	873.4		1501	LANDAU BLACK	404.0	808.1
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR								

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 53

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4215	DK CARMINE MET	General Motors	78T
1552	FAST RED	291.1	582.2
1501	LANDAU BLACK	362.0	724.1
1508	SILVER	384.9	769.9
1551	FAST YELLOW	404.3	808.6

4221	BRIGHT BLUE MET	Corvette	21CM
1508	SILVER	188.5	377.0
1553	FAST BLUE	364.4	728.8
1556	FAST GREEN	391.8	783.6
1501	LANDAU BLACK	405.5	810.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4216	MED QUARTZ	General Motors	86T
1552	FAST RED	323.2	646.4
1553	FAST BLUE	365.3	730.6
1551	FAST YELLOW	394.0	787.9
1508	SILVER	403.9	807.9

4222	FLAME RED	Corvette	73BN
1552	FAST RED	231.9	463.8
1302	LOW LUSTER CLEAR	312.8	625.7
1551	FAST YELLOW	386.9	773.9
1554	TINTING WHITE	399.3	798.6
1550	RED OXIDE	404.6	809.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4217	MED EMERALD	General Motors	92T
1553	FAST BLUE	277.0	554.0
1551	FAST YELLOW	356.0	711.9
1508	SILVER	393.9	787.7
1501	LANDAU BLACK	403.4	806.7

4223	SANDALWOOD	Ford Motor	T
1559	YELLOW OXIDE	186.8	373.5
1501	LANDAU BLACK	316.6	633.3
1550	RED OXIDE	381.1	762.3
1554	TINTING WHITE	412.4	824.8

4217	Med Emerald	General Motors	92T
1556	FAST GREEN	169.5	339.1
1508	SILVER	263.1	526.2
1501	LANDAU BLACK	344.4	688.7
1553	FAST BLUE	414.8	829.7

4224	CREAM BEIGE	Mercedes Benz	275
1554	TINTING WHITE	217.5	434.9
1559	YELLOW OXIDE	389.0	778.1
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	424.9	849.9

4218	SUNGOLD MET	General Motors	95T
1508	SILVER	232.3	464.6
1551	FAST YELLOW	324.9	649.8
1552	FAST RED	397.7	795.3
1556	FAST GREEN	406.7	813.4

4225	DK GREEN	Mercedes Benz	276
1551	FAST YELLOW	231.2	462.5
1501	LANDAU BLACK	347.9	695.8
1554	TINTING WHITE	381.0	762.1
1552	FAST RED	407.0	814.0

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4219	LT QUARTZ FIREM	General Motors	97T
1508	SILVER	215.2	430.4
1552	FAST RED	358.1	716.1
1501	LANDAU BLACK	390.3	780.5
1551	FAST YELLOW	406.6	813.2

4226	BURGUNDY	Mercedes Benz	277
1552	FAST RED	272.4	544.7
1559	YELLOW OXIDE	390.7	781.5
1553	FAST BLUE	404.1	808.3
1554	TINTING WHITE	406.8	813.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4220	CHAMOIS MET	General Motors	98T
1508	SILVER	250.2	500.5
1552	FAST RED	323.6	647.1
1551	FAST YELLOW	394.2	788.3
1556	FAST GREEN	407.0	814.0

4227	VRY DK CHESTNUT	General Motors	57T
1552	FAST RED	199.4	398.8
1551	FAST YELLOW	287.8	575.5
1501	LANDAU BLACK	373.4	746.9
1508	SILVER	404.6	809.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 54

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK CHESTNUT MET	General Motors	62T
1552	FAST RED	174.1	348.3
1551	FAST YELLOW	285.4	570.8
1508	SILVER	364.9	729.8
1501	LANDAU BLACK	405.0	810.0

	LT SAPPHIRE BLUE	General Motors	22T
1508	SILVER	266.4	532.8
1553	FAST BLUE	350.2	700.3
1552	FAST RED	381.0	761.9
1501	LANDAU BLACK	406.9	813.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	PEARL GRAY	General Motors	17T
1554	TINTING WHITE	358.8	717.6
1559	YELLOW OXIDE	404.2	808.5
1501	LANDAU BLACK	431.1	862.2
1553	FAST BLUE	432.4	864.9

	LT SAPPHIRE BLUE	General Motors	22T
1508	SILVER	318.3	636.7
1553	FAST BLUE	374.3	748.6
1552	FAST RED	401.7	803.3
1501	LANDAU BLACK	407.6	815.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK DRIFTWOOD M	General Motors	96T
1552	FAST RED	153.9	307.8
1501	LANDAU BLACK	266.1	532.2
1551	FAST YELLOW	369.4	738.7
1508	SILVER	404.8	809.6

	LT SAPPHIRE BLUE	General Motors	22T
1508	SILVER	308.7	617.3
1553	FAST BLUE	373.2	746.3
1552	FAST RED	402.6	805.2
1501	LANDAU BLACK	407.4	814.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	BLACK	General Motors	18T
1501	LANDAU BLACK	302.2	604.4
1553	FAST BLUE	404.3	808.6
		0.0	0.0

	BLACK SAPPHIRE	General Motors	28T
1553	FAST BLUE	207.7	415.3
1556	FAST GREEN	323.5	647.0
1501	LANDAU BLACK	395.4	790.8
1508	SILVER	403.4	806.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MED GARNET RED	General Motors	72T
1552	FAST RED	387.5	775.0
1554	TINTING WHITE	394.2	788.3
1553	FAST BLUE	399.6	799.1
1501	LANDAU BLACK	404.5	809.0

	BLACK SAPPHIRE	General Motors	28T
1553	FAST BLUE	189.6	379.2
1556	FAST GREEN	326.8	653.6
1501	LANDAU BLACK	399.4	798.8
1508	SILVER	403.4	806.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MED GARNET RED	General Motors	72T
1552	FAST RED	390.3	780.5
1508	SILVER	398.6	797.2
1553	FAST BLUE	404.0	808.1

	BLACK SAPPHIRE	General Motors	28T
1553	FAST BLUE	207.7	415.3
1556	FAST GREEN	323.5	647.0
1501	LANDAU BLACK	395.4	790.8
1508	SILVER	403.4	806.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	MED GARNET RED	General Motors	72T
1552	FAST RED	390.3	780.5
1508	SILVER	398.6	797.2
1553	FAST BLUE	404.0	808.1

	MED ROSEWOOD M	General Motors	82T
1552	FAST RED	242.3	484.7
1501	LANDAU BLACK	329.9	659.9
1508	SILVER	369.4	738.7
1551	FAST YELLOW	404.8	809.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 55

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK AMETHYST ME	General Motors	99T
1501	LANDAU BLACK	295.2	590.3
1552	FAST RED	356.6	713.3
1553	FAST BLUE	400.5	801.0
1554	TINTING WHITE	404.9	809.8

	DK GARNET RED M	General Motors	76T
1552	FAST RED	372.9	745.8
1553	FAST BLUE	397.7	795.3
1508	SILVER	403.8	807.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	DK AMETHYST ME	General Motors	99T
1501	LANDAU BLACK	329.9	659.9
1552	FAST RED	379.1	758.1
1554	TINTING WHITE	394.0	787.9
1551	FAST YELLOW	405.9	811.9

	DK GARNET RED M	General Motors	76T
1552	FAST RED	362.5	725.0
1553	FAST BLUE	396.7	793.4
1508	SILVER	403.9	807.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT DRIFTWOOD M	General Motors	33T
1508	SILVER	299.2	598.3
1552	FAST RED	348.9	697.9
1551	FAST YELLOW	392.2	784.3
1501	LANDAU BLACK	407.6	815.1

	MD SAPPHIRE BLU	General Motors	83T
1553	FAST BLUE	288.1	576.3
1501	LANDAU BLACK	357.0	714.0
1508	SILVER	403.6	807.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT DRIFTWOOD M	General Motors	33T
1508	SILVER	275.0	550.1
1552	FAST RED	343.2	686.5
1551	FAST YELLOW	391.6	783.2
1501	LANDAU BLACK	407.4	814.7

	MD SAPPHIRE BLU	General Motors	83T
1553	FAST BLUE	287.0	574.0
1501	LANDAU BLACK	348.4	696.7
1508	SILVER	403.7	807.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT AMETHYST ME	General Motors	91T
1552	FAST RED	159.9	319.8
1508	SILVER	286.4	572.9
1553	FAST BLUE	360.7	721.4
1501	LANDAU BLACK	405.4	810.7

	VERY DK DRIFTWO	General Motors	60DN
1552	FAST RED	130.9	261.8
1551	FAST YELLOW	244.8	489.6
1554	TINTING WHITE	328.1	656.3
1501	LANDAU BLACK	410.6	821.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT AMETHYST ME	General Motors	91T
1552	FAST RED	147.4	294.9
1508	SILVER	276.9	553.9
1553	FAST BLUE	343.8	687.6
1501	LANDAU BLACK	405.4	810.7

	VERY DK GARNET	General Motors	78DN
1552	FAST RED	363.1	726.2
1501	LANDAU BLACK	381.1	762.3
1553	FAST BLUE	397.6	795.2
1554	TINTING WHITE	404.5	809.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK GARNET RED M	General Motors	76T
1552	FAST RED	372.9	745.8
1553	FAST BLUE	397.7	795.3
1508	SILVER	403.8	807.7

	MED AMETHYST	General Motors	83BN
1554	TINTING WHITE	261.7	523.5
1501	LANDAU BLACK	357.0	714.0
1552	FAST RED	415.2	830.3
1553	FAST BLUE	424.1	848.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 56

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK AMETHYST	General Motors	83CN
1554	TINTING WHITE	165.8	331.6
1552	FAST RED	284.7	569.4
1501	LANDAU BLACK	384.3	768.6
1553	FAST BLUE	416.8	833.5

	DK SIENNA	General Motors	61CN
1552	FAST RED	158.1	316.2
1551	FAST YELLOW	315.7	631.4
1554	TINTING WHITE	379.0	757.9
1501	LANDAU BLACK	408.9	817.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	VERY DK SAPPHIR	General Motors	20DN
1501	LANDAU BLACK	197.6	395.2
1553	FAST BLUE	296.0	592.0
1554	TINTING WHITE	385.8	771.6
1552	FAST RED	411.0	821.9

	VERY DK COPPER	General Motors	67DN
1550	RED OXIDE	187.6	375.3
1501	LANDAU BLACK	343.0	686.1
1559	YELLOW OXIDE	396.4	792.9
1554	TINTING WHITE	411.4	822.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED SAPPHIRE	General Motors	20BN
1554	TINTING WHITE	156.2	312.4
1552	FAST RED	287.8	575.5
1553	FAST BLUE	376.9	753.7
1551	FAST YELLOW	415.5	831.1

	TAN PRINT	Chrysler Motors	T3
1554	TINTING WHITE	244.8	489.6
1551	FAST YELLOW	363.5	726.9
1552	FAST RED	416.3	832.6
1501	LANDAU BLACK	422.8	845.7

	DK ROSEWOOD	General Motors	75CN
1552	FAST RED	179.8	359.7
1554	TINTING WHITE	283.3	566.6
1501	LANDAU BLACK	352.3	704.5
1551	FAST YELLOW	412.1	824.2

	DK TAN	Chrysler Motors	T5
1551	FAST YELLOW	167.2	334.4
1554	TINTING WHITE	302.2	604.4
1552	FAST RED	397.9	795.7
1501	LANDAU BLACK	414.3	828.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	VERY DK ROSEWO	General Motors	75DN
1501	LANDAU BLACK	158.7	317.3
1550	RED OXIDE	313.3	626.6
1554	TINTING WHITE	380.6	761.1
1559	YELLOW OXIDE	414.1	828.2

	LT YELLOW	General Motors	50AN
1554	TINTING WHITE	344.3	688.6
1559	YELLOW OXIDE	428.0	856.0
1551	FAST YELLOW	430.5	861.1
1556	FAST GREEN	432.1	864.1

	LT PEARL GRAY	General Motors	13AN
1554	TINTING WHITE	408.3	816.6
1501	LANDAU BLACK	429.1	858.2
1551	FAST YELLOW	435.2	870.4

	TWILIGHT BLUE	Chrysler Motors	C7
1553	FAST BLUE	210.9	421.8
1552	FAST RED	292.8	585.6
1501	LANDAU BLACK	369.4	738.7
1508	SILVER	403.8	807.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED PEARL GRAY	General Motors	13BN
1554	TINTING WHITE	343.4	686.9
1501	LANDAU BLACK	415.2	830.5
1551	FAST YELLOW	427.3	854.6
1552	FAST RED	430.4	860.7

	CHARCOAL MET	Chrysler Motors	S8
1501	LANDAU BLACK	261.0	521.9
1508	SILVER	363.8	727.5
1553	FAST BLUE	405.7	811.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 57

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4272	TAN MET	Chrysler Motors	T4
1508	SILVER	229.2	458.5
1551	FAST YELLOW	327.5	654.9
1552	FAST RED	406.7	813.4

4279	FLASH RED	Chrysler Motors	R3
1552	FAST RED	252.1	504.3
1551	FAST YELLOW	380.3	760.6
1554	TINTING WHITE	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4273	MINK MET	Chrysler Motors	T6
1552	FAST RED	179.4	358.7
1551	FAST YELLOW	280.0	559.9
1501	LANDAU BLACK	374.5	749.0
1508	SILVER	404.6	809.2

4280	CORAL MET	Chrysler Motors	V7
1552	FAST RED	285.4	570.8
1501	LANDAU BLACK	336.7	673.4
1551	FAST YELLOW	382.6	765.1
1508	SILVER	404.3	808.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4274	TWILIGHT BLUE	Chrysler Motors	C4
1553	FAST BLUE	240.9	481.8
1501	LANDAU BLACK	363.2	726.4
1556	FAST GREEN	393.3	786.6
1554	TINTING WHITE	404.1	808.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4281	DK TAUPE	Ford Motor	F
1501	LANDAU BLACK	206.2	412.5
1550	RED OXIDE	371.6	743.3
1559	YELLOW OXIDE	399.4	798.8
1554	TINTING WHITE	410.0	820.0

4275	DK CORDOVAN	Chrysler Motors	E7
1552	FAST RED	383.6	767.2
1501	LANDAU BLACK	395.8	791.5
1553	FAST BLUE	400.2	800.5
1554	TINTING WHITE	404.3	808.6

4282	DRIFTWOOD	Ford Motor	T
1559	YELLOW OXIDE	191.8	383.6
1554	TINTING WHITE	356.4	712.9
1550	RED OXIDE	396.6	793.3
1501	LANDAU BLACK	421.9	843.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4276	SILVER	Chrysler Motors	A2
1508	SILVER	408.5	817.0
		0.0	0.0
		0.0	0.0

4283	DK SHADOW BLUE	Ford Motor	B
1501	LANDAU BLACK	206.7	413.4
1553	FAST BLUE	389.9	779.8
1554	TINTING WHITE	404.9	809.8

4277	ICE BLUE MET	Chrysler Motors	B1
1508	SILVER	365.4	730.7
1553	FAST BLUE	392.7	785.5
1501	LANDAU BLACK	408.2	816.4

4284	MIDNITE CABERNE	Ford Motor	D
1552	FAST RED	331.7	663.5
1501	LANDAU BLACK	370.7	741.4
1559	YELLOW OXIDE	394.0	787.9
1554	TINTING WHITE	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4278	DK CORDOVAN	Chrysler Motors	E9
1552	FAST RED	382.0	764.0
1501	LANDAU BLACK	394.2	788.3
1553	FAST BLUE	401.0	802.0
1554	TINTING WHITE	404.2	808.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4285	MED SHADOW BLU	Ford Motor	B
1501	LANDAU BLACK	219.8	439.7
1553	FAST BLUE	329.7	659.5
1554	TINTING WHITE	373.0	745.9
1550	RED OXIDE	408.3	816.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 58

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	CRYSTAL	Ford Motor	P
1554	TINTING WHITE	258.7	517.4
1559	YELLOW OXIDE	353.0	706.0
1501	LANDAU BLACK	406.4	812.8
1550	RED OXIDE	426.5	852.9

	CABERNET	Ford Motor	H
1552	FAST RED	343.0	685.9
1551	FAST YELLOW	371.0	742.0
1553	FAST BLUE	396.6	793.3
1554	TINTING WHITE	404.5	809.0

	LT SANDALWOOD	Ford Motor	Z
1554	TINTING WHITE	280.2	560.3
1559	YELLOW OXIDE	386.7	773.5
1501	LANDAU BLACK	409.1	818.1
1550	RED OXIDE	428.3	856.5

	LT ROSEWOOD ME	General Motors	85T
1552	FAST RED	220.0	440.0
1508	SILVER	313.0	626.1
1551	FAST YELLOW	360.3	720.7
1553	FAST BLUE	404.8	809.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	WHITE	American Moto	87J63
1554	TINTING WHITE	430.7	861.5
1552	FAST RED	433.4	866.8
1551	FAST YELLOW	435.6	871.2
1556	FAST GREEN	436.9	873.8

	DK GRAY	Chrysler Motors	A7
1501	LANDAU BLACK	192.0	384.0
1554	TINTING WHITE	305.6	611.2
1559	YELLOW OXIDE	402.4	804.8
1550	RED OXIDE	415.5	831.1

	CORDOVAN	American Moto	87P1
1550	RED OXIDE	226.0	452.0
1302	LOW LUSTER CLEAR	307.5	615.0
1553	FAST BLUE	377.4	754.9
1501	LANDAU BLACK	405.5	810.9
1554	TINTING WHITE	409.1	818.1

	MED GRAY	Chrysler Motors	S7
1501	LANDAU BLACK	163.1	326.2
1559	YELLOW OXIDE	291.1	582.2
1554	TINTING WHITE	397.7	795.3
1552	FAST RED	415.4	830.9

	SHADOW BLUE	Ford Motor	B
1553	FAST BLUE	204.5	409.1
1501	LANDAU BLACK	344.6	689.1
1556	FAST GREEN	384.8	769.7
1554	TINTING WHITE	405.0	810.0

	SILVER	Chrysler Motors	A3
1554	TINTING WHITE	348.9	697.9
1559	YELLOW OXIDE	397.3	794.6
1501	LANDAU BLACK	428.8	857.7
1550	RED OXIDE	431.9	863.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	SCARLET	Ford Motor	D
1552	FAST RED	341.1	682.1
1551	FAST YELLOW	389.3	778.6
1554	TINTING WHITE	401.9	803.9
1553	FAST BLUE	404.9	809.8

	MED PRAIRIE MIST	Ford Motor	G
1559	YELLOW OXIDE	191.9	383.8
1501	LANDAU BLACK	310.5	620.9
1554	TINTING WHITE	368.0	736.1
1550	RED OXIDE	414.0	828.0

	Lt. Sandlewood	Ford Motor	Z(int)
1302	LOW LUSTER CLEAR	174.4	348.8
1554	TINTING WHITE	283.6	567.2
1559	YELLOW OXIDE	375.8	751.6
1550	RED OXIDE	404.9	809.8
1501	LANDAU BLACK	424.1	848.1

	OYSTER WHITE	General Motors	12AN
1554	TINTING WHITE	419.6	839.2
1551	FAST YELLOW	426.6	853.1
1501	LANDAU BLACK	432.3	864.7
1552	FAST RED	436.0	871.9

No

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 59

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4300	DK COPPER	General Motors	67CN	4307	DK SMOKE	Ford Motor	P
1552	FAST RED	200.3	400.5	1501	LANDAU BLACK	145.8	291.7
1551	FAST YELLOW	367.8	735.7	1559	YELLOW OXIDE	265.3	530.7
1554	TINTING WHITE	395.0	790.0	1554	TINTING WHITE	381.0	762.1
1501	LANDAU BLACK	406.0	812.1	1550	RED OXIDE	416.7	833.3
4301	DK SMOKE	Ford Motor	P	4308	DK SHADOW BLUE	Ford Motor	B
1501	LANDAU BLACK	224.2	448.4	1553	FAST BLUE	208.4	416.9
1554	TINTING WHITE	300.6	601.2	1556	FAST GREEN	324.5	649.0
1551	FAST YELLOW	371.5	743.1	1501	LANDAU BLACK	396.5	793.1
1552	FAST RED	410.4	820.8	1508	SILVER	403.4	806.7
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4302	DK SCARLET	Ford Motor	D	4309	ISUZU BUMPER GR		
1552	FAST RED	227.9	455.8	1302	LOW LUSTER CLEAR	136.2	272.5
1302	LOW LUSTER CLEAR	362.1	724.3	1501	LANDAU BLACK	270.4	540.7
1551	FAST YELLOW	390.6	781.3	1554	TINTING WHITE	338.8	677.5
1501	LANDAU BLACK	398.7	797.4	1552	FAST RED	376.7	753.4
1554	TINTING WHITE	403.5	806.9	1551	FAST YELLOW	408.7	817.4
4303	DK TAUPE	Ford Motor	F	4310	MED BEECHWOOD	General Motors	66BN
1501	LANDAU BLACK	169.1	338.2	1559	YELLOW OXIDE	250.5	501.0
1550	RED OXIDE	293.6	587.3	1550	RED OXIDE	331.3	662.5
1302	LOW LUSTER CLEAR	348.0	696.0	1554	TINTING WHITE	402.7	805.4
1559	YELLOW OXIDE	398.0	795.9	1501	LANDAU BLACK	417.1	834.3
1554	TINTING WHITE	409.2	818.3				
4304	WHITE	Ford Motor	W	4311	VERY DK SIENNA	General Motors	61DN
1554	TINTING WHITE	432.4	864.9	1559	YELLOW OXIDE	148.7	297.4
1551	FAST YELLOW	435.5	871.0	1550	RED OXIDE	267.4	534.9
1552	FAST RED	436.3	872.7	1501	LANDAU BLACK	365.4	730.7
1501	LANDAU BLACK	437.0	874.0	1302	LOW LUSTER CLEAR	405.7	811.5
				1554	TINTING WHITE	410.5	821.0
4305	MED SMOKE	Ford Motor	P	4312	MED SMOKE GRAY	General Motors	90BN
1501	LANDAU BLACK	232.8	465.5	1554	TINTING WHITE	187.2	374.3
1559	YELLOW OXIDE	319.1	638.2	1559	YELLOW OXIDE	294.5	589.0
1554	TINTING WHITE	378.7	757.3	1501	LANDAU BLACK	359.9	719.7
1550	RED OXIDE	411.9	823.8	1550	RED OXIDE	422.4	844.7
4306	DK WALNUT MET	Ford Motor	Z	4313	MED COGNAC	General Motors	60BN
1552	FAST RED	231.5	463.0	1559	YELLOW OXIDE	304.4	608.8
1501	LANDAU BLACK	307.0	614.1	1550	RED OXIDE	371.2	742.3
1551	FAST YELLOW	376.2	752.4	1554	TINTING WHITE	404.2	808.5
1508	SILVER	404.5	809.0	1501	LANDAU BLACK	415.0	829.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 60

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4314	MED ANTELOPE	General Motors	65BN	4321	DK FOREST GREEN	Chrysler Motors	G7
1554	TINTING WHITE	205.0	410.0	1553	FAST BLUE	179.4	358.7
1559	YELLOW OXIDE	340.0	680.0	1556	FAST GREEN	297.6	595.3
1550	RED OXIDE	396.4	792.9	1501	LANDAU BLACK	386.7	773.5
1501	LANDAU BLACK	424.0	848.0	1508	SILVER	403.7	807.3
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4315	DK ANTELOPE	General Motors	65CN	4322	BLACK CHERRY	Chrysler Motors	M9
1554	TINTING WHITE	126.6	253.3	1552	FAST RED	330.7	661.4
1552	FAST RED	251.4	502.7	1553	FAST BLUE	378.6	757.2
1551	FAST YELLOW	351.7	703.4	1551	FAST YELLOW	401.6	803.1
1501	LANDAU BLACK	413.8	827.6	1554	TINTING WHITE	403.9	807.9
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4316	DK BROWNSTONE	American Moto	88P4	4323	WHITE	Chrysler Motors	W7
1559	YELLOW OXIDE	142.7	285.4	1554	TINTING WHITE	432.4	864.9
1302	LOW LUSTER CLEAR	225.4	450.9	1501	LANDAU BLACK	435.3	870.6
1554	TINTING WHITE	301.7	603.4	1559	YELLOW OXIDE	437.1	874.2
1501	LANDAU BLACK	365.8	731.5				
1550	RED OXIDE	413.7	827.5				
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4317	NAVY	American Moto	88P5	4324	SILVER PENNY	Chrysler Motors	L2
1302	LOW LUSTER CLEAR	136.2	272.5	1508	SILVER	240.8	481.7
1501	LANDAU BLACK	260.5	521.0	1552	FAST RED	326.5	653.0
1554	TINTING WHITE	319.7	639.4	1501	LANDAU BLACK	364.6	729.2
1553	FAST BLUE	375.9	751.8	1551	FAST YELLOW	387.4	774.8
1550	RED OXIDE	408.4	816.8	1553	FAST BLUE	406.9	813.8
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4318	WHITE TEXTURE			4325	WHITE	Chrysler Motors	W7
1554	TINTING WHITE	431.8	863.6	1554	TINTING WHITE	434.8	869.6
1559	YELLOW OXIDE	435.0	870.0	1501	LANDAU BLACK	436.4	872.9
1501	LANDAU BLACK	436.4	872.9	1559	YELLOW OXIDE	437.2	874.4
1552	FAST RED	437.0	874.0				
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4319	GLAMOR RED	Chrysler Motors	M4	4326	TAUPE	Chrysler Motors	L5
1552	FAST RED	369.4	738.7	1501	LANDAU BLACK	115.2	230.5
1551	FAST YELLOW	390.4	780.7	1559	YELLOW OXIDE	217.3	434.5
1554	TINTING WHITE	398.6	797.2	1302	LOW LUSTER CLEAR	312.6	625.3
1553	FAST BLUE	404.7	809.4	1550	RED OXIDE	374.8	749.6
				1554	TINTING WHITE	410.2	820.4
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4320	DK ANTIQUE PENN	Chrysler Motors	L8	4327	BLACK CHERRY	Chrysler Motors	M9
1501	LANDAU BLACK	182.8	365.6	1552	FAST RED	352.6	705.3
1552	FAST RED	341.4	682.9	1553	FAST BLUE	391.2	782.4
1508	SILVER	382.5	764.9	1501	LANDAU BLACK	401.5	802.9
1551	FAST YELLOW	405.0	810.0	1554	TINTING WHITE	404.0	808.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 61

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4328	BRIGHT WHITE	Chrysler Motors		W7	4335	LT BEECHWOOD M	General Motors	62T
1554	TINTING WHITE	431.3	862.6		1552	FAST RED	146.2	292.4
1559	YELLOW OXIDE	434.8	869.6		1508	SILVER	275.1	550.2
1501	LANDAU BLACK	437.0	874.0		1551	FAST YELLOW	371.4	742.7
					1501	LANDAU BLACK	405.7	811.3
				MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				
4329	BORDEAUX RED	Chrysler Motors		R9	4336	LT BEECHWOOD M	General Motors	62T
1552	FAST RED	386.3	772.5		1552	FAST RED	149.1	298.1
1553	FAST BLUE	398.5	797.1		1508	SILVER	280.4	560.9
1554	TINTING WHITE	404.4	808.8		1551	FAST YELLOW	378.5	757.0
					1501	LANDAU BLACK	405.6	811.1
				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
4330	TAUPE	Chrysler Motors		L9	4337	ANTELOPE BEIGE	General Motors	86T
1559	YELLOW OXIDE	170.6	341.2		1554	TINTING WHITE	303.1	606.3
1302	LOW LUSTER CLEAR	253.1	506.2		1559	YELLOW OXIDE	378.0	756.0
1550	RED OXIDE	332.5	665.0		1550	RED OXIDE	415.2	830.3
1554	TINTING WHITE	379.0	757.9		1501	LANDAU BLACK	429.8	859.6
1501	LANDAU BLACK	413.0	825.9					
4331	CINNABAR	Ford Motor		F	4338	ANTELOPE BEIGE	General Motors	86T
1501	LANDAU BLACK	156.7	313.3		1554	TINTING WHITE	306.1	612.2
1550	RED OXIDE	289.2	578.4		1559	YELLOW OXIDE	378.6	757.2
1551	FAST YELLOW	384.4	768.7		1550	RED OXIDE	414.1	828.2
1554	TINTING WHITE	409.5	819.1		1501	LANDAU BLACK	429.9	859.8
4332	DK CABERNET	Ford Motor		D	4339	ANTELOPE BEIGE	General Motors	86T
1552	FAST RED	327.1	654.2		1554	TINTING WHITE	307.9	615.8
1551	FAST YELLOW	363.2	726.4		1559	YELLOW OXIDE	380.6	761.1
1501	LANDAU BLACK	398.0	795.9		1550	RED OXIDE	414.6	829.2
1554	TINTING WHITE	404.6	809.2		1501	LANDAU BLACK	430.1	860.1
4333	TWILIGHT BLUE	Ford Motor		B	4340	LT BEECHWOOD M	General Motors	57T
1553	FAST BLUE	170.2	340.5		1552	FAST RED	150.1	300.2
1552	FAST RED	298.8	597.6		1508	SILVER	279.0	558.0
1501	LANDAU BLACK	388.5	776.9		1551	FAST YELLOW	367.6	735.1
1554	TINTING WHITE	404.8	809.6		1501	LANDAU BLACK	405.7	811.3
				MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				
4334	DK TITANIUM	Ford Motor		P	4342	DK SAPPHIRE BLUE	General Motors	29T
1559	YELLOW OXIDE	168.0	335.9		1553	FAST BLUE	302.2	604.4
1501	LANDAU BLACK	320.1	640.1		1501	LANDAU BLACK	374.6	749.2
1550	RED OXIDE	368.1	736.3		1508	SILVER	403.4	806.7
1554	TINTING WHITE	412.7	825.4					
				MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 62

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4343	LT ANTELOPE MET	General Motors	95T	4350	VERY DK COGNAC	General Motors	60DN
1508	SILVER	259.5	519.1	1559	YELLOW OXIDE	177.7	355.3
1552	FAST RED	355.3	710.6	1550	RED OXIDE	305.6	611.2
1551	FAST YELLOW	385.8	771.6	1501	LANDAU BLACK	405.6	811.1
1553	FAST BLUE	406.9	813.8	1554	TINTING WHITE	411.8	823.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4344	DK ANTELOPE MET	General Motors	67T	4351	VERY DK BLUE	General Motors	24DN
1552	FAST RED	239.3	478.6	1501	LANDAU BLACK	154.6	309.1
1551	FAST YELLOW	361.1	722.2	1553	FAST BLUE	294.8	589.6
1501	LANDAU BLACK	404.0	808.1	1556	FAST GREEN	366.2	732.5
				1554	TINTING WHITE	406.9	813.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4345	MED BEECHWOOD	General Motors	69T	4352	DK BLUE	General Motors	24CN
1552	FAST RED	204.9	409.8	1501	LANDAU BLACK	166.9	333.8
1551	FAST YELLOW	343.8	687.6	1553	FAST BLUE	277.8	555.6
1501	LANDAU BLACK	381.8	763.6	1554	TINTING WHITE	378.7	757.3
1508	SILVER	404.4	808.8	1556	FAST GREEN	411.7	823.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4346	COPPER BEIGE	General Motors	56T	4353	MED BEIGE	General Motors	69BN
1554	TINTING WHITE	344.0	688.0	1559	YELLOW OXIDE	179.7	359.5
1559	YELLOW OXIDE	420.8	841.5	1554	TINTING WHITE	351.4	702.8
1550	RED OXIDE	431.3	862.6	1550	RED OXIDE	394.7	789.5
1501	LANDAU BLACK	432.3	864.5	1501	LANDAU BLACK	422.2	844.4

4347	Titanium	Ford Motor	56T	4354	MED DK BEIGE	General Motors	69CN
1554	TINTING WHITE	166.1	332.3	1559	YELLOW OXIDE	207.5	415.0
1302	LOW LUSTER CLEAR	262.6	525.3	1554	TINTING WHITE	288.2	576.5
1559	YELLOW OXIDE	358.1	716.2	1550	RED OXIDE	355.8	711.6
1501	LANDAU BLACK	396.6	793.2	1501	LANDAU BLACK	416.7	833.3
1557	MAGENTA	418.2	836.4				

4348	SANDALWOOD	Ford Motor	Z	4355	DK ENGLISH SADD	General Motors	64CN
1559	YELLOW OXIDE	143.0	286.0	1551	FAST YELLOW	167.7	335.4
1501	LANDAU BLACK	257.0	514.0	1552	FAST RED	309.7	619.4
1302	LOW LUSTER CLEAR	332.2	664.4	1554	TINTING WHITE	370.7	741.4
1550	RED OXIDE	393.2	786.4	1501	LANDAU BLACK	408.7	817.4
1554	TINTING WHITE	409.7	819.5				

4349	DK COGNAC	General Motors	60CN	4356	MIDNIGHT BLUE	General Motors	23EN
1551	FAST YELLOW	208.6	417.2	1501	LANDAU BLACK	192.9	385.9
1552	FAST RED	337.9	675.8	1553	FAST BLUE	385.9	771.8
1554	TINTING WHITE	386.3	772.5	1554	TINTING WHITE	405.1	810.2
1501	LANDAU BLACK	407.7	815.5				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 63

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4357	MED ROSEWOOD M	General Motors	78T
1552	FAST RED	242.4	484.9
1501	LANDAU BLACK	329.7	659.5
1508	SILVER	369.4	738.7
1551	FAST YELLOW	404.7	809.4

4364	MED SANDALWOO	Ford Motor	Z
1559	YELLOW OXIDE	237.5	475.0
1501	LANDAU BLACK	309.4	618.8
1550	RED OXIDE	372.3	744.6
1554	TINTING WHITE	414.2	828.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4358	LT SAPPHIRE BLUE	General Motors	26T
1508	SILVER	259.9	519.8
1553	FAST BLUE	358.7	717.4
1552	FAST RED	395.8	791.5
1501	LANDAU BLACK	406.7	813.4

4365	MED TITANIUM BU	Ford Motor	P
1508	SILVER	289.4	578.7
1501	LANDAU BLACK	378.5	757.0
1552	FAST RED	391.2	782.4
1551	FAST YELLOW	401.6	803.1
1554	TINTING WHITE	408.1	816.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4359	CHARCOAL	American Moto	88P6
1554	TINTING WHITE	184.7	369.4
1302	LOW LUSTER CLEAR	268.3	536.6
1559	YELLOW OXIDE	339.6	679.3
1501	LANDAU BLACK	398.0	795.9
1550	RED OXIDE	419.8	839.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4366	DEEP SANDALWOO	Ford Motor	Z
1501	LANDAU BLACK	189.2	378.5
1559	YELLOW OXIDE	327.7	655.3
1550	RED OXIDE	393.4	786.8
1554	TINTING WHITE	410.5	821.0

4360	DK CHARCOAL	American Moto	88P7
1501	LANDAU BLACK	165.5	331.0
1554	TINTING WHITE	296.7	593.4
1559	YELLOW OXIDE	404.1	808.3
1550	RED OXIDE	417.2	834.5

4367	LT SANDALWOOD	Ford Motor	Z
1554	TINTING WHITE	210.7	421.4
1551	FAST YELLOW	302.2	604.4
1552	FAST RED	367.7	735.3
1501	LANDAU BLACK	420.1	840.2

4361	CINNABAR	Ford Motor	F
1550	RED OXIDE	128.9	257.8
1559	YELLOW OXIDE	226.4	452.8
1302	LOW LUSTER CLEAR	308.2	616.4
1501	LANDAU BLACK	367.3	734.5
1554	TINTING WHITE	412.4	824.8

4368	DK REGATTA BLUE	Ford Motor	B
1553	FAST BLUE	190.8	381.5
1501	LANDAU BLACK	340.9	681.7
1554	TINTING WHITE	381.1	762.3
1552	FAST RED	406.8	813.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4362	DK CINNABAR	Ford Motor	F
1550	RED OXIDE	120.1	240.2
1501	LANDAU BLACK	221.6	443.3
1559	YELLOW OXIDE	303.8	607.6
1302	LOW LUSTER CLEAR	386.0	772.0
1554	TINTING WHITE	410.3	820.6

4369	BRIGHT BLUE MET	Corvette	21CM
1508	SILVER	188.5	377.0
1553	FAST BLUE	364.4	728.8
1556	FAST GREEN	391.8	783.6
1501	LANDAU BLACK	405.5	810.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4363	DK TITANIUM	Ford Motor	P
1559	YELLOW OXIDE	106.0	212.0
1501	LANDAU BLACK	208.1	416.3
1302	LOW LUSTER CLEAR	290.6	581.2
1554	TINTING WHITE	369.9	739.9
1550	RED OXIDE	413.2	826.3

4370	TOAST	Chrysler Motors	K2
1559	YELLOW OXIDE	194.4	388.7
1554	TINTING WHITE	373.4	746.9
1550	RED OXIDE	409.4	818.7
1501	LANDAU BLACK	422.9	845.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 64

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4371	BUCKSKIN	Chrysler Motors	V6	4378	DK TAUPE	Chrysler Motors	V8
1554	TINTING WHITE	230.9	461.9	1559	YELLOW OXIDE	127.3	254.6
1559	YELLOW OXIDE	370.9	741.8	1501	LANDAU BLACK	224.1	448.2
1550	RED OXIDE	401.6	803.1	1302	LOW LUSTER CLEAR	306.2	612.4
1501	LANDAU BLACK	425.5	851.0	1550	RED OXIDE	378.7	757.3
				1554	TINTING WHITE	410.8	821.6
4372	LT BUCKSKIN	Chrysler Motors	K3	4379	NEUTRAL DK GRAY	Chrysler Motors	S5
1554	TINTING WHITE	196.4	392.7	1501	LANDAU BLACK	165.7	331.4
1559	YELLOW OXIDE	391.5	783.0	1559	YELLOW OXIDE	281.4	562.8
1550	RED OXIDE	411.3	822.5	1554	TINTING WHITE	359.5	719.0
1501	LANDAU BLACK	423.9	847.8	1550	RED OXIDE	414.3	828.6
4373	MED CURRANT RE	Ford Motor	A	4380	OXFORD WHITE	Ford Motor	P
1552	FAST RED	386.3	772.5	1554	TINTING WHITE	411.4	822.9
1553	FAST BLUE	398.5	797.1	1559	YELLOW OXIDE	429.8	859.6
1554	TINTING WHITE	404.4	808.8	1501	LANDAU BLACK	434.2	868.3
				1550	RED OXIDE	435.9	871.7
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4374	PASTEL ADOBE PRI	Ford Motor	A	4381	TAURUS/SABLE BL	Ford Motor	FACIA
1554	TINTING WHITE	389.3	778.6	1508	SILVER	224.5	449.0
1559	YELLOW OXIDE	431.0	862.0	1553	FAST BLUE	302.9	605.7
1501	LANDAU BLACK	433.2	866.4	1501	LANDAU BLACK	367.4	734.7
1550	RED OXIDE	434.7	869.4	1552	FAST RED	405.9	811.9
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4375	TWILIGHT BLUE	Ford Motor	B	4382	MIDNIGHT BLUE	Chrysler Motors	B9
1501	LANDAU BLACK	204.8	409.6	1553	FAST BLUE	219.7	439.5
1553	FAST BLUE	388.2	776.3	1501	LANDAU BLACK	370.3	740.6
1554	TINTING WHITE	405.1	810.2	1554	TINTING WHITE	392.1	784.1
				1556	FAST GREEN	405.1	810.2
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4376	LT TITANIUM	Ford Motor	A	4383	MED QUARTZ	Chrysler Motors	D5
1554	TINTING WHITE	208.5	417.1	1554	TINTING WHITE	164.6	329.3
1559	YELLOW OXIDE	308.9	617.9	1501	LANDAU BLACK	266.7	533.3
1501	LANDAU BLACK	380.6	761.1	1559	YELLOW OXIDE	357.4	714.8
1550	RED OXIDE	423.4	846.8	1550	RED OXIDE	420.5	840.9
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR							
4377	MIDNITE CURRANT	Ford Motor	A	4384	MED QUARTZ I.P.	Chrysler Motors	D5
1552	FAST RED	380.9	761.7	1302	LOW LUSTER CLEAR	138.2	276.5
1553	FAST BLUE	391.7	783.4	1554	TINTING WHITE	262.1	524.2
1501	LANDAU BLACK	400.9	801.8	1501	LANDAU BLACK	328.4	656.8
1554	TINTING WHITE	404.1	808.3	1559	YELLOW OXIDE	377.5	755.1
				1550	RED OXIDE	414.8	829.5
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 65

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4386	MAHOGANY	Chrysler Motors		H7	4393	MIDNIGHT BLUE M	Chrysler Motors	B9
1501	LANDAU BLACK	210.7	421.4		1553	FAST BLUE	227.5	455.1
1550	RED OXIDE	350.8	701.7		1552	FAST RED	321.2	642.4
1553	FAST BLUE	394.0	787.9		1501	LANDAU BLACK	391.3	782.6
1554	TINTING WHITE	409.0	818.0		1508	SILVER	403.5	806.9
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR								
4387	GINGER PRINT	Chrysler Motors		T5	4394	DIAMOND BLUE M	Chrysler Motors	C1
1559	YELLOW OXIDE	346.3	692.6		1508	SILVER	321.6	643.2
1550	RED OXIDE	397.2	794.4		1553	FAST BLUE	368.0	736.1
1554	TINTING WHITE	407.6	815.1		1552	FAST RED	402.7	805.4
1501	LANDAU BLACK	413.7	827.5		1501	LANDAU BLACK	407.6	815.1
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR								
4388	TUNDRA	Chrysler Motors		T7	4395	LT MAHOGANY ME	Chrysler Motors	H6
1559	YELLOW OXIDE	239.8	479.6		1552	FAST RED	247.0	494.0
1554	TINTING WHITE	345.8	691.6		1553	FAST BLUE	316.5	633.1
1550	RED OXIDE	386.4	772.7		1551	FAST YELLOW	362.6	725.2
1501	LANDAU BLACK	418.4	836.8		1508	SILVER	404.2	808.5
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
4389	LT CHAMPAGNE	Chrysler Motors		V4	4396	MED MAHOGANY	Chrysler Motors	H8
1302	LOW LUSTER CLEAR	138.9	277.8		1552	FAST RED	256.1	512.2
1554	TINTING WHITE	274.5	548.9		1553	FAST BLUE	353.0	706.0
1559	YELLOW OXIDE	396.4	792.9		1551	FAST YELLOW	399.7	799.3
1550	RED OXIDE	408.7	817.4		1508	SILVER	403.6	807.1
1501	LANDAU BLACK	416.5	833.0		MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4390	MED CHAMPAGNE	General Motors		V8	4397	LT TAUPE MET	Chrysler Motors	L3
1559	YELLOW OXIDE	213.8	427.5		1508	SILVER	227.5	455.1
1554	TINTING WHITE	361.4	722.8		1552	FAST RED	318.5	637.1
1550	RED OXIDE	394.4	788.9		1551	FAST YELLOW	374.9	749.7
1501	LANDAU BLACK	420.9	841.9		1501	LANDAU BLACK	406.7	813.4
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
4391	LT QUARTZ	Chrysler Motors		W8	4398	MED TAUPE MET	Chrysler Motors	L6
1554	TINTING WHITE	332.0	664.1		1552	FAST RED	157.4	314.8
1559	YELLOW OXIDE	378.4	756.8		1508	SILVER	255.2	510.3
1501	LANDAU BLACK	404.9	809.8		1501	LANDAU BLACK	339.4	678.9
1550	RED OXIDE	431.0	862.0		1551	FAST YELLOW	405.4	810.7
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR				
4392	BLUE GRAY MET	Chrysler Motors		B5	4400	WHITE	Chrysler Motors	W5
1553	FAST BLUE	115.6	231.2		1554	TINTING WHITE	391.0	782.0
1501	LANDAU BLACK	224.9	449.7		1559	YELLOW OXIDE	417.1	834.3
1552	FAST RED	319.1	638.2		1550	RED OXIDE	431.1	862.2
1508	SILVER	404.8	809.6		1553	FAST BLUE	434.8	869.6
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR								

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 66

		PINTS	QUARTS			PINTS	QUARTS			
		GRAMS				GRAMS				
4401	SILVER	Chrysler Motors		A3	4408	DK CHARCOAL		Chrysler Motors		A8
1554	TINTING WHITE	195.2	390.5		1501	LANDAU BLACK	170.1	340.1		
1302	LOW LUSTER CLEAR	335.3	670.5		1554	TINTING WHITE	295.1	590.1		
1559	YELLOW OXIDE	377.0	753.9		1559	YELLOW OXIDE	407.2	814.3		
1550	RED OXIDE	407.9	815.9		1550	RED OXIDE	416.8	833.5		
1553	FAST BLUE	419.6	839.2							
4402	SAND	American Moto		89P1	4409	LT BROWNSTONE		Chrysler Motors		F3
1554	TINTING WHITE	210.3	420.7		1554	TINTING WHITE	267.6	535.2		
1302	LOW LUSTER CLEAR	350.9	701.9		1559	YELLOW OXIDE	378.1	756.2		
1559	YELLOW OXIDE	410.0	820.0		1550	RED OXIDE	408.1	816.2		
1550	RED OXIDE	418.8	837.5		1501	LANDAU BLACK	427.6	855.2		
1553	FAST BLUE	420.6	841.1							
4403	DK SAND	American Moto		89P2	4410	DK TUNDRA		Chrysler Motors		J9
1302	LOW LUSTER CLEAR	138.3	276.6		1559	YELLOW OXIDE	251.6	503.1		
1554	TINTING WHITE	270.6	541.1		1501	LANDAU BLACK	310.4	620.7		
1559	YELLOW OXIDE	383.4	766.8		1550	RED OXIDE	365.5	730.9		
1550	RED OXIDE	405.3	810.5		1554	TINTING WHITE	414.8	829.5		
1501	LANDAU BLACK	416.3	832.6							
4404	GRANITE	Ford Motor		E	4411	MED CABERNET		Ford Motor		D
1302	LOW LUSTER CLEAR	137.1	274.2		1552	FAST RED	352.9	705.9		
1501	LANDAU BLACK	244.1	488.1		1559	YELLOW OXIDE	387.4	774.8		
1559	YELLOW OXIDE	323.6	647.1		1553	FAST BLUE	397.3	794.6		
1554	TINTING WHITE	396.0	791.9		1554	TINTING WHITE	405.4	810.7		
1550	RED OXIDE	411.0	821.9							
4405	CRYSTAL BLUE	Ford Motor		A	4412	CRYSTAL BLUE PRI		Ford Motor		A
1501	LANDAU BLACK	208.3	416.7		1554	TINTING WHITE	342.5	685.0		
1554	TINTING WHITE	376.5	753.0		1501	LANDAU BLACK	416.5	833.0		
1553	FAST BLUE	417.2	834.5		1559	YELLOW OXIDE	430.6	861.3		
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR										
4406	CURRANT	Ford Motor		A	4414	WHITE		General Motors		11T
1552	FAST RED	261.5	523.1		1554	TINTING WHITE	423.7	847.4		
1302	LOW LUSTER CLEAR	392.0	783.9		1559	YELLOW OXIDE	432.5	865.1		
1553	FAST BLUE	398.9	797.8		1550	RED OXIDE	435.6	871.2		
1554	TINTING WHITE	403.5	806.9		1556	FAST GREEN	436.7	873.4		
4407	MED QUARTZ	Chrysler Motors		D4	4415	MED BLUE MET		General Motors		21EN
1302	LOW LUSTER CLEAR	204.8	409.6		1508	SILVER	195.4	390.8		
1554	TINTING WHITE	270.9	541.9		1553	FAST BLUE	349.4	698.8		
1501	LANDAU BLACK	333.6	667.3		1556	FAST GREEN	370.4	740.8		
1559	YELLOW OXIDE	378.9	757.7		1554	TINTING WHITE	389.3	778.6		
1550	RED OXIDE	409.5	819.1		1501	LANDAU BLACK	407.2	814.3		

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 67

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4416	MED SANDALWOO	Ford Motor		Z	4423	BLUE	Mercedes Benz	172
1302	LOW LUSTER CLEAR	135.9	271.9		1553	FAST BLUE	180.7	361.4
1559	YELLOW OXIDE	265.9	531.8		1501	LANDAU BLACK	349.9	699.8
1501	LANDAU BLACK	328.1	656.3		1554	TINTING WHITE	391.4	782.8
1550	RED OXIDE	373.7	747.5		1556	FAST GREEN	406.9	813.8
1554	TINTING WHITE	410.0	820.0					
4417	MED CANYON RED	Ford Motor		D	4424	BURGUNDY	Mercedes Benz	177
1552	FAST RED	316.6	633.3		1552	FAST RED	310.1	620.2
1559	YELLOW OXIDE	401.6	803.1		1551	FAST YELLOW	363.9	727.9
1553	FAST BLUE	405.9	811.9		1501	LANDAU BLACK	386.0	772.0
					1554	TINTING WHITE	405.6	811.1
4418	GARNET RED	General Motors		75T	4425	CREME BEIGE	Mercedes Benz	175
1552	FAST RED	370.4	740.8		1554	TINTING WHITE	217.9	435.9
1508	SILVER	389.3	778.6		1559	YELLOW OXIDE	388.3	776.5
1553	FAST BLUE	400.6	801.2		1550	RED OXIDE	408.1	816.2
1554	TINTING WHITE	404.4	808.8		1501	LANDAU BLACK	425.0	850.1
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR								
4419	DK BLUE	Ford Motor		B	4426	DK SAND	Chrysler Motors	Y6
1553	FAST BLUE	252.9	505.8		1554	TINTING WHITE	207.1	414.2
1501	LANDAU BLACK	377.8	755.6		1559	YELLOW OXIDE	379.0	757.9
1554	TINTING WHITE	405.5	810.9		1550	RED OXIDE	408.7	817.4
					1501	LANDAU BLACK	424.4	848.7
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR								
4420	RAVEN BLACK	Ford Motor		A	4427	MULBERRY	Jaguar	
1501	LANDAU BLACK	193.8	387.6		1550	RED OXIDE	150.8	301.5
1302	LOW LUSTER CLEAR	329.6	659.1		1302	LOW LUSTER CLEAR	289.2	578.4
1554	TINTING WHITE	367.7	735.3		1552	FAST RED	348.7	697.3
1559	YELLOW OXIDE	400.7	801.4		1554	TINTING WHITE	384.1	768.2
1550	RED OXIDE	407.4	814.7		1501	LANDAU BLACK	409.6	819.3
4421	BEIGE	Ford Motor		Y	4428	SAVILE GRAY	Jaguar	
1302	LOW LUSTER CLEAR	139.6	279.1		1554	TINTING WHITE	241.7	483.4
1554	TINTING WHITE	270.8	541.5		1501	LANDAU BLACK	336.5	673.0
1559	YELLOW OXIDE	384.1	768.2		1559	YELLOW OXIDE	388.2	776.3
1550	RED OXIDE	403.5	806.9		1550	RED OXIDE	424.7	849.5
1501	LANDAU BLACK	416.0	832.0					
MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR								
4422	STONE PINE GREE	Mercedes Benz		176	4429	BARLEY	Jaguar	
1501	LANDAU BLACK	160.2	320.3		1554	TINTING WHITE	181.8	363.7
1551	FAST YELLOW	272.9	545.9		1552	FAST RED	304.3	608.6
1556	FAST GREEN	358.3	716.7		1551	FAST YELLOW	394.3	788.7
1554	TINTING WHITE	408.2	816.4		1556	FAST GREEN	417.9	835.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 68

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	BLACK	Jaguar	
1501	LANDAU BLACK	311.3	622.6
1551	FAST YELLOW	355.8	711.6
1554	TINTING WHITE	388.6	777.1
1552	FAST RED	407.3	814.5

	RUSSET	MG	
1552	FAST RED	280.2	560.3
1551	FAST YELLOW	367.8	735.7
1554	TINTING WHITE	386.8	773.7
1550	RED OXIDE	405.8	811.7

	BUCKSKIN	Jaguar	
1559	YELLOW OXIDE	191.3	382.7
1550	RED OXIDE	282.4	564.9
1554	TINTING WHITE	366.8	733.6
1501	LANDAU BLACK	417.1	834.3

	LT BLUE	MG	
1554	TINTING WHITE	197.3	394.6
1501	LANDAU BLACK	286.3	572.7
1302	LOW LUSTER CLEAR	343.1	686.3
1559	YELLOW OXIDE	388.6	777.1
1550	RED OXIDE	420.8	841.5

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	DOESKIN	Jaguar	
1554	TINTING WHITE	195.2	390.5
1559	YELLOW OXIDE	366.9	733.8
1550	RED OXIDE	399.1	798.2
1501	LANDAU BLACK	423.5	847.0

	CINNAMON	MG	
1559	YELLOW OXIDE	197.9	395.8
1302	LOW LUSTER CLEAR	280.3	560.7
1550	RED OXIDE	343.2	686.5
1554	TINTING WHITE	405.5	810.9
1501	LANDAU BLACK	414.1	828.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	ISIS BLUE	Jaguar	
1501	LANDAU BLACK	225.2	450.5
1553	FAST BLUE	291.6	583.1
1554	TINTING WHITE	357.3	714.6
1552	FAST RED	409.4	818.7

	LT BEIGE	MG	
1554	TINTING WHITE	225.5	451.1
1559	YELLOW OXIDE	392.5	785.1
1550	RED OXIDE	413.1	826.1
1501	LANDAU BLACK	425.4	850.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	MAGNOLIA	Jaguar	
1554	TINTING WHITE	322.3	644.7
1559	YELLOW OXIDE	420.7	841.3
1550	RED OXIDE	429.3	858.6
1501	LANDAU BLACK	430.9	861.8

	LT TAN	MG	
1551	FAST YELLOW	156.5	312.9
1550	RED OXIDE	274.4	548.7
1302	LOW LUSTER CLEAR	357.4	714.8
1554	TINTING WHITE	402.5	805.0
1501	LANDAU BLACK	409.8	819.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	GRAY	MG	
1302	LOW LUSTER CLEAR	138.9	277.8
1554	TINTING WHITE	262.2	524.4
1559	YELLOW OXIDE	369.4	738.7
1501	LANDAU BLACK	405.5	810.9
1550	RED OXIDE	415.2	830.3

	DK TAN	MG	
1551	FAST YELLOW	157.2	314.5
1550	RED OXIDE	304.8	609.5
1302	LOW LUSTER CLEAR	386.7	773.3
1554	TINTING WHITE	399.3	798.6
1501	LANDAU BLACK	408.0	816.1

	RED	MG	
1552	FAST RED	339.7	679.4
1551	FAST YELLOW	390.8	781.7
1554	TINTING WHITE	404.2	808.5
1501	LANDAU BLACK	405.1	810.2

	BLUE	Mercedes Benz	
1501	LANDAU BLACK	172.4	344.9
1553	FAST BLUE	297.6	595.3
1554	TINTING WHITE	384.7	769.3
1556	FAST GREEN	410.5	821.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 69

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	RED	Mercedes Benz		
4444			243	
1552	FAST RED	294.2	588.4	
1551	FAST YELLOW	384.4	768.7	
1554	TINTING WHITE	403.6	807.1	
1553	FAST BLUE	405.5	810.9	

	BLACK	BMW		
4451				
1501	LANDAU BLACK	405.1	810.2	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	BLUE	Mercedes Benz		
4445			245	
1501	LANDAU BLACK	159.9	319.8	
1553	FAST BLUE	313.2	626.4	
1554	TINTING WHITE	385.2	770.5	
1551	FAST YELLOW	409.4	818.7	

	NATUR	BMW		
4452				
1302	LOW LUSTER CLEAR	137.8	275.5	
1559	YELLOW OXIDE	257.5	514.9	
1554	TINTING WHITE	370.3	740.6	
1550	RED OXIDE	402.5	805.0	
1501	LANDAU BLACK	415.1	830.1	

	BAMBOO	Mercedes Benz		
4446			249	
1551	FAST YELLOW	187.2	374.3	
1554	TINTING WHITE	306.5	612.9	
1552	FAST RED	395.7	791.4	
1501	LANDAU BLACK	413.2	826.3	

	INDIGO	BMW		
4453				
1501	LANDAU BLACK	183.5	367.1	
1302	LOW LUSTER CLEAR	320.7	641.4	
1554	TINTING WHITE	373.3	746.5	
1551	FAST YELLOW	407.6	815.1	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	COGNAC PRINT	Mercedes Benz		
4447			250	
1551	FAST YELLOW	205.4	410.8	
1552	FAST RED	313.2	626.4	
1554	TINTING WHITE	395.2	790.4	
1501	LANDAU BLACK	410.3	820.6	

	SILVER	BMW		
4454				
1302	LOW LUSTER CLEAR	137.9	275.9	
1554	TINTING WHITE	248.6	497.2	
1559	YELLOW OXIDE	324.5	649.0	
1501	LANDAU BLACK	389.9	779.8	
1550	RED OXIDE	413.9	827.8	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	PARCHMENT	Mercedes Benz		
4448			254	
1554	TINTING WHITE	269.4	538.8	
1559	YELLOW OXIDE	402.3	804.7	
1501	LANDAU BLACK	415.5	831.1	
1550	RED OXIDE	427.9	855.8	

	LAMA	BMW		
4455				
1559	YELLOW OXIDE	190.3	380.6	
1302	LOW LUSTER CLEAR	327.0	654.0	
1550	RED OXIDE	373.2	746.3	
1554	TINTING WHITE	395.7	791.4	
1501	LANDAU BLACK	410.2	820.4	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	BAMBOO PRINT	Mercedes Benz		
4449			267	
1551	FAST YELLOW	199.0	398.1	
1554	TINTING WHITE	303.2	606.5	
1552	FAST RED	392.3	784.5	
1501	LANDAU BLACK	412.0	824.0	

	PEARL BEIGE	BMW		
4456				
1302	LOW LUSTER CLEAR	138.5	277.0	
1554	TINTING WHITE	267.6	535.2	
1559	YELLOW OXIDE	387.0	774.1	
1501	LANDAU BLACK	406.1	812.3	
1550	RED OXIDE	415.8	831.6	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	CARDINAL RED	BMW		
4450				
1302	LOW LUSTER CLEAR	166.1	332.1	
1552	FAST RED	325.1	650.2	
1551	FAST YELLOW	378.2	756.4	
1554	TINTING WHITE	396.9	793.8	
1501	LANDAU BLACK	404.4	808.8	

	LOTUS WHITE	BMW		
4457				
1554	TINTING WHITE	357.4	714.8	
1559	YELLOW OXIDE	413.3	826.7	
1501	LANDAU BLACK	423.2	846.5	
1550	RED OXIDE	432.7	865.5	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 70

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MED SLATE GRAY	General Motors	15BN
4458			
1554	TINTING WHITE	339.2	678.5
1501	LANDAU BLACK	395.6	791.2
1559	YELLOW OXIDE	417.1	834.1
1550	RED OXIDE	430.9	861.8

	TAN	Rolls Royce / Be	A-846
4465			
1559	YELLOW OXIDE	241.1	482.2
1554	TINTING WHITE	348.1	696.2
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	419.1	838.3

	ROVER GRAY	Rolls Royce / Be	A-5032
4459			
1554	TINTING WHITE	241.7	483.4
1501	LANDAU BLACK	336.5	673.0
1559	YELLOW OXIDE	388.2	776.3
1550	RED OXIDE	424.7	849.5

	PARCHMENT	Rolls Royce / Be	A-3672
4466			
1554	TINTING WHITE	224.9	449.7
1302	LOW LUSTER CLEAR	365.2	730.4
1559	YELLOW OXIDE	414.7	829.4
1550	RED OXIDE	419.0	837.9
1501	LANDAU BLACK	421.5	843.0

	COFFEE BEIGE	Rolls Royce / Be	A-4184
4460			
1559	YELLOW OXIDE	208.1	416.1
1554	TINTING WHITE	342.2	684.4
1550	RED OXIDE	401.5	802.9
1501	LANDAU BLACK	420.4	840.8

	BISCUIT	Rolls Royce / Be	A-4103
4467			
1559	YELLOW OXIDE	230.7	461.3
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	417.2	834.5
1501	LANDAU BLACK	421.0	842.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	ROSSO RED	Rolls Royce / Be	A-8300
4461			
1552	FAST RED	228.2	456.4
1551	FAST YELLOW	385.8	771.6
1554	TINTING WHITE	404.6	809.2
1501	LANDAU BLACK	405.0	810.0

	BEIGE	Rolls Royce / Be	A-3234
4468			
1554	TINTING WHITE	144.4	288.8
1302	LOW LUSTER CLEAR	283.3	566.6
1559	YELLOW OXIDE	397.8	795.5
1550	RED OXIDE	409.9	819.9
1501	LANDAU BLACK	416.9	833.7

	RR RED	Rolls Royce / Be	A-3086
4462			
1302	LOW LUSTER CLEAR	198.6	397.3
1552	FAST RED	369.3	738.5
1551	FAST YELLOW	394.3	788.5
1554	TINTING WHITE	401.4	802.8
1553	FAST BLUE	403.2	806.4

	BLACK	Rolls Royce / Be	A-8500
4469			
1501	LANDAU BLACK	405.1	810.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	BURGUNDY	Rolls Royce / Be	A-893
4463			
1302	LOW LUSTER CLEAR	219.3	438.5
1552	FAST RED	387.8	775.6
1551	FAST YELLOW	394.6	789.3
1554	TINTING WHITE	399.6	799.1
1553	FAST BLUE	402.9	805.8

	WHITE	Rolls Royce / Be	A-4169
4470			
1554	TINTING WHITE	437.4	874.8

	LT NAVY	Rolls Royce / Be	A-3282
4464			
1553	FAST BLUE	288.0	576.1
1501	LANDAU BLACK	387.9	775.8
1554	TINTING WHITE	404.2	808.5

	BLUEGRAY	Rolls Royce / Be	A-3244
4471			
1554	TINTING WHITE	191.9	383.8
1501	LANDAU BLACK	343.6	687.2
1551	FAST YELLOW	416.4	832.8
1552	FAST RED	419.0	838.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 71

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	RED	Rolls Royce / Be	A-3171
1552	FAST RED	315.1	630.2
1551	FAST YELLOW	390.8	781.7
1554	TINTING WHITE	403.8	807.5
1501	LANDAU BLACK	405.0	810.0

	MAGNOLIA	Rolls Royce / Be	A-3997
1554	TINTING WHITE	350.7	701.5
1559	YELLOW OXIDE	426.6	853.1
1550	RED OXIDE	431.0	862.0
1556	FAST GREEN	432.6	865.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LAKE BLUE	Rolls Royce / Be	A-3015
1554	TINTING WHITE	191.0	382.1
1501	LANDAU BLACK	375.3	750.5
1556	FAST GREEN	408.8	817.6
1553	FAST BLUE	419.0	837.9

	CREAM	Rolls Royce / Be	A-3099
1554	TINTING WHITE	260.4	520.8
1559	YELLOW OXIDE	413.1	826.1
1550	RED OXIDE	425.9	851.8
1501	LANDAU BLACK	427.6	855.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	LT BLUE	Rolls Royce / Be	A-4135
1554	TINTING WHITE	312.6	625.3
1501	LANDAU BLACK	388.6	777.3
1553	FAST BLUE	424.7	849.3
1556	FAST GREEN	427.9	855.8

	RR TAN	Rolls Royce / Be	A-4134
1559	YELLOW OXIDE	299.3	598.7
1550	RED OXIDE	363.4	726.8
1554	TINTING WHITE	404.5	809.0
1501	LANDAU BLACK	415.3	830.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	RR BLUE	Rolls Royce / Be	A-4133
1501	LANDAU BLACK	209.0	418.0
1554	TINTING WHITE	323.8	647.5
1553	FAST BLUE	400.0	799.9
1556	FAST GREEN	413.0	825.9

	SADDLE	Rolls Royce / Be	A-3128
1554	TINTING WHITE	240.2	480.3
1551	FAST YELLOW	358.8	717.6
1552	FAST RED	416.3	832.6
1501	LANDAU BLACK	422.4	844.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	CHOCOLATE	Rolls Royce / Be	A-890
1559	YELLOW OXIDE	123.3	246.6
1501	LANDAU BLACK	217.1	434.2
1550	RED OXIDE	303.0	605.9
1302	LOW LUSTER CLEAR	384.9	769.9
1554	TINTING WHITE	410.5	821.0

	CINNAMON	Rolls Royce / Be	A-3243
1559	YELLOW OXIDE	249.9	499.7
1554	TINTING WHITE	378.6	757.2
1550	RED OXIDE	415.5	831.1
1501	LANDAU BLACK	420.4	840.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	MINK	Rolls Royce / Be	A-4186
1302	LOW LUSTER CLEAR	138.6	277.2
1554	TINTING WHITE	262.4	524.8
1552	FAST RED	325.5	650.9
1551	FAST YELLOW	377.3	754.7
1501	LANDAU BLACK	412.6	825.2

	FAWN	Rolls Royce / Be	A-847
1559	YELLOW OXIDE	237.5	475.0
1554	TINTING WHITE	381.8	763.6
1550	RED OXIDE	408.0	816.1
1501	LANDAU BLACK	420.9	841.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	CHESTNUT	Rolls Royce / Be	A-891
1550	RED OXIDE	138.2	276.5
1302	LOW LUSTER CLEAR	274.6	549.1
1559	YELLOW OXIDE	366.1	732.3
1501	LANDAU BLACK	401.9	803.9
1554	TINTING WHITE	409.3	818.5

	RR GREY	Rolls Royce / Be	A-3393
1554	TINTING WHITE	221.9	443.8
1559	YELLOW OXIDE	364.8	729.6
1501	LANDAU BLACK	406.0	812.1
1550	RED OXIDE	424.7	849.3

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 72

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4486	RR GREEN	Rolls Royce / Be	A-3655
1551	FAST YELLOW	159.9	319.8
1501	LANDAU BLACK	278.8	557.7
1554	TINTING WHITE	350.1	700.2
1556	FAST GREEN	409.7	819.5

4493	BROWN	Ford Motor	
1559	YELLOW OXIDE	182.7	365.4
1550	RED OXIDE	343.6	687.2
1554	TINTING WHITE	392.5	785.1
1501	LANDAU BLACK	415.8	831.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4487	LT GREEN	Ford Motor	
1554	TINTING WHITE	390.5	780.9
1556	FAST GREEN	426.5	852.9
1551	FAST YELLOW	431.2	862.4
1501	LANDAU BLACK	433.8	867.5

4494	RED	Ford Motor	
1552	FAST RED	189.3	378.7
1302	LOW LUSTER CLEAR	270.9	541.9
1551	FAST YELLOW	346.0	692.0
1554	TINTING WHITE	404.7	809.4
1550	RED OXIDE	407.9	815.9

4488	RED	Ford Motor	
1552	FAST RED	303.3	606.7
1551	FAST YELLOW	382.9	765.9
1554	TINTING WHITE	405.7	811.3

4495	RED	Ford Motor	
1552	FAST RED	220.2	440.4
1302	LOW LUSTER CLEAR	302.1	604.2
1551	FAST YELLOW	355.8	711.6
1554	TINTING WHITE	382.2	764.4
1550	RED OXIDE	406.0	812.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4489	DK GREEN	Ford Motor	
1556	FAST GREEN	229.7	459.4
1554	TINTING WHITE	304.3	608.6
1501	LANDAU BLACK	356.9	713.8
1553	FAST BLUE	409.5	819.1

4496	CHARCOAL	General Motors		17
1501	LANDAU BLACK	351.4	702.8	
1554	TINTING WHITE	377.5	755.1	
1551	FAST YELLOW	399.5	799.0	
1556	FAST GREEN	407.0	814.0	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4490	WHITE	Ford Motor	
1554	TINTING WHITE	432.4	864.9
1551	FAST YELLOW	435.5	871.0
1552	FAST RED	436.3	872.7
1501	LANDAU BLACK	437.0	874.0

4497	MAROON	General Motors		71
1552	FAST RED	340.9	681.7	
1551	FAST YELLOW	381.4	762.9	
1554	TINTING WHITE	395.7	791.4	
1553	FAST BLUE	405.0	810.0	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4491	LT BLUE	Ford Motor	
1554	TINTING WHITE	183.2	366.3
1553	FAST BLUE	346.8	693.5
1556	FAST GREEN	393.1	786.2
1551	FAST YELLOW	417.3	834.7

4498	SADDLE	General Motors		63
1559	YELLOW OXIDE	273.8	547.6	
1550	RED OXIDE	339.2	678.3	
1554	TINTING WHITE	399.6	799.1	
1501	LANDAU BLACK	416.4	832.8	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4492	LT GREEN	Ford Motor	
1554	TINTING WHITE	263.4	526.9
1551	FAST YELLOW	376.7	753.4
1556	FAST GREEN	401.9	803.7
1501	LANDAU BLACK	424.1	848.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4499	LT SAND	Chrysler Motors		Y1
1554	TINTING WHITE	331.8	663.7	
1559	YELLOW OXIDE	421.8	843.6	
1550	RED OXIDE	427.3	854.6	
1501	LANDAU BLACK	431.5	863.0	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 73

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	LT CHARCOAL	Chrysler Motors	51
1554	TINTING WHITE	152.2	304.4
1302	LOW LUSTER CLEAR	290.8	581.6
1501	LANDAU BLACK	348.2	696.4
1559	YELLOW OXIDE	401.4	802.8
1550	RED OXIDE	416.4	832.8

	DK TUNDRA	Chrysler Motors	J9
1559	YELLOW OXIDE	259.1	518.1
1501	LANDAU BLACK	314.2	628.3
1550	RED OXIDE	367.6	735.1
1554	TINTING WHITE	414.9	829.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	NAVY	Chrysler Motors	Q8
1302	LOW LUSTER CLEAR	136.2	272.5
1501	LANDAU BLACK	260.5	521.0
1554	TINTING WHITE	319.7	639.4
1553	FAST BLUE	375.9	751.8
1550	RED OXIDE	408.4	816.8

	DK BLUE	Chrysler Motors	B9
1501	LANDAU BLACK	192.9	385.9
1553	FAST BLUE	385.9	771.8
1554	TINTING WHITE	405.1	810.2

	CORDOVAN	Chrysler Motors	H9
1550	RED OXIDE	278.4	556.7
1501	LANDAU BLACK	349.4	698.8
1553	FAST BLUE	392.3	784.5
1554	TINTING WHITE	412.4	824.8

	DK BLUE	Chrysler Motors	B9
1553	FAST BLUE	219.7	439.5
1501	LANDAU BLACK	370.3	740.6
1554	TINTING WHITE	392.1	784.1
1556	FAST GREEN	405.1	810.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	DK MAHOGANY	Chrysler Motors	H7
1501	LANDAU BLACK	158.7	317.3
1302	LOW LUSTER CLEAR	294.5	589.0
1550	RED OXIDE	387.5	775.0
1554	TINTING WHITE	401.3	802.6
1559	YELLOW OXIDE	407.0	814.0

	DK BLUE	Chrysler Motors	B7
1501	LANDAU BLACK	192.9	385.9
1553	FAST BLUE	385.9	771.8
1554	TINTING WHITE	405.1	810.2

	DK AUBURN	General Motors	68
1550	RED OXIDE	233.0	466.1
1559	YELLOW OXIDE	370.7	741.4
1501	LANDAU BLACK	411.0	821.9
1554	TINTING WHITE	413.1	826.1

	BORDEAUX	Chrysler Motors	R7
1552	FAST RED	382.9	765.9
1501	LANDAU BLACK	393.9	787.7
1553	FAST BLUE	400.3	800.7
1554	TINTING WHITE	404.3	808.6

	DK SABLE MET	General Motors	65T
1552	FAST RED	183.9	367.8
1508	SILVER	279.3	558.6
1501	LANDAU BLACK	359.5	719.0
1551	FAST YELLOW	405.4	810.7

	LT BUCKSKIN	Chrysler Motors	V2
1554	TINTING WHITE	196.4	392.7
1559	YELLOW OXIDE	391.5	783.0
1550	RED OXIDE	411.3	822.5
1501	LANDAU BLACK	423.9	847.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MIDNIGHT BLUE	General Motors	24EN
1501	LANDAU BLACK	157.1	314.3
1553	FAST BLUE	303.1	606.3
1556	FAST GREEN	372.5	745.0
1554	TINTING WHITE	406.4	812.8

	SLATE GRAY	General Motors	18T
1554	TINTING WHITE	371.2	742.3
1501	LANDAU BLACK	407.5	814.9
1559	YELLOW OXIDE	423.4	846.8
1550	RED OXIDE	432.9	865.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 74

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4514	LT AUBURN MET	General Motors	64T
1552	FAST RED	176.8	353.6
1508	SILVER	298.0	596.0
1551	FAST YELLOW	370.0	740.1
1501	LANDAU BLACK	405.6	811.1

4521	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	229.1	458.3
1553	FAST BLUE	289.5	578.9
1508	SILVER	349.4	698.8
1552	FAST RED	405.1	810.2

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4515	DK AUBURN MET	General Motors	66T
1552	FAST RED	304.7	609.3
1501	LANDAU BLACK	352.4	704.7
1551	FAST YELLOW	395.2	790.4
1508	SILVER	404.2	808.5

4522	DK RED	General Motors	47CN
1552	FAST RED	351.4	702.8
1550	RED OXIDE	394.7	789.5
1553	FAST BLUE	402.0	804.1
1554	TINTING WHITE	405.3	810.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4516	MED SLATE GRAY	General Motors	85T
1508	SILVER	170.5	341.1
1501	LANDAU BLACK	258.2	516.4
1552	FAST RED	344.9	689.7
1553	FAST BLUE	406.0	812.1

4523	LT TITANIUM	Ford Motor	A
1554	TINTING WHITE	216.5	433.0
1302	LOW LUSTER CLEAR	355.1	710.2
1559	YELLOW OXIDE	389.8	779.6
1501	LANDAU BLACK	405.6	811.1
1550	RED OXIDE	420.8	841.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4517	OXFORD WHITE	Ford Motor	W
1554	TINTING WHITE	429.9	859.8
1559	YELLOW OXIDE	433.8	867.5
1501	LANDAU BLACK	436.8	873.6

4524	DK BISQUE	Ford Motor	A
1559	YELLOW OXIDE	137.5	274.9
1302	LOW LUSTER CLEAR	274.9	549.9
1554	TINTING WHITE	354.4	708.9
1550	RED OXIDE	386.7	773.3
1501	LANDAU BLACK	413.0	825.9

4518	VERY DK RED	General Motors	47DN
1552	FAST RED	303.8	607.6
1550	RED OXIDE	353.0	706.0
1501	LANDAU BLACK	395.2	790.4
1554	TINTING WHITE	406.1	812.3

4525	BISQUE	Ford Motor	A
1554	TINTING WHITE	211.6	423.1
1302	LOW LUSTER CLEAR	351.7	703.4
1559	YELLOW OXIDE	412.2	824.4
1550	RED OXIDE	417.0	833.9
1501	LANDAU BLACK	420.6	841.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4519	DK RED	General Motors	47CN
1552	FAST RED	238.7	477.5
1302	LOW LUSTER CLEAR	373.4	746.9
1550	RED OXIDE	392.4	784.7
1554	TINTING WHITE	398.6	797.2
1501	LANDAU BLACK	404.1	808.3

4526	DK QUARTZ MET	Chrysler Motors	D8
1501	LANDAU BLACK	186.4	372.8
1508	SILVER	314.3	628.5
1552	FAST RED	381.6	763.2
1553	FAST BLUE	405.8	811.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4520	SANDALWOOD	Ford Motor	T
1501	LANDAU BLACK	134.1	268.3
1508	SILVER	253.8	507.7
1552	FAST RED	353.2	706.4
1551	FAST YELLOW	405.7	811.3

4527	PASTEL ALABASTE	Ford Motor	H
1554	TINTING WHITE	399.2	798.4
1559	YELLOW OXIDE	428.7	857.5
1550	RED OXIDE	433.1	866.2
1501	LANDAU BLACK	435.3	870.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 75

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4528	MED CURRANT RE	Ford Motor	A
1552	FAST RED	395.2	790.4
1554	TINTING WHITE	400.8	801.6
1553	FAST BLUE	404.4	808.8

4535	WHITE	Ford Motor	
1554	TINTING WHITE	396.0	791.9
1552	FAST RED	414.2	828.4
1551	FAST YELLOW	428.2	856.3
1556	FAST GREEN	434.2	868.5

4529	LT BUCKSKIN MET	Chrysler Motors	V3
1508	SILVER	332.6	665.2
1551	FAST YELLOW	362.4	724.9
1552	FAST RED	389.2	778.4
1501	LANDAU BLACK	407.9	815.9

4536	LT RED MET	Ford Motor	
1552	FAST RED	196.1	392.2
1508	SILVER	288.4	576.8
1554	TINTING WHITE	350.3	700.5
1551	FAST YELLOW	399.8	799.5
1501	LANDAU BLACK	409.8	819.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4530	DUSTY ROSE MET	Chrysler Motors	M7
1552	FAST RED	353.7	707.4
1553	FAST BLUE	387.6	775.2
1508	SILVER	404.1	808.3

4537	LT GREEN	Ford Motor	
1559	YELLOW OXIDE	226.0	452.0
1554	TINTING WHITE	395.7	791.4
1553	FAST BLUE	417.7	835.4
1501	LANDAU BLACK	422.0	844.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4531	DK SAPPHIRE BLUE	General Motors	
1553	FAST BLUE	179.2	358.3
1501	LANDAU BLACK	304.4	608.8
1556	FAST GREEN	367.0	734.0
1554	TINTING WHITE	406.6	813.2

4538	DK GREEN	Ford Motor	
1554	TINTING WHITE	193.4	386.8
1551	FAST YELLOW	310.7	621.3
1553	FAST BLUE	373.8	747.7
1501	LANDAU BLACK	418.6	837.1

4532	LT QUARTZ MET	Chrysler Motors	D1
1508	SILVER	381.3	762.7
1552	FAST RED	399.5	799.0
1501	LANDAU BLACK	405.7	811.3
1553	FAST BLUE	408.5	817.0

4539	LT BLUE	Ford Motor	
1554	TINTING WHITE	300.1	600.2
1302	LOW LUSTER CLEAR	384.8	769.7
1501	LANDAU BLACK	401.8	803.5
1553	FAST BLUE	414.7	829.4
1559	YELLOW OXIDE	426.6	853.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4533	DK TITANIUM	Ford Motor	J
1501	LANDAU BLACK	247.3	494.6
1508	SILVER	381.0	761.9
1552	FAST RED	400.1	800.3
1551	FAST YELLOW	406.3	812.6

4540	DK BLUE	Ford Motor	
1554	TINTING WHITE	150.3	300.6
1302	LOW LUSTER CLEAR	288.4	576.8
1501	LANDAU BLACK	344.3	688.6
1553	FAST BLUE	399.6	799.1
1556	FAST GREEN	414.5	829.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4534	DK SLATE GRAY M	General Motors	99T
1501	LANDAU BLACK	119.1	238.3
1508	SILVER	223.6	447.3
1553	FAST BLUE	316.4	632.9
1552	FAST RED	405.2	810.4

4541	LT BEECHWOOD	General Motors	
1559	YELLOW OXIDE	234.6	469.1
1550	RED OXIDE	366.9	733.8
1553	FAST BLUE	396.2	792.5
1554	TINTING WHITE	413.7	827.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 76

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4542	WHITE	General Motors		4549	SLATE BLUE	Chrysler Motors	
1554	TINTING WHITE	427.1	854.2	1302	LOW LUSTER CLEAR	136.6	273.2
1559	YELLOW OXIDE	435.0	870.0	1553	FAST BLUE	223.8	447.6
1501	LANDAU BLACK	436.7	873.4	1550	RED OXIDE	301.5	603.1
				1554	TINTING WHITE	371.7	743.5
				1501	LANDAU BLACK	410.0	820.0
4543	DK SILVER MET	Chrysler Motors		4550	CRIMSON	Chrysler Motors	
1508	SILVER	179.1	358.2	1552	FAST RED	246.1	492.1
1501	LANDAU BLACK	337.7	675.5	1302	LOW LUSTER CLEAR	380.9	761.7
1553	FAST BLUE	376.3	752.6	1550	RED OXIDE	393.1	786.2
1552	FAST RED	406.5	813.0	1554	TINTING WHITE	401.1	802.2
				1501	LANDAU BLACK	404.1	808.3
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4544	LT BLUE SATIN GL	Chrysler Motors		4551	SLATE BLUE	Chrysler Motors	
1552	FAST RED	131.3	262.6	1302	LOW LUSTER CLEAR	133.6	267.1
1553	FAST BLUE	259.7	519.5	1553	FAST BLUE	237.1	474.2
1508	SILVER	358.5	717.1	1550	RED OXIDE	322.5	645.1
1554	TINTING WHITE	408.4	816.8	1554	TINTING WHITE	375.2	750.3
				1501	LANDAU BLACK	408.9	817.8
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4545	MED WATER BLUE	Chrysler Motors		4552	GINGER	Chrysler Motors	
1553	FAST BLUE	196.9	393.9	1559	YELLOW OXIDE	215.2	430.4
1552	FAST RED	322.3	644.7	1302	LOW LUSTER CLEAR	351.6	703.2
1501	LANDAU BLACK	359.6	719.2	1550	RED OXIDE	387.8	775.6
1508	SILVER	388.3	776.5	1554	TINTING WHITE	404.2	808.5
1554	TINTING WHITE	405.0	810.0	1501	LANDAU BLACK	410.0	820.0
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4546	RADIANT FIRE	Chrysler Motors		4553	GRAY MET	General Motors	
1552	FAST RED	314.4	628.7	1501	LANDAU BLACK	299.8	599.6
1551	FAST YELLOW	394.9	789.8	1508	SILVER	392.1	784.1
1554	TINTING WHITE	404.7	809.4	1551	FAST YELLOW	405.9	811.9
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4547	FROST WHITE	Chrysler Motors		4554	BLUE	Acura	
1554	TINTING WHITE	422.8	845.7	1501	LANDAU BLACK	223.3	446.5
1559	YELLOW OXIDE	429.9	859.8	1554	TINTING WHITE	321.9	643.7
1501	LANDAU BLACK	436.1	872.1	1302	LOW LUSTER CLEAR	397.9	795.7
1550	RED OXIDE	436.5	873.1	1559	YELLOW OXIDE	411.9	823.8
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4548	RADIANT RED	Chrysler Motors		4555	CHARCOAL BLACK	Acura	
1552	FAST RED	211.5	422.9	1501	LANDAU BLACK	210.2	420.5
1302	LOW LUSTER CLEAR	345.3	690.7	1554	TINTING WHITE	295.0	590.0
1551	FAST YELLOW	386.3	772.5	1551	FAST YELLOW	361.5	723.0
1550	RED OXIDE	395.2	790.4	1552	FAST RED	411.0	821.9
1554	TINTING WHITE	404.0	808.1				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 77

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4556	IVORY	Acura	
1554	TINTING WHITE	183.4	366.9
1559	YELLOW OXIDE	300.9	601.7
1302	LOW LUSTER CLEAR	384.9	769.9
1550	RED OXIDE	403.4	806.7
1501	LANDAU BLACK	420.4	840.8

4562	GRAPHITE	Ford Motor		P
1501	LANDAU BLACK	229.1	458.3	
1553	FAST BLUE	289.5	578.9	
1508	SILVER	349.4	698.8	
1552	FAST RED	405.1	810.2	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4557	BURGUNDY	Acura	
1550	RED OXIDE	198.2	396.3
1501	LANDAU BLACK	379.3	758.7
1554	TINTING WHITE	406.2	812.4
1559	YELLOW OXIDE	411.6	823.3

4563	LT TITANIUM	Ford Motor		A
1508	SILVER	340.6	681.2	
1501	LANDAU BLACK	377.3	754.7	
1552	FAST RED	400.3	800.7	
1551	FAST YELLOW	408.1	816.2	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4558	MED WOODROSE	Ford Motor		C
1550	RED OXIDE	175.5	350.9	
1501	LANDAU BLACK	343.2	686.5	
1559	YELLOW OXIDE	405.9	811.9	
1554	TINTING WHITE	410.4	820.8	

4564	LT SANDALWOOD	Ford Motor		Z
1508	SILVER	290.0	580.1	
1552	FAST RED	342.4	684.8	
1551	FAST YELLOW	377.4	754.9	
1501	LANDAU BLACK	407.6	815.1	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4559	EBONY	Ford Motor		ZHEA
1501	LANDAU BLACK	225.9	451.8	
1302	LOW LUSTER CLEAR	360.9	721.8	
1559	YELLOW OXIDE	381.8	763.6	
1553	FAST BLUE	394.2	788.3	
1554	TINTING WHITE	404.9	809.8	

4565	DK MAPLE RED	General Motors		70CN
1552	FAST RED	180.1	360.2	
1550	RED OXIDE	285.6	571.1	
1302	LOW LUSTER CLEAR	366.8	733.6	
1501	LANDAU BLACK	398.0	795.9	
1554	TINTING WHITE	406.8	813.6	

4559	EBONY	Ford Motor		H
1501	LANDAU BLACK	225.9	451.8	
1302	LOW LUSTER CLEAR	360.9	721.8	
1559	YELLOW OXIDE	381.8	763.6	
1553	FAST BLUE	394.2	788.3	
1554	TINTING WHITE	404.9	809.8	

4566	DK SLATE	General Motors		15C
1302	LOW LUSTER CLEAR	137.1	274.2	
1554	TINTING WHITE	261.3	522.5	
1501	LANDAU BLACK	377.3	754.7	
1559	YELLOW OXIDE	398.9	797.8	
1550	RED OXIDE	413.7	827.5	

4560	TWILIGHT BLUE	Ford Motor		B
1553	FAST BLUE	223.8	447.6	
1556	FAST GREEN	350.1	700.2	
1501	LANDAU BLACK	398.4	796.9	
1508	SILVER	403.4	806.7	

4567	DK AUBURN	General Motors		68
1559	YELLOW OXIDE	174.4	348.8	
1552	FAST RED	311.4	622.8	
1302	LOW LUSTER CLEAR	393.1	786.2	
1501	LANDAU BLACK	407.4	814.7	

4561	SILVER	Ford Motor		P
1508	SILVER	399.6	799.1	
1501	LANDAU BLACK	405.9	811.9	
1551	FAST YELLOW	407.6	815.1	
1552	FAST RED	408.8	817.6	

4568	MED WEDGEWOOD	Ford Motor		B
1554	TINTING WHITE	206.2	412.5	
1501	LANDAU BLACK	312.5	624.9	
1553	FAST BLUE	398.8	797.6	
1556	FAST GREEN	417.2	834.5	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 78

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	BLACK	Volvo	
1501	LANDAU BLACK	405.1	810.2

	GREY	Volvo	
1302	LOW LUSTER CLEAR	136.7	273.4
1501	LANDAU BLACK	242.0	483.9
1559	YELLOW OXIDE	326.3	652.7
1554	TINTING WHITE	381.8	763.6
1550	RED OXIDE	410.1	820.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	BLACK	Volvo	
1501	LANDAU BLACK	405.1	810.2

	BEIGE	Volvo	
1559	YELLOW OXIDE	195.7	391.4
1302	LOW LUSTER CLEAR	333.0	666.0
1554	TINTING WHITE	381.7	763.4
1550	RED OXIDE	405.7	811.3
1501	LANDAU BLACK	411.7	823.5

	BLUE	Volvo	
1553	FAST BLUE	195.5	391.0
1501	LANDAU BLACK	349.0	698.1
1554	TINTING WHITE	391.8	783.6
1552	FAST RED	406.9	813.8

	BEIGE	Volvo	
1302	LOW LUSTER CLEAR	136.2	272.5
1554	TINTING WHITE	251.5	502.9
1551	FAST YELLOW	339.0	677.9
1552	FAST RED	390.7	781.5
1501	LANDAU BLACK	412.0	824.0

	BLUE	Volvo	
1302	LOW LUSTER CLEAR	134.6	269.2
1501	LANDAU BLACK	244.3	488.7
1553	FAST BLUE	348.8	697.7
1554	TINTING WHITE	400.0	800.1
1550	RED OXIDE	407.1	814.2

	BEIGE	Volvo	
1559	YELLOW OXIDE	207.3	414.6
1554	TINTING WHITE	301.2	602.3
1302	LOW LUSTER CLEAR	384.2	768.4
1550	RED OXIDE	411.2	822.3
1501	LANDAU BLACK	415.9	831.8

	RED	Volvo	
1550	RED OXIDE	229.8	459.6
1302	LOW LUSTER CLEAR	366.3	732.6
1552	FAST RED	387.9	775.8
1501	LANDAU BLACK	400.7	801.4
1554	TINTING WHITE	409.5	818.9

	BEIGE	Volvo	
1559	YELLOW OXIDE	170.9	341.8
1302	LOW LUSTER CLEAR	308.6	617.1
1554	TINTING WHITE	372.7	745.4
1550	RED OXIDE	406.8	813.6
1501	LANDAU BLACK	412.6	825.2

	RED	Volvo	
1552	FAST RED	199.4	398.8
1302	LOW LUSTER CLEAR	333.9	667.9
1551	FAST YELLOW	379.4	758.9
1501	LANDAU BLACK	393.1	786.2
1554	TINTING WHITE	403.8	807.7

	GRAPHITE	Audi	
1501	LANDAU BLACK	157.5	315.0
1302	LOW LUSTER CLEAR	293.5	586.9
1559	YELLOW OXIDE	360.1	720.3
1554	TINTING WHITE	393.8	787.6
1550	RED OXIDE	407.8	815.7

	TAUPE	Volvo	
1559	YELLOW OXIDE	175.4	350.7
1554	TINTING WHITE	267.1	534.3
1501	LANDAU BLACK	347.6	695.2
1550	RED OXIDE	416.8	833.5

	PLATINUM GREY	Audi	
1302	LOW LUSTER CLEAR	137.9	275.9
1554	TINTING WHITE	245.3	490.6
1559	YELLOW OXIDE	333.0	666.0
1501	LANDAU BLACK	389.6	779.2
1550	RED OXIDE	414.0	828.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 79

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4583	NAUTICAL BLUE	Audi	
1501	LANDAU BLACK	278.1	556.1
1554	TINTING WHITE	361.5	723.0
1553	FAST BLUE	391.9	783.8
1551	FAST YELLOW	411.0	821.9

4590	LEXUS GRAY	Lexus	
1501	LANDAU BLACK	144.1	288.2
1554	TINTING WHITE	272.9	545.9
1559	YELLOW OXIDE	385.5	771.0
1550	RED OXIDE	417.5	835.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4584	RED	Saab	
1550	RED OXIDE	203.6	407.2
1302	LOW LUSTER CLEAR	339.8	679.6
1501	LANDAU BLACK	373.9	747.8
1553	FAST BLUE	404.3	808.6
1554	TINTING WHITE	408.3	816.6

4591	BERYL GREEN MET	Chrysler Motors		G6
1553	FAST BLUE	128.8	257.6	
1556	FAST GREEN	228.0	456.0	
1508	SILVER	320.0	639.9	
1501	LANDAU BLACK	404.8	809.6	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4585	TAN	Saab	
1559	YELLOW OXIDE	159.0	318.1
1302	LOW LUSTER CLEAR	296.6	593.2
1554	TINTING WHITE	357.1	714.2
1550	RED OXIDE	401.9	803.9
1501	LANDAU BLACK	412.4	824.8

4592	KHAKI	Chrysler Motors		J7
1554	TINTING WHITE	153.5	307.0	
1302	LOW LUSTER CLEAR	292.5	585.0	
1559	YELLOW OXIDE	389.2	778.4	
1550	RED OXIDE	405.9	811.9	
1501	LANDAU BLACK	417.3	834.7	

4586	GREY	Saab	
1302	LOW LUSTER CLEAR	135.1	270.2
1501	LANDAU BLACK	261.0	521.9
1559	YELLOW OXIDE	337.4	674.9
1550	RED OXIDE	375.3	750.7
1554	TINTING WHITE	408.7	817.4

4593	TEAL	Chrysler Motors		P5
1553	FAST BLUE	237.8	475.6	
1508	SILVER	335.0	669.9	
1501	LANDAU BLACK	388.9	777.9	
1556	FAST GREEN	404.3	808.6	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4587	TAN	General Motors	
1559	YELLOW OXIDE	269.0	538.1
1550	RED OXIDE	385.2	770.5
1501	LANDAU BLACK	412.9	825.7

4594	SPICE	Chrysler Motors		TB
1559	YELLOW OXIDE	204.7	409.5	
1302	LOW LUSTER CLEAR	341.1	682.1	
1550	RED OXIDE	380.9	761.7	
1554	TINTING WHITE	397.9	795.7	
1501	LANDAU BLACK	409.9	819.9	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4588	DK STEEL BLUE	General Motors		22CN
1501	LANDAU BLACK	208.9	417.8	
1554	TINTING WHITE	409.0	818.0	
1550	RED OXIDE	420.1	840.2	

4595	FROST WHITE	Chrysler Motors		WC
1554	TINTING WHITE	273.4	546.8	
1302	LOW LUSTER CLEAR	414.6	829.2	
1501	LANDAU BLACK	420.0	840.0	
1559	YELLOW OXIDE	423.4	846.8	
1550	RED OXIDE	424.0	848.0	

4589	LT BERYL MET	Ford Motor		K
1508	SILVER	332.7	665.4	
1556	FAST GREEN	376.9	753.7	
1553	FAST BLUE	407.8	815.7	

4596	DK SAND	Chrysler Motors		YC
1554	TINTING WHITE	160.9	321.9	
1302	LOW LUSTER CLEAR	290.9	581.8	
1559	YELLOW OXIDE	389.6	779.2	
1550	RED OXIDE	406.8	813.6	
1501	LANDAU BLACK	418.0	836.0	

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 80

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4597	LT BLUE MET	Chrysler Motors	BD
1552	FAST RED	115.0	230.1
1508	SILVER	225.2	450.5
1553	FAST BLUE	332.5	665.0
1554	TINTING WHITE	410.8	821.6

4604	DK ANTELOPE MET	General Motors	51T
1552	FAST RED	242.9	485.8
1501	LANDAU BLACK	366.6	733.2
1551	FAST YELLOW	396.2	792.5
1508	SILVER	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4598	MED WATER BLUE	Chrysler Motors	BF
1553	FAST BLUE	186.9	373.7
1552	FAST RED	294.4	588.8
1501	LANDAU BLACK	340.4	680.8
1508	SILVER	385.2	770.5
1554	TINTING WHITE	405.4	810.7

4605	LT CAMEL	General Motors	67AN
1554	TINTING WHITE	196.5	392.9
1559	YELLOW OXIDE	386.2	772.4
1550	RED OXIDE	415.4	830.9
1501	LANDAU BLACK	423.9	847.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4599	BLUE	Lexus	
1501	LANDAU BLACK	272.6	545.1
1554	TINTING WHITE	415.7	831.4

4606	ALABASTER	General Motors	56T
1554	TINTING WHITE	343.5	687.0
1559	YELLOW OXIDE	413.3	826.5
1550	RED OXIDE	424.0	848.0
1501	LANDAU BLACK	432.2	864.3

4600	AQUA	Chrysler Motors	QE
1508	SILVER	196.4	392.7
1553	FAST BLUE	304.0	608.0
1556	FAST GREEN	382.4	764.8
1552	FAST RED	405.9	811.9

4607	MED CAMEL	General Motors	67BN
1559	YELLOW OXIDE	198.3	396.5
1302	LOW LUSTER CLEAR	280.6	561.3
1554	TINTING WHITE	356.2	712.3
1550	RED OXIDE	397.0	794.0
1501	LANDAU BLACK	414.7	829.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4601	BURGUNDY	Lexus	
1550	RED OXIDE	183.8	367.7
1501	LANDAU BLACK	347.0	694.1
1554	TINTING WHITE	394.8	789.6
1559	YELLOW OXIDE	413.0	825.9

4608	AGATE	Chrysler Motors	AZ
1501	LANDAU BLACK	155.4	310.8
1302	LOW LUSTER CLEAR	291.3	582.5
1559	YELLOW OXIDE	334.6	669.2
1550	RED OXIDE	374.5	749.0
1554	TINTING WHITE	408.0	816.1

4602	IVORY	Lexus	
1554	TINTING WHITE	209.8	419.5
1559	YELLOW OXIDE	381.0	761.9
1550	RED OXIDE	410.2	820.4
1501	LANDAU BLACK	424.6	849.1

4609	DK CHARCOAL	Chrysler Motors	A8
1501	LANDAU BLACK	161.5	323.0
1554	TINTING WHITE	283.6	567.2
1559	YELLOW OXIDE	405.7	811.3
1550	RED OXIDE	416.7	833.3

4603	FIESTA RED	General Motors	74T
1552	FAST RED	328.7	657.4
1551	FAST YELLOW	371.9	743.9
1508	SILVER	396.2	792.5
1553	FAST BLUE	404.2	808.5

4610	LT BROWNSTONE	Chrysler Motors	F3
1554	TINTING WHITE	269.2	538.5
1559	YELLOW OXIDE	380.4	760.8
1550	RED OXIDE	408.1	816.2
1501	LANDAU BLACK	427.7	855.4

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 81

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4611	LT DRIFTWOOD	Chrysler Motors		F4	4618	DK POLO GREEN	General Motors	91T
1554	TINTING WHITE	159.4	318.8		1556	FAST GREEN	211.8	423.5
1302	LOW LUSTER CLEAR	298.6	597.2		1501	LANDAU BLACK	333.5	666.9
1559	YELLOW OXIDE	378.5	757.0		1553	FAST BLUE	375.9	751.8
1550	RED OXIDE	400.7	801.4		1508	SILVER	404.5	809.0
1501	LANDAU BLACK	417.6	835.2					
4612	DK DRIFTWOOD	Chrysler Motors		F8	4619	LT GRAY	General Motors	13AN
1302	LOW LUSTER CLEAR	136.6	273.2		1554	TINTING WHITE	200.5	400.9
1559	YELLOW OXIDE	261.7	523.5		1302	LOW LUSTER CLEAR	340.1	680.2
1554	TINTING WHITE	321.5	643.0		1559	YELLOW OXIDE	376.4	752.8
1501	LANDAU BLACK	374.4	748.8		1501	LANDAU BLACK	405.7	811.3
1550	RED OXIDE	411.4	822.9		1550	RED OXIDE	419.5	839.0
4613	DK GREEN	Chrysler Motors		G8	4620	MED GRAY	General Motors	13BN
1302	LOW LUSTER CLEAR	135.9	271.7		1554	TINTING WHITE	149.5	299.1
1559	YELLOW OXIDE	233.4	466.8		1302	LOW LUSTER CLEAR	287.9	575.9
1501	LANDAU BLACK	325.5	650.9		1559	YELLOW OXIDE	347.8	695.6
1556	FAST GREEN	384.2	768.4		1501	LANDAU BLACK	395.8	791.5
1554	TINTING WHITE	407.3	814.5		1550	RED OXIDE	416.5	833.0
4614	SPICE	Chrysler Motors		TB	4621	DK GRAY	General Motors	13CN
1559	YELLOW OXIDE	206.6	413.3		1554	TINTING WHITE	176.9	353.8
1302	LOW LUSTER CLEAR	343.5	687.0		1559	YELLOW OXIDE	287.6	575.1
1550	RED OXIDE	383.8	767.6		1501	LANDAU BLACK	381.9	763.8
1554	TINTING WHITE	403.9	807.9		1550	RED OXIDE	421.1	842.3
1501	LANDAU BLACK	410.3	820.6					
4615	DK CAMEL	General Motors		67DN	4622	CRANBERRY	Ford Motor	R
1559	YELLOW OXIDE	179.1	358.2		1552	FAST RED	299.5	599.1
1302	LOW LUSTER CLEAR	263.7	527.4		1302	LOW LUSTER CLEAR	380.4	760.8
1550	RED OXIDE	322.4	644.9		1554	TINTING WHITE	394.9	789.8
1554	TINTING WHITE	372.6	745.2		1553	FAST BLUE	404.5	809.0
1501	LANDAU BLACK	412.8	825.6					
4616	CINDER	Chrysler Motors		XA	4623	MED MOCHA	Ford Motor	A
1501	LANDAU BLACK	179.6	359.3		1302	LOW LUSTER CLEAR	137.8	275.7
1302	LOW LUSTER CLEAR	265.3	530.7		1559	YELLOW OXIDE	236.6	473.1
1559	YELLOW OXIDE	350.3	700.5		1554	TINTING WHITE	325.3	650.6
1554	TINTING WHITE	392.4	784.7		1550	RED OXIDE	379.8	759.6
1550	RED OXIDE	409.5	818.9		1501	LANDAU BLACK	413.4	826.9
4617	MED CAMEL	General Motors		67BN	4624	MOCHA	Ford Motor	A
1559	YELLOW OXIDE	264.4	528.8		1554	TINTING WHITE	142.5	285.0
1554	TINTING WHITE	340.5	681.0		1302	LOW LUSTER CLEAR	281.4	562.8
1550	RED OXIDE	395.8	791.5		1559	YELLOW OXIDE	358.0	715.9
1501	LANDAU BLACK	417.1	834.1		1550	RED OXIDE	398.6	797.2
					1501	LANDAU BLACK	416.7	833.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 82

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4625	GRAPHITE MET	Ford Motor	P
1501	LANDAU BLACK	222.9	445.7
1508	SILVER	292.5	585.0
1553	FAST BLUE	351.1	702.2
1552	FAST RED	405.2	810.4

4632	FLINT	Honda	
1302	LOW LUSTER CLEAR	136.7	273.4
1559	YELLOW OXIDE	241.6	483.2
1501	LANDAU BLACK	318.5	637.1
1554	TINTING WHITE	365.9	731.9
1550	RED OXIDE	410.3	820.6

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4626	MED PLATINUM	Ford Motor	P
1501	LANDAU BLACK	216.3	432.6
1508	SILVER	401.0	802.0
1553	FAST BLUE	406.7	813.4

4633	MINK	Honda	
1302	LOW LUSTER CLEAR	138.1	276.3
1554	TINTING WHITE	239.4	478.8
1559	YELLOW OXIDE	340.7	681.3
1550	RED OXIDE	387.4	774.8
1501	LANDAU BLACK	414.3	828.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4627	DK TITANIUM	Ford Motor	P
1501	LANDAU BLACK	242.3	484.7
1508	SILVER	373.4	746.7
1552	FAST RED	392.2	784.3
1551	FAST YELLOW	406.2	812.4

4634	YELLOW	Ford Motor	
1554	TINTING WHITE	283.6	567.2
1551	FAST YELLOW	416.6	833.2
1550	RED OXIDE	423.7	847.4
1556	FAST GREEN	425.8	851.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4628	BRIGHT TITANIUM	Ford Motor	K
1508	SILVER	253.7	507.3
1302	LOW LUSTER CLEAR	387.1	774.3
1552	FAST RED	400.5	801.0
1551	FAST YELLOW	406.1	812.3

4635	HONDA BUMPER G	Honda	
1501	LANDAU BLACK	259.1	518.1
1559	YELLOW OXIDE	332.7	665.4
1554	TINTING WHITE	390.3	780.5
1550	RED OXIDE	411.3	822.5

4629	STONE BEIGE	Honda	
1554	TINTING WHITE	272.9	545.9
1559	YELLOW OXIDE	399.9	799.7
1550	RED OXIDE	417.7	835.4
1501	LANDAU BLACK	428.2	856.3

4636	DK MAPLE MET	General Motors		78T
1552	FAST RED	351.0	702.1	
1551	FAST YELLOW	373.8	747.7	
1553	FAST BLUE	390.1	780.1	
1508	SILVER	404.1	808.3	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4630	AZURE BLUE	Honda	
1302	LOW LUSTER CLEAR	134.9	269.8
1501	LANDAU BLACK	237.3	474.6
1552	FAST RED	310.5	620.9
1553	FAST BLUE	378.8	757.5
1554	TINTING WHITE	405.1	810.2

4637	BLACK SAPPHIRE	General Motors		28T
1553	FAST BLUE	336.2	672.4	
1551	FAST YELLOW	397.2	794.4	
1508	SILVER	402.7	805.4	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4631	COFFEE BEIGE	Honda	
1302	LOW LUSTER CLEAR	137.9	275.9
1559	YELLOW OXIDE	275.6	551.2
1554	TINTING WHITE	360.1	720.1
1550	RED OXIDE	399.8	799.5
1501	LANDAU BLACK	413.5	827.1

4638	LT SAPPHIRE BLUE	General Motors		22T
1508	SILVER	242.5	485.1	
1553	FAST BLUE	331.9	663.9	
1552	FAST RED	384.0	768.0	
1554	TINTING WHITE	400.8	801.6	
1551	FAST YELLOW	407.9	815.9	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 83

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	TAUPE	General Motors	54BN
1302	LOW LUSTER CLEAR	137.7	275.3
1554	TINTING WHITE	237.4	474.8
1559	YELLOW OXIDE	306.1	612.2
1501	LANDAU BLACK	364.5	729.0
1550	RED OXIDE	413.5	827.1

	L-2287 BLUE	Ford Motor	
1508	SILVER	265.3	530.7
1553	FAST BLUE	315.4	630.8
1552	FAST RED	358.1	716.1
1556	FAST GREEN	391.8	783.6
1554	TINTING WHITE	408.1	816.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT NEUTRAL	General Motors	52AM
1554	TINTING WHITE	189.0	377.9
1302	LOW LUSTER CLEAR	329.6	659.1
1559	YELLOW OXIDE	393.3	786.6
1550	RED OXIDE	408.2	816.4
1501	LANDAU BLACK	419.3	838.7

	L-2288 PALOMINO	Ford Motor	
1559	YELLOW OXIDE	188.9	377.7
1554	TINTING WHITE	345.8	691.6
1550	RED OXIDE	404.9	809.8
1501	LANDAU BLACK	421.7	843.4

	LT NEUTRAL	General Motors	WA9772
1554	TINTING WHITE	189.0	377.9
1302	LOW LUSTER CLEAR	329.6	659.1
1559	YELLOW OXIDE	393.3	786.6
1550	RED OXIDE	408.2	816.4
1501	LANDAU BLACK	419.3	838.7

	L-2290 WHITE	Ford Motor	
1554	TINTING WHITE	414.6	829.2
1551	FAST YELLOW	425.9	851.8
1550	RED OXIDE	431.5	863.0
1501	LANDAU BLACK	435.9	871.7

	L-957 RED	Ford Motor	
1552	FAST RED	312.6	625.3
1551	FAST YELLOW	393.5	787.0
1554	TINTING WHITE	404.4	808.8
1553	FAST BLUE	404.8	809.6

	L-2505 DK BLUE	Ford Motor	
1553	FAST BLUE	176.1	352.3
1501	LANDAU BLACK	324.6	649.2
1554	TINTING WHITE	384.4	768.7
1551	FAST YELLOW	408.2	816.4

	L-958 BLACK	Ford Motor	
1501	LANDAU BLACK	374.1	748.2
1554	TINTING WHITE	393.9	787.7
1551	FAST YELLOW	406.5	813.0

	L-2613 PARCHMEN	Ford Motor	
1554	TINTING WHITE	265.2	530.5
1559	YELLOW OXIDE	398.5	797.1
1550	RED OXIDE	417.7	835.4
1501	LANDAU BLACK	427.7	855.4

	L-2095 BLUE	Ford Motor	
1508	SILVER	158.3	316.5
1553	FAST BLUE	295.8	591.7
1501	LANDAU BLACK	351.9	703.8
1552	FAST RED	405.5	810.9

	L-2920 RED	Ford Motor	
1552	FAST RED	366.6	733.2
1508	SILVER	397.0	794.0
1551	FAST YELLOW	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	L-2286 DK IVY GOL	Ford Motor	
1508	SILVER	166.8	333.6
1501	LANDAU BLACK	297.7	595.5
1551	FAST YELLOW	385.1	770.3
1554	TINTING WHITE	408.0	816.1

	L-2921 EMBERGLO	Ford Motor	
1552	FAST RED	285.0	570.0
1551	FAST YELLOW	353.5	707.0
1508	SILVER	397.5	795.0
1556	FAST GREEN	404.5	809.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 84

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4653	L-2929 TURQUOISE	Ford Motor	
1508	SILVER	203.8	407.6
1556	FAST GREEN	303.2	606.5
1553	FAST BLUE	360.4	720.9
1501	LANDAU BLACK	389.4	778.8
1554	TINTING WHITE	407.6	815.3

4660	L-3627 LT BLUE	Ford Motor	
1508	SILVER	231.0	462.1
1554	TINTING WHITE	314.5	629.1
1553	FAST BLUE	368.9	737.8
1501	LANDAU BLACK	413.1	826.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4654	L-3096 PARCHMEN	Ford Motor	
1554	TINTING WHITE	345.8	691.6
1559	YELLOW OXIDE	417.5	835.1
1550	RED OXIDE	427.5	855.0
1501	LANDAU BLACK	432.3	864.5

4661	L-3628 DK IVY GOL	Ford Motor	
1501	LANDAU BLACK	185.5	371.1
1508	SILVER	302.8	605.5
1551	FAST YELLOW	371.9	743.9
1554	TINTING WHITE	393.4	786.8
1556	FAST GREEN	407.6	815.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4655	L-3097 DK TURQUOI	Ford Motor	
1553	FAST BLUE	151.8	303.6
1556	FAST GREEN	268.5	536.9
1508	SILVER	345.0	690.1
1501	LANDAU BLACK	404.4	808.8

4662	L-3722 BLACK	Ford Motor	
1501	LANDAU BLACK	374.1	748.2
1554	TINTING WHITE	393.9	787.7
1551	FAST YELLOW	406.5	813.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4656	L-3099 SADDLE	Ford Motor	
1559	YELLOW OXIDE	241.9	483.7
1550	RED OXIDE	323.8	647.5
1554	TINTING WHITE	401.5	802.9
1501	LANDAU BLACK	417.3	834.7

4663	L-3724 DK RED	Ford Motor	
1552	FAST RED	339.7	679.4
1508	SILVER	371.2	742.3
1551	FAST YELLOW	388.1	776.2
1553	FAST BLUE	401.4	802.8
1554	TINTING WHITE	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4657	L-3116 MAROON	Ford Motor	
1552	FAST RED	360.0	719.9
1508	SILVER	382.9	765.9
1551	FAST YELLOW	394.3	788.5
1501	LANDAU BLACK	404.3	808.6

4664	L-3788 MED BLUE	Ford Motor	
1508	SILVER	161.5	323.0
1553	FAST BLUE	308.8	617.7
1501	LANDAU BLACK	386.7	773.3
1552	FAST RED	405.5	810.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4658	L-3448 NUGGET GO	Ford Motor	
1508	SILVER	299.5	599.1
1552	FAST RED	354.2	708.3
1551	FAST YELLOW	404.7	809.4
1556	FAST GREEN	407.6	815.1

4665	L-4060 MED IVY GO	Ford Motor	
1508	SILVER	163.3	326.6
1501	LANDAU BLACK	315.8	631.6
1551	FAST YELLOW	394.7	789.5
1556	FAST GREEN	406.3	812.6

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4659	L-3625 NUGGET GO	Ford Motor	
1508	SILVER	255.4	510.7
1551	FAST YELLOW	322.3	644.7
1552	FAST RED	368.1	736.3
1554	TINTING WHITE	404.9	809.8
1501	LANDAU BLACK	409.8	819.7

4666	L-4061 GINGER	Ford Motor	
1559	YELLOW OXIDE	299.2	598.3
1550	RED OXIDE	371.4	742.7
1554	TINTING WHITE	397.4	794.8
1501	LANDAU BLACK	414.4	828.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 85

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	L-4062 WHITE	Ford Motor	
4667			
1554	TINTING WHITE	402.7	805.4
1559	YELLOW OXIDE	432.4	864.9
1501	LANDAU BLACK	434.2	868.3
1550	RED OXIDE	435.5	871.0

	LT DRIFTWOOD M	General Motors		
4674				33T
1508	SILVER	304.5	609.0	
1552	FAST RED	358.2	716.5	
1551	FAST YELLOW	397.0	794.0	
1501	LANDAU BLACK	407.6	815.3	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	L-4063 VERMILLIO	Ford Motor	
4668			
1552	FAST RED	243.7	487.4
1551	FAST YELLOW	379.1	758.1
1554	TINTING WHITE	406.1	812.3

	DK GREEN GRAY M	General Motors		
4675				18T
1501	LANDAU BLACK	170.9	341.8	
1553	FAST BLUE	311.3	622.6	
1556	FAST GREEN	363.9	727.9	
1508	SILVER	404.3	808.6	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	L-4234 GREEN	Ford Motor	
4669			
1508	SILVER	136.4	272.8
1501	LANDAU BLACK	246.3	492.7
1551	FAST YELLOW	338.8	677.5
1556	FAST GREEN	405.8	811.7

	DK GREEN MET	General Motors		
4676				18T
1501	LANDAU BLACK	159.8	319.6	
1553	FAST BLUE	317.4	634.8	
1556	FAST GREEN	366.5	733.0	
1508	SILVER	404.2	808.5	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	BUMPER GRAY	Honda	
4670			
1501	LANDAU BLACK	185.2	370.3
1302	LOW LUSTER CLEAR	267.4	534.9
1559	YELLOW OXIDE	340.7	681.3
1554	TINTING WHITE	391.3	782.6
1550	RED OXIDE	409.8	819.7

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MED TAUPE MET	General Motors		
4677				63T
1552	FAST RED	193.5	387.0	
1508	SILVER	285.0	570.0	
1553	FAST BLUE	353.2	706.4	
1551	FAST YELLOW	404.9	809.8	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT CAMEL MET	General Motors		
4671				67T
1508	SILVER	259.6	519.3	
1552	FAST RED	320.6	641.3	
1551	FAST YELLOW	374.4	748.8	
1554	TINTING WHITE	401.5	802.9	
1501	LANDAU BLACK	409.1	818.1	

	DK PLUM MET	General Motors		
4678				88T
1552	FAST RED	194.5	388.9	
1501	LANDAU BLACK	298.5	597.0	
1553	FAST BLUE	377.9	755.8	
1508	SILVER	404.3	808.6	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT BEIGE MET	General Motors		
4672				57T
1508	SILVER	295.7	591.5	
1552	FAST RED	343.2	686.5	
1501	LANDAU BLACK	370.6	741.2	
1551	FAST YELLOW	396.3	792.7	
1554	TINTING WHITE	408.4	816.8	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT CANYON YELLO	General Motors		
4679				55T
1554	TINTING WHITE	348.0	696.0	
1559	YELLOW OXIDE	427.4	854.8	
1550	RED OXIDE	430.9	861.8	
1556	FAST GREEN	432.4	864.9	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	Lt. Beige Met	General Motors	
4673			
1508	SILVER	234.9	469.8
1552	FAST RED	316.8	633.5
1501	LANDAU BLACK	367.7	735.5
1551	FAST YELLOW	428.2	856.3

	SILVER BUMPER	Ford Motor		
4680				J
1300	HIGH GLOSS CLEAR	236.6	473.3	
2024	SILVER BASE	417.3	834.7	
1554	TINTING WHITE	418.9	837.7	

Yes(see 5979)

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 86

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4681	MED QUARTZ	Chrysler Motors	D6	4688	CINDER	Chrysler Motors	XA
1302	LOW LUSTER CLEAR	138.7	277.4	1501	LANDAU BLACK	157.5	315.0
1554	TINTING WHITE	252.2	504.5	1302	LOW LUSTER CLEAR	293.5	586.9
1501	LANDAU BLACK	322.2	644.5	1559	YELLOW OXIDE	360.1	720.3
1559	YELLOW OXIDE	379.8	759.6	1554	TINTING WHITE	393.8	787.6
1550	RED OXIDE	414.0	828.0	1550	RED OXIDE	407.8	815.7
4682	MED DRIFTWOOD	Chrysler Motors	F6	4689	DK CRANBERRY	Ford Motor	R
1302	LOW LUSTER CLEAR	138.4	276.8	1552	FAST RED	323.9	647.7
1554	TINTING WHITE	262.8	525.5	1553	FAST BLUE	403.7	807.3
1559	YELLOW OXIDE	355.2	710.4				
1501	LANDAU BLACK	387.1	774.3				
1550	RED OXIDE	415.3	830.7				
4683	DK BROWNSTONE	Chrysler Motors	F7	4690	ARCTIC WHITE	General Motors	9N
1302	LOW LUSTER CLEAR	136.5	273.0	1554	TINTING WHITE	282.8	565.6
1559	YELLOW OXIDE	259.3	518.5	1302	LOW LUSTER CLEAR	424.3	848.5
1554	TINTING WHITE	318.3	636.7	1553	FAST BLUE	424.5	848.9
1501	LANDAU BLACK	374.1	748.2	1559	YELLOW OXIDE	424.7	849.3
1550	RED OXIDE	411.3	822.5				
4684	CORDOVAN	General Motors	H9	4691	MED DK NEUTRAL	General Motors	52CN
1550	RED OXIDE	158.0	316.0	1559	YELLOW OXIDE	167.0	334.0
1302	LOW LUSTER CLEAR	294.5	589.0	1554	TINTING WHITE	289.9	579.9
1501	LANDAU BLACK	391.1	782.2	1501	LANDAU BLACK	355.4	710.8
1554	TINTING WHITE	408.6	817.2	1550	RED OXIDE	418.8	837.5
4685	CORDOVAN	General Motors	H9	4692	MED NEUTRAL	General Motors	52BN
1550	RED OXIDE	199.4	398.8	1554	TINTING WHITE	176.9	353.8
1302	LOW LUSTER CLEAR	335.6	671.3	1559	YELLOW OXIDE	322.4	644.9
1553	FAST BLUE	384.4	768.7	1550	RED OXIDE	375.4	750.9
1501	LANDAU BLACK	401.6	803.1	1501	LANDAU BLACK	422.1	844.2
1554	TINTING WHITE	408.4	816.8				
4686	MED BEIGE	General Motors	64BN	4693	LT BEIGE	General Motors	64AN
1302	LOW LUSTER CLEAR	137.3	274.6	1302	LOW LUSTER CLEAR	138.7	277.4
1559	YELLOW OXIDE	270.3	540.6	1554	TINTING WHITE	265.5	531.1
1554	TINTING WHITE	344.4	688.8	1559	YELLOW OXIDE	370.7	741.4
1550	RED OXIDE	389.9	779.8	1550	RED OXIDE	403.9	807.9
1501	LANDAU BLACK	412.9	825.7	1501	LANDAU BLACK	415.9	831.8
4687	DK SPICE	Chrysler Motors	TC	4694	MED BEIGE	General Motors	64BN
1559	YELLOW OXIDE	196.3	392.5	1302	LOW LUSTER CLEAR	137.4	274.7
1302	LOW LUSTER CLEAR	332.5	665.0	1559	YELLOW OXIDE	265.3	530.7
1550	RED OXIDE	389.6	779.2	1554	TINTING WHITE	342.9	685.7
1501	LANDAU BLACK	408.9	817.8	1550	RED OXIDE	389.2	778.4
				1501	LANDAU BLACK	413.1	826.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 87

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4695	DK BEIGE	General Motors	64DN	4700	BLACK	Ford Motor	A
1302	LOW LUSTER CLEAR	137.4	274.7	1501	LANDAU BLACK	266.1	532.2
1559	YELLOW OXIDE	274.5	548.9	1302	LOW LUSTER CLEAR	347.6	695.2
1550	RED OXIDE	330.6	661.2	1559	YELLOW OXIDE	372.3	744.6
1554	TINTING WHITE	375.8	751.6	1554	TINTING WHITE	391.5	783.0
1501	LANDAU BLACK	411.0	821.9	1553	FAST BLUE	406.1	812.3
4696	MED GRAY	General Motors	14BN	4701	CLR CRSTL BLUE F	Ford Motor	A
1554	TINTING WHITE	205.4	410.8	1554	TINTING WHITE	315.0	630.0
1559	YELLOW OXIDE	281.1	562.2	1501	LANDAU BLACK	384.1	768.2
1501	LANDAU BLACK	338.5	677.0	1550	RED OXIDE	408.0	816.1
1302	LOW LUSTER CLEAR	390.9	781.9	1553	FAST BLUE	428.7	857.5
1550	RED OXIDE	421.9	843.8				
4697	DK GRAY	General Motors	14CN	4702	DK TITANIUM	Ford Motor	P
1554	TINTING WHITE	140.5	281.0	1501	LANDAU BLACK	181.5	363.1
1559	YELLOW OXIDE	223.9	447.8	1559	YELLOW OXIDE	332.7	665.4
1302	LOW LUSTER CLEAR	306.3	612.6	1550	RED OXIDE	373.8	747.7
1501	LANDAU BLACK	382.9	765.9	1554	TINTING WHITE	411.7	823.5
1550	RED OXIDE	417.1	834.1				
4698	LT GRAY	General Motors	14AN	4703	OXFORD WHITE	General Motors	W
1554	TINTING WHITE	255.7	511.5	1554	TINTING WHITE	434.2	868.5
1559	YELLOW OXIDE	316.4	632.9	1501	LANDAU BLACK	436.7	873.4
1302	LOW LUSTER CLEAR	369.2	738.3	1559	YELLOW OXIDE	437.1	874.2
1501	LANDAU BLACK	406.4	812.8	1553	FAST BLUE	437.2	874.4
1550	RED OXIDE	425.0	850.1				
4698	LT GRAY	General Motors	WA9781	4704	DK CRYSTAL BLUE	Ford Motor	A
1554	TINTING WHITE	255.7	511.5	1501	LANDAU BLACK	211.6	423.1
1559	YELLOW OXIDE	316.4	632.9	1554	TINTING WHITE	369.0	738.0
1302	LOW LUSTER CLEAR	369.2	738.3	1553	FAST BLUE	413.3	826.7
1501	LANDAU BLACK	406.4	812.8	1552	FAST RED	416.5	833.0
1550	RED OXIDE	425.0	850.1				
4699	VERY DK GRAY	General Motors	14DN	4705	Medium Opal	Ford Motor	M4221H/YCCA
1501	LANDAU BLACK	123.8	247.6	1554	TINTING WHITE	127.5	255.0
1559	YELLOW OXIDE	216.4	432.8	1302	LOW LUSTER CLEAR	249.0	498.1
1302	LOW LUSTER CLEAR	300.0	600.0	1550	RED OXIDE	355.2	710.5
1554	TINTING WHITE	382.0	764.0	1553	FAST BLUE	400.3	800.6
1550	RED OXIDE	412.8	825.6	1551	FAST YELLOW	425.3	850.6
4699	VERY DK GRAY	General Motors	WA9902	4706	DK OPAL	Ford Motor	C
1501	LANDAU BLACK	123.8	247.6	1302	LOW LUSTER CLEAR	137.6	275.1
1559	YELLOW OXIDE	216.4	432.8	1550	RED OXIDE	235.7	471.4
1302	LOW LUSTER CLEAR	300.0	600.0	1554	TINTING WHITE	310.4	620.7
1554	TINTING WHITE	382.0	764.0	1559	YELLOW OXIDE	369.4	738.7
1550	RED OXIDE	412.8	825.6	1553	FAST BLUE	412.4	824.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 88

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4707	CHARCOAL ARGEN	Ford Motor	F
1508	SILVER	211.8	423.5
2024	SILVER BASE	320.6	641.3
1552	FAST RED	374.3	748.6
1553	FAST BLUE	395.2	790.4
1551	FAST YELLOW	416.1	832.2

4714	LT MOCHA	Ford Motor	A
1554	TINTING WHITE	388.8	777.7
1559	YELLOW OXIDE	424.8	849.7
1550	RED OXIDE	433.2	866.4
1501	LANDAU BLACK	434.7	869.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4708	MED MOCHA	Ford Motor	A
1552	FAST RED	143.3	286.5
1508	SILVER	283.7	567.3
1501	LANDAU BLACK	353.1	706.2
1551	FAST YELLOW	405.8	811.7

4715	MED PLATINUM	Ford Motor	B
1501	LANDAU BLACK	280.9	561.8
1508	SILVER	406.2	812.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4709	ULTRA RED	Ford Motor	WU
1552	FAST RED	383.6	767.2
1551	FAST YELLOW	397.6	795.2
1554	TINTING WHITE	404.5	809.0

4716	PASTEL ALABASTE	Ford Motor	H
1554	TINTING WHITE	398.1	796.1
1559	YELLOW OXIDE	428.2	856.3
1550	RED OXIDE	432.4	864.9
1501	LANDAU BLACK	435.1	870.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4710	MED GRAY	Ford Motor	D
1508	SILVER	286.8	573.6
1501	LANDAU BLACK	371.2	742.3
1554	TINTING WHITE	403.7	807.3
1556	FAST GREEN	410.1	820.2

4717	PARCHMENT	BMW	356
1554	TINTING WHITE	159.9	319.8
1302	LOW LUSTER CLEAR	299.2	598.3
1551	FAST YELLOW	342.2	684.4
1552	FAST RED	383.4	766.8
1501	LANDAU BLACK	415.2	830.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4711	LT GRAY	Ford Motor	D
1554	TINTING WHITE	181.5	362.9
1501	LANDAU BLACK	293.8	587.7
1559	YELLOW OXIDE	394.9	789.8
1550	RED OXIDE	421.0	842.1

4718	ULTRAMARINE	BMW	355
1501	LANDAU BLACK	141.4	282.7
1302	LOW LUSTER CLEAR	280.6	561.3
1554	TINTING WHITE	344.6	689.1
1552	FAST RED	383.8	767.6
1553	FAST BLUE	408.2	816.4

4712	MOCHA FROST ME	Ford Motor	A
1508	SILVER	275.6	551.2
1552	FAST RED	363.8	727.5
1551	FAST YELLOW	401.8	803.5
1501	LANDAU BLACK	407.3	814.5

4719	MED GRAY MET BU	Ford Motor	P
1508	SILVER	212.7	425.4
2024	SILVER BASE	329.0	658.0
1501	LANDAU BLACK	395.1	790.2
1554	TINTING WHITE	407.7	815.5
1551	FAST YELLOW	418.0	836.0

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4713	MED REGATTA BL	Ford Motor	B
1508	SILVER	152.6	305.1
2024	SILVER BASE	286.2	572.5
1553	FAST BLUE	347.3	694.6
1501	LANDAU BLACK	393.1	786.2
1552	FAST RED	417.5	835.1

4720	MED TITANIUM ME	Ford Motor	C
1508	SILVER	260.1	520.2
1501	LANDAU BLACK	333.7	667.5
1552	FAST RED	370.1	740.2
2024	SILVER BASE	393.8	787.6
1551	FAST YELLOW	409.4	818.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 89

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4721	MED TITANIUM BU	Ford Motor		C	4728	BROWN	Mazda
1508	SILVER	188.3	376.6		1302	LOW LUSTER CLEAR	137.0
1501	LANDAU BLACK	290.2	580.5		1559	YELLOW OXIDE	257.5
2024	SILVER BASE	353.0	706.0		1501	LANDAU BLACK	310.9
1552	FAST RED	396.6	793.3		1550	RED OXIDE	361.5
1551	FAST YELLOW	412.0	824.0		1554	TINTING WHITE	410.9
MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR							
4722	MED LT TITANIUM	Ford Motor		P	4729	BLUE	Mazda
1554	TINTING WHITE	250.9	501.8		1302	LOW LUSTER CLEAR	135.9
1559	YELLOW OXIDE	327.9	655.9		1501	LANDAU BLACK	255.3
1501	LANDAU BLACK	381.1	762.3		1553	FAST BLUE	316.7
1550	RED OXIDE	426.2	852.3		1550	RED OXIDE	362.4
					1554	TINTING WHITE	407.8
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4723	DK CRYSTAL BLUE	Ford Motor		A	4730	THOMAS BUS GREE	
1501	LANDAU BLACK	172.1	344.3		1501	LANDAU BLACK	135.1
1553	FAST BLUE	299.7	599.5		1556	FAST GREEN	240.0
1554	TINTING WHITE	387.1	774.3		1551	FAST YELLOW	332.4
1550	RED OXIDE	411.2	822.3		1554	TINTING WHITE	410.2
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4724	TITANIUM	Ford Motor		C	4731	BLUEBIRD GREEN	
1554	TINTING WHITE	141.4	282.7		1556	FAST GREEN	120.0
1559	YELLOW OXIDE	256.7	513.4		1551	FAST YELLOW	235.8
1501	LANDAU BLACK	359.5	719.0		1501	LANDAU BLACK	334.5
1550	RED OXIDE	419.0	838.1		1554	TINTING WHITE	410.0
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4725	DK BRONZE	General Motors	76DM		4732	BUMPER GRAY	BMW
1550	RED OXIDE	249.2	498.4		1501	LANDAU BLACK	207.4
1501	LANDAU BLACK	364.9	729.8		1559	YELLOW OXIDE	301.9
1552	FAST RED	407.6	815.3		1554	TINTING WHITE	383.7
1554	TINTING WHITE	410.8	821.6		1550	RED OXIDE	413.6
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4726	BEIGE	Acura			4733	DK SILVER GLOSS	General Motors
1554	TINTING WHITE	157.6	315.2		1501	LANDAU BLACK	177.3
1302	LOW LUSTER CLEAR	296.9	593.8		1508	SILVER	329.3
1559	YELLOW OXIDE	401.7	803.3		2024	SILVER BASE	373.5
1550	RED OXIDE	412.0	824.0		1553	FAST BLUE	396.9
1501	LANDAU BLACK	417.7	835.4		1552	FAST RED	410.1
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR							
4727	TAUPE	Mazda			4734	PORTOLA RED	
1554	TINTING WHITE	176.1	352.3		1552	FAST RED	302.9
1302	LOW LUSTER CLEAR	319.7	639.4		1551	FAST YELLOW	386.7
1552	FAST RED	358.6	717.3		1554	TINTING WHITE	405.4
1551	FAST YELLOW	393.4	786.8				
1501	LANDAU BLACK	416.6	833.2				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 90

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4735	Palomino		
1559	YELLOW OXIDE	259.7	519.4
1554	TINTING WHITE	390.1	780.2
1550	RED OXIDE	422.1	844.2
1558	BRITE RED	428.6	857.2
1501	LANDAU BLACK	430.7	861.4

4743	RED	Corvette	
1552	FAST RED		262.5
1551	FAST YELLOW		343.8
1550	RED OXIDE		382.6
1554	TINTING WHITE		406.7
			813.4

4737	BRIGHT BLUE	Corvette	414-415
1553	FAST BLUE	185.5	371.1
1508	SILVER	345.3	690.7
1501	LANDAU BLACK	376.4	752.8
1556	FAST GREEN	397.8	795.5
1554	TINTING WHITE	405.8	811.7

4744	BRONZE BUMPER	Ford Motor	
1508	SILVER		162.6
1501	LANDAU BLACK		261.4
1552	FAST RED		340.4
1551	FAST YELLOW		406.2
			812.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4738	BRIGHT BLUE	Corvette	411-412
1553	FAST BLUE	193.9	387.8
1508	SILVER	370.2	740.4
1501	LANDAU BLACK	394.2	788.3
1556	FAST GREEN	405.3	810.5

4745	BROWN	Honda	
1302	LOW LUSTER CLEAR		136.0
1559	YELLOW OXIDE		267.5
1501	LANDAU BLACK		344.4
1550	RED OXIDE		395.2
1554	TINTING WHITE		408.5
			817.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4739	RED	Corvette	72-722
1552	FAST RED	312.6	625.3
1551	FAST YELLOW	393.5	787.0
1554	TINTING WHITE	404.4	808.8
1553	FAST BLUE	404.8	809.6

4746	VIGOR BEIGE	Acura	
1302	LOW LUSTER CLEAR		137.9
1554	TINTING WHITE		275.6
1552	FAST RED		333.9
1551	FAST YELLOW		375.7
1501	LANDAU BLACK		413.5
			827.1

4740	OXBLOOD	Corvette	425
1552	FAST RED	305.2	610.5
1550	RED OXIDE	389.7	779.4
1554	TINTING WHITE	401.5	802.9
1553	FAST BLUE	407.0	814.0

4748	LT SADDLE	General Motors	58T
1559	YELLOW OXIDE		139.9
1302	LOW LUSTER CLEAR		278.2
1554	TINTING WHITE		386.7
1550	RED OXIDE		406.8
1501	LANDAU BLACK		415.0
			829.9

4741	BLUE	Corvette	418-419
1501	LANDAU BLACK	216.2	432.4
1553	FAST BLUE	346.1	692.2
1556	FAST GREEN	385.1	770.3
1554	TINTING WHITE	405.7	811.3

4749	PROTEGE BROWN	Mazda	
1559	YELLOW OXIDE		139.6
1302	LOW LUSTER CLEAR		220.3
1501	LANDAU BLACK		299.0
1554	TINTING WHITE		363.7
1550	RED OXIDE		413.0
			825.9

4742	ROMAN RED	Corvette	
1552	FAST RED	260.7	521.4
1551	FAST YELLOW	385.2	770.5
1554	TINTING WHITE	405.5	810.9

4750	LT SILVER GRAY	BMW	0394-0451
1554	TINTING WHITE		248.9
1302	LOW LUSTER CLEAR		389.6
1559	YELLOW OXIDE		406.0
1501	LANDAU BLACK		418.2
1550	RED OXIDE		422.6
			845.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 91

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	AQUA	Ford Motor	
1508	SILVER	234.8	469.7
1556	FAST GREEN	304.6	609.1
1553	FAST BLUE	351.1	702.2
1554	TINTING WHITE	395.5	791.0
1501	LANDAU BLACK	410.0	820.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT BLUE MET	Ford Motor	
1508	SILVER	321.1	642.2
1553	FAST BLUE	351.4	702.8
1501	LANDAU BLACK	377.5	755.1
1554	TINTING WHITE	400.2	800.5
1551	FAST YELLOW	409.4	818.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	MED BLUE MET	Ford Motor	
1508	SILVER	264.3	528.6
1553	FAST BLUE	349.5	699.0
1552	FAST RED	386.9	773.9
1551	FAST YELLOW	397.3	794.6
1554	TINTING WHITE	407.6	815.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	GOLD	Ford Motor	
1508	SILVER	262.5	525.0
1551	FAST YELLOW	316.8	633.7
1552	FAST RED	370.8	741.6
1554	TINTING WHITE	394.3	788.5
1501	LANDAU BLACK	408.9	817.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	EMBERGLO	Ford Motor	
1552	FAST RED	366.6	733.2
1508	SILVER	397.0	794.0
1551	FAST YELLOW	404.4	808.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	TURQUOISE MET	Ford Motor	
1508	SILVER	140.9	281.8
1556	FAST GREEN	259.8	519.7
1553	FAST BLUE	337.7	675.5
1501	LANDAU BLACK	405.6	811.1

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT IVY GOLD	Ford Motor	
1508	SILVER	298.9	597.7
1551	FAST YELLOW	342.3	684.6
1552	FAST RED	376.6	753.2
1501	LANDAU BLACK	407.6	815.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK QUARTZ	Chrysler Motors	S6
1302	LOW LUSTER CLEAR	136.6	273.2
1501	LANDAU BLACK	250.5	501.0
1559	YELLOW OXIDE	314.9	629.9
1550	RED OXIDE	364.4	728.8
1554	TINTING WHITE	409.5	818.9

	PEARL WHITE	Ford Motor	
1554	TINTING WHITE	394.4	788.9
1559	YELLOW OXIDE	429.0	858.0
1501	LANDAU BLACK	433.8	867.5
1550	RED OXIDE	434.8	869.6

	OPAL FROST	Ford Motor	C
1554	TINTING WHITE	355.5	711.0
1501	LANDAU BLACK	423.6	847.2
1552	FAST RED	427.7	855.4
1553	FAST BLUE	431.4	862.8

	SEAMIST GREEN	Ford Motor	
1508	SILVER	338.7	677.4
1551	FAST YELLOW	382.9	765.9
1501	LANDAU BLACK	408.1	816.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	TAN	Chrysler Motors	KA
1559	YELLOW OXIDE	167.6	335.2
1302	LOW LUSTER CLEAR	304.7	609.3
1550	RED OXIDE	361.1	722.2
1554	TINTING WHITE	400.1	800.3
1501	LANDAU BLACK	411.3	822.5

	DK BLUE MET	Ford Motor	
1553	FAST BLUE	217.2	434.3
1501	LANDAU BLACK	349.3	698.6
1508	SILVER	402.3	804.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT DRIFTWOOD M	Chrysler Motors	FA
1508	SILVER	385.7	771.4
1552	FAST RED	396.2	792.5
1551	FAST YELLOW	404.8	809.6
1554	TINTING WHITE	408.9	817.8

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 92

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	EMERALD GREEN	Chrysler Motors	GF
4765			
1556	FAST GREEN	227.3	454.7
1553	FAST BLUE	372.2	744.4
1501	LANDAU BLACK	391.1	782.2
1508	SILVER	403.6	807.1

	MED AQUAMARINE	Ford Motor	D
4772			
1501	LANDAU BLACK	138.5	277.0
1554	TINTING WHITE	263.0	525.9
1553	FAST BLUE	367.4	734.7
1556	FAST GREEN	413.5	827.1

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	MED BEIGE	General Motors	63BN
4766			
1559	YELLOW OXIDE	141.1	282.2
1302	LOW LUSTER CLEAR	278.6	557.3
1554	TINTING WHITE	347.0	694.1
1550	RED OXIDE	389.1	778.2
1501	LANDAU BLACK	412.5	825.0

	MED AQUAMARINE	Ford Motor	D
4773			
1553	FAST BLUE	219.8	439.7
1501	LANDAU BLACK	314.3	628.5
1556	FAST GREEN	381.8	763.6
1554	TINTING WHITE	405.2	810.4

	DK BEIGE	General Motors	63DN
4767			
1302	LOW LUSTER CLEAR	137.1	274.2
1559	YELLOW OXIDE	267.2	534.5
1550	RED OXIDE	325.7	651.3
1554	TINTING WHITE	373.1	746.1
1501	LANDAU BLACK	411.2	822.3

	LT SILVER GLOSS	General Motors	
4774			
1508	SILVER	399.6	799.1
1501	LANDAU BLACK	405.9	811.9
1551	FAST YELLOW	407.6	815.1
1552	FAST RED	408.8	817.6

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT BEIGE	General Motors	64AN
4768			
1302	LOW LUSTER CLEAR	138.7	277.4
1554	TINTING WHITE	265.5	531.1
1559	YELLOW OXIDE	370.7	741.4
1550	RED OXIDE	403.9	807.9
1501	LANDAU BLACK	415.9	831.8

	DK SILVER GLOSS	General Motors	
4775			
1508	SILVER	285.4	570.8
1501	LANDAU BLACK	407.6	815.3
		0.0	0.0

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MOCHA FROST	Ford Motor	A
4769			
1554	TINTING WHITE	192.9	385.9
1559	YELLOW OXIDE	326.4	652.8
1550	RED OXIDE	390.2	780.3
1501	LANDAU BLACK	423.3	846.6

	SILVER	Ford Motor	J
4776			
1554	TINTING WHITE	339.7	679.4
1501	LANDAU BLACK	386.5	772.9
1559	YELLOW OXIDE	419.8	839.6
1550	RED OXIDE	431.0	862.0

	LAPIS BLUE	Ford Motor	V
4770			
1553	FAST BLUE	174.4	348.8
1554	TINTING WHITE	276.5	552.9
1501	LANDAU BLACK	357.1	714.2
1552	FAST RED	411.4	822.7

	AQUAMARINE	Ford Motor	D
4778			
1554	TINTING WHITE	154.5	308.9
1501	LANDAU BLACK	291.7	583.5
1553	FAST BLUE	378.2	756.4
1556	FAST GREEN	415.8	831.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	RUBY	Ford Motor	Y
4771			
1552	FAST RED	384.1	768.2
1554	TINTING WHITE	395.1	790.2
1553	FAST BLUE	404.8	809.6

	DELTA GREY	Ford Motor	D
4779			
1302	LOW LUSTER CLEAR	137.9	275.9
1554	TINTING WHITE	241.9	483.7
1501	LANDAU BLACK	326.7	653.4
1559	YELLOW OXIDE	411.1	822.1
1550	RED OXIDE	413.3	826.5

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 93

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4780	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	280.6	561.3
1508	SILVER	343.6	687.2
1553	FAST BLUE	375.3	750.5
1552	FAST RED	405.4	810.7

4787	DK CHERRY MET	General Motors	77T
1552	FAST RED	299.3	598.7
1553	FAST BLUE	361.6	723.1
1551	FAST YELLOW	394.3	788.7
1508	SILVER	403.9	807.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4781	MED DK GRAY	Ford Motor	R
1554	TINTING WHITE	227.7	455.4
1501	LANDAU BLACK	358.9	717.8
1559	YELLOW OXIDE	399.1	798.2
1550	RED OXIDE	423.2	846.5

4789	DK GRAY	Ford Motor	R
1501	LANDAU BLACK	290.9	581.8
1559	YELLOW OXIDE	352.4	704.7
1554	TINTING WHITE	410.5	821.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4782	MED DK GRAY	Ford Motor	R
1554	TINTING WHITE	148.2	296.4
1300	HIGH GLOSS CLEAR	286.9	573.8
1501	LANDAU BLACK	375.8	751.6
1559	YELLOW OXIDE	399.7	799.3
1550	RED OXIDE	415.8	831.6

4790	WILDBERRY	Chrysler Motors	MB
1552	FAST RED	311.3	622.6
1553	FAST BLUE	366.6	733.2
1551	FAST YELLOW	394.3	788.5
1508	SILVER	403.9	807.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4783	DK OPAL	Ford Motor	C
1501	LANDAU BLACK	188.7	377.3
1300	HIGH GLOSS CLEAR	323.3	646.6
1554	TINTING WHITE	387.5	775.0
1552	FAST RED	402.3	804.7

4791	RUBY RED	General Motors	79
1552	FAST RED	376.4	752.8
1501	LANDAU BLACK	387.8	775.6
1553	FAST BLUE	396.6	793.3
1554	TINTING WHITE	404.5	809.0

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4784	MED GRAY	Ford Motor	R
1554	TINTING WHITE	298.6	597.2
1501	LANDAU BLACK	375.5	751.1
1559	YELLOW OXIDE	415.3	830.7
1550	RED OXIDE	428.2	856.3

4792	BORDEAUX RED	General Motors	75
1552	FAST RED	346.7	693.3
1553	FAST BLUE	398.1	796.1
1554	TINTING WHITE	404.2	808.5

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4785	OXFORD WHITE	Ford Motor	W
1554	TINTING WHITE	432.9	865.8
1559	YELLOW OXIDE	435.0	870.0
1501	LANDAU BLACK	436.9	873.8
1553	FAST BLUE	437.1	874.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4793	TORCH RED	General Motors	70
1552	FAST RED	250.0	500.1
1551	FAST YELLOW	375.1	750.1
1554	TINTING WHITE	406.3	812.6

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4786	BRONZE MET	General Motors	59T
1501	LANDAU BLACK	205.8	411.5
1508	SILVER	287.9	575.9
1552	FAST RED	353.4	706.8
1551	FAST YELLOW	405.6	811.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4794	ARCTIC WHITE	General Motors	10N
1554	TINTING WHITE	282.6	565.3
1302	LOW LUSTER CLEAR	424.2	848.4
1553	FAST BLUE	424.5	848.9
1559	YELLOW OXIDE	424.6	849.1
1501	LANDAU BLACK	424.7	849.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 94

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4795	TRAVERTINE	Audi		4802	BLACK	Mazda	
1559	YELLOW OXIDE	154.9	309.9	1302	LOW LUSTER CLEAR	135.3	270.6
1302	LOW LUSTER CLEAR	291.1	582.2	1501	LANDAU BLACK	256.3	512.6
1554	TINTING WHITE	348.8	697.7	1552	FAST RED	320.4	640.9
1550	RED OXIDE	390.5	781.1	1551	FAST YELLOW	368.5	737.0
1501	LANDAU BLACK	412.0	824.0	1554	TINTING WHITE	406.2	812.4
4796	ECRU	Audi		4803	TAN	Mazda	
1554	TINTING WHITE	188.6	377.2	1302	LOW LUSTER CLEAR	139.3	278.5
1302	LOW LUSTER CLEAR	328.3	656.6	1559	YELLOW OXIDE	277.4	554.8
1559	YELLOW OXIDE	391.3	782.6	1554	TINTING WHITE	389.4	778.8
1501	LANDAU BLACK	406.3	812.6	1550	RED OXIDE	410.6	821.2
1550	RED OXIDE	419.2	838.5	1501	LANDAU BLACK	415.2	830.3
4797	TAN	Mazda		4804	RED	Mazda	
1559	YELLOW OXIDE	203.6	407.2	1552	FAST RED	241.1	482.2
1302	LOW LUSTER CLEAR	340.5	681.0	1302	LOW LUSTER CLEAR	322.3	644.7
1550	RED OXIDE	373.2	746.3	1550	RED OXIDE	380.8	761.5
1554	TINTING WHITE	405.3	810.5	1554	TINTING WHITE	402.9	805.8
1501	LANDAU BLACK	411.0	821.9	1501	LANDAU BLACK	406.5	813.0
4798	SLATE	Mazda		4805	SMOKE GRAY	Mazda	
1554	TINTING WHITE	161.0	322.1	1554	TINTING WHITE	165.3	330.6
1302	LOW LUSTER CLEAR	299.8	599.6	1302	LOW LUSTER CLEAR	303.8	607.6
1501	LANDAU BLACK	358.7	717.4	1501	LANDAU BLACK	369.2	738.3
1559	YELLOW OXIDE	413.7	827.5	1551	FAST YELLOW	393.8	787.6
1553	FAST BLUE	416.8	833.5	1552	FAST RED	415.7	831.4
4799	GRAY	Mazda		4806	BEIGE	Mazda	
1554	TINTING WHITE	196.7	393.3	1559	YELLOW OXIDE	208.4	416.9
1501	LANDAU BLACK	283.1	566.2	1554	TINTING WHITE	317.1	634.2
1302	LOW LUSTER CLEAR	366.4	732.8	1550	RED OXIDE	382.6	765.1
1550	RED OXIDE	408.2	816.4	1501	LANDAU BLACK	418.7	837.3
1559	YELLOW OXIDE	419.9	839.8				
4800	TAUPE	Mazda		4807	GRAY	Mazda	
1554	TINTING WHITE	155.1	310.3	1554	TINTING WHITE	210.2	420.5
1302	LOW LUSTER CLEAR	294.2	588.4	1559	YELLOW OXIDE	321.1	642.2
1559	YELLOW OXIDE	367.7	735.5	1501	LANDAU BLACK	393.0	786.0
1550	RED OXIDE	393.9	787.7	1550	RED OXIDE	423.5	847.0
1501	LANDAU BLACK	417.1	834.3				
4801	GRAY	Mazda		4808	TAUPE	Mazda	
1554	TINTING WHITE	156.5	312.9	1302	LOW LUSTER CLEAR	137.0	274.0
1302	LOW LUSTER CLEAR	240.3	480.5	1559	YELLOW OXIDE	257.5	514.9
1501	LANDAU BLACK	312.3	624.5	1501	LANDAU BLACK	310.9	621.9
1559	YELLOW OXIDE	382.4	764.8	1550	RED OXIDE	361.5	723.0
1550	RED OXIDE	418.0	836.0	1554	TINTING WHITE	410.9	821.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 95

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4809	LT TAUPE	Mazda			4816	DK MONTANA BLU	General Motors	21
1554	TINTING WHITE	178.6	357.2	1501	LANDAU BLACK	104.5	209.0	
1302	LOW LUSTER CLEAR	314.0	628.0	1552	FAST RED	199.8	399.6	
1551	FAST YELLOW	352.8	705.7	1553	FAST BLUE	286.2	572.5	
1552	FAST RED	390.8	781.7	1302	LOW LUSTER CLEAR	354.4	708.7	
1501	LANDAU BLACK	416.8	833.5	1554	TINTING WHITE	406.8	813.6	
4810	CAMRY GRAY	Toyota			4817	DK MOCHA	General Motors	34
1302	LOW LUSTER CLEAR	136.7	273.4	1501	LANDAU BLACK	183.9	367.8	
1501	LANDAU BLACK	241.5	483.0	1550	RED OXIDE	298.3	596.6	
1554	TINTING WHITE	327.3	654.6	1302	LOW LUSTER CLEAR	366.3	732.6	
1552	FAST RED	373.9	747.8	1554	TINTING WHITE	400.0	799.9	
1551	FAST YELLOW	409.9	819.9	1553	FAST BLUE	409.4	818.7	
4811	CAMRY BLUE	Toyota			4818	MOCHA	General Motors	34
1501	LANDAU BLACK	201.5	403.0	1559	YELLOW OXIDE	97.8	195.5	
1302	LOW LUSTER CLEAR	337.3	674.7	1550	RED OXIDE	191.0	382.1	
1554	TINTING WHITE	390.4	780.7	1501	LANDAU BLACK	271.2	542.5	
1553	FAST BLUE	404.1	808.3	1554	TINTING WHITE	344.9	689.9	
1552	FAST RED	407.8	815.7	1302	LOW LUSTER CLEAR	413.8	827.6	
4812	CAMRY LT BROWN	Toyota			4819	MED DK TEAL	General Motors	37
1559	YELLOW OXIDE	137.1	274.2	1501	LANDAU BLACK	147.3	294.7	
1302	LOW LUSTER CLEAR	219.7	439.5	1554	TINTING WHITE	261.1	522.1	
1554	TINTING WHITE	293.1	586.2	1556	FAST GREEN	341.8	683.6	
1501	LANDAU BLACK	354.2	708.3	1302	LOW LUSTER CLEAR	412.0	824.0	
1550	RED OXIDE	413.6	827.3					
4813	CAMRY BROWN	Toyota			4820	MED DK ADRIATIC	General Motors	30
1501	LANDAU BLACK	155.6	311.2	1302	LOW LUSTER CLEAR	137.7	275.3	
1302	LOW LUSTER CLEAR	236.9	473.9	1554	TINTING WHITE	254.1	508.3	
1550	RED OXIDE	315.2	630.4	1501	LANDAU BLACK	326.8	653.6	
1559	YELLOW OXIDE	375.0	749.9	1550	RED OXIDE	371.5	742.9	
1554	TINTING WHITE	409.8	819.7	1553	FAST BLUE	413.1	826.1	
4814	TAUPE	Lexus			4821	BRIGHT AQUA	General Motors	44
1559	YELLOW OXIDE	125.7	251.4	1556	FAST GREEN	157.3	314.6	
1550	RED OXIDE	211.9	423.9	1553	FAST BLUE	238.6	477.3	
1302	LOW LUSTER CLEAR	294.6	589.2	1554	TINTING WHITE	311.2	622.4	
1501	LANDAU BLACK	358.3	716.7	1302	LOW LUSTER CLEAR	379.6	759.2	
1554	TINTING WHITE	412.7	825.4	1552	FAST RED	407.7	815.5	
4815	LT ROYAL BLUE M	Chrysler Motors	BC		4822	MOCHA PEARL	General Motors	34
1508	SILVER	156.0	312.0	1552	FAST RED	127.7	255.4	
1552	FAST RED	259.8	519.7	1554	TINTING WHITE	208.5	417.1	
1553	FAST BLUE	344.1	688.2	1501	LANDAU BLACK	282.6	565.3	
1554	TINTING WHITE	409.4	818.7	1551	FAST YELLOW	341.0	681.9	
				3521	RED PEARL	395.0	790.0	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 96

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
4823	NEUTRAL GRAY	Saturn		16	4830	EVERGREEN	Ford Motor	E
1554	TINTING WHITE	164.3	328.5		1302	LOW LUSTER CLEAR	135.3	270.6
1501	LANDAU BLACK	251.5	502.9		1556	FAST GREEN	268.0	536.0
1302	LOW LUSTER CLEAR	321.2	642.4		1501	LANDAU BLACK	334.7	669.4
1559	YELLOW OXIDE	389.9	779.8		1559	YELLOW OXIDE	386.0	772.0
1550	RED OXIDE	418.5	837.0		1554	TINTING WHITE	405.8	811.7
4824	LT BISCUIT	Saturn		61	4831	BRITE RED	Ford Motor	C
1554	TINTING WHITE	170.7	341.4		1552	FAST RED	303.1	606.1
1302	LOW LUSTER CLEAR	310.2	620.4		1559	YELLOW OXIDE	400.1	800.3
1559	YELLOW OXIDE	393.5	787.0		1554	TINTING WHITE	406.7	813.4
1550	RED OXIDE	408.7	817.4					
1501	LANDAU BLACK	418.4	836.8					
4825	DK BISCUIT	Saturn		61	4832	SADDLE	Ford Motor	C
1559	YELLOW OXIDE	135.3	270.6		1559	YELLOW OXIDE	147.5	295.1
1554	TINTING WHITE	261.3	522.7		1302	LOW LUSTER CLEAR	285.1	570.2
1302	LOW LUSTER CLEAR	330.0	660.1		1554	TINTING WHITE	350.5	700.9
1501	LANDAU BLACK	374.2	748.4		1550	RED OXIDE	399.2	798.4
1550	RED OXIDE	417.3	834.7		1501	LANDAU BLACK	412.6	825.2
4826	VERY DK BISCUIT	Saturn		61	4833	MED MOCHA	Ford Motor	A
1302	LOW LUSTER CLEAR	136.8	273.6		1554	TINTING WHITE	253.1	506.2
1559	YELLOW OXIDE	268.1	536.2		1559	YELLOW OXIDE	370.9	741.8
1501	LANDAU BLACK	319.5	639.0		1550	RED OXIDE	414.5	829.0
1554	TINTING WHITE	369.8	739.7		1501	LANDAU BLACK	427.1	854.2
1550	RED OXIDE	410.9	821.8					
4827	DK MOCHA	General Motors		34	4834	TAURUS SILVER BU	Ford Motor	
1501	LANDAU BLACK	185.3	370.5		1508	SILVER	199.8	399.6
1550	RED OXIDE	303.5	607.1		2024	SILVER BASE	308.8	617.5
1302	LOW LUSTER CLEAR	371.9	743.9		1501	LANDAU BLACK	389.0	778.1
1554	TINTING WHITE	393.4	786.8		1554	TINTING WHITE	400.9	801.8
1553	FAST BLUE	408.6	817.2		1551	FAST YELLOW	410.6	821.2
					1552	FAST RED	417.1	834.3
4828	DK MONTANA BLU	General Motors		21	MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR			
1302	LOW LUSTER CLEAR	128.9	257.8		4835	RED	Corvette	
1552	FAST RED	220.4	440.8		1552	FAST RED	260.5	521.0
1501	LANDAU BLACK	303.1	606.3		1551	FAST YELLOW	384.9	769.9
1553	FAST BLUE	371.4	742.7		1554	TINTING WHITE	405.2	810.4
1554	TINTING WHITE	405.7	811.3					
4829	PORTOFINO	Ford Motor		E	4836	DK BLUE	Corvette	
1552	FAST RED	147.2	294.3		1501	LANDAU BLACK	240.5	481.1
1553	FAST BLUE	287.1	574.2		1553	FAST BLUE	351.5	703.0
1501	LANDAU BLACK	362.4	724.9		1556	FAST GREEN	384.8	769.5
1554	TINTING WHITE	405.4	810.7		1554	TINTING WHITE	404.7	809.4

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 97

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	SADDLE	Corvette	
1559	YELLOW OXIDE	269.8	539.6
1550	RED OXIDE	365.9	731.9
1554	TINTING WHITE	397.9	795.7
1501	LANDAU BLACK	414.9	829.7

	TEAL	Corvette	
1508	SILVER	213.9	427.9
1501	LANDAU BLACK	301.6	603.3
1553	FAST BLUE	388.6	777.1
1556	FAST GREEN	405.7	811.3

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	LT SADDLE	Corvette	
1559	YELLOW OXIDE	233.1	466.3
1554	TINTING WHITE	361.7	723.3
1550	RED OXIDE	397.2	794.4
1501	LANDAU BLACK	419.9	839.8

	DK SADDLE	Corvette	
1559	YELLOW OXIDE	187.1	374.1
1302	LOW LUSTER CLEAR	323.3	646.6
1550	RED OXIDE	380.9	761.7
1501	LANDAU BLACK	400.5	801.0
1554	TINTING WHITE	409.3	818.5

	BRIGHT BLUE MET	Corvette	
1553	FAST BLUE	215.1	430.2
1508	SILVER	348.7	697.3
1501	LANDAU BLACK	373.3	746.5
1556	FAST GREEN	389.3	778.6
1554	TINTING WHITE	403.9	807.9

	DK SADDLE	Corvette	
1559	YELLOW OXIDE	187.1	374.1
1302	LOW LUSTER CLEAR	323.3	646.6
1550	RED OXIDE	380.9	761.7
1501	LANDAU BLACK	400.5	801.0
1554	TINTING WHITE	409.3	818.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	DK GREEN	Corvette	
1551	FAST YELLOW	133.3	266.6
1553	FAST BLUE	266.1	532.2
1501	LANDAU BLACK	377.1	754.1
1554	TINTING WHITE	404.4	808.8

	SADDLE	Corvette	
1559	YELLOW OXIDE	291.5	582.9
1550	RED OXIDE	360.2	720.5
1501	LANDAU BLACK	388.1	776.2
1554	TINTING WHITE	414.2	828.4

	RED	Corvette	
1552	FAST RED	316.8	633.7
1551	FAST YELLOW	380.9	761.7
1554	TINTING WHITE	405.7	811.3

	BRIGHT BLUE MET	Corvette	
1553	FAST BLUE	228.6	457.1
1508	SILVER	342.7	685.3
1556	FAST GREEN	392.4	784.7
1554	TINTING WHITE	398.6	797.2
1552	FAST RED	404.9	809.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	SILVER	Corvette	
1508	SILVER	238.1	476.1
2024	SILVER BASE	362.3	724.7
1552	FAST RED	390.5	781.1
1551	FAST YELLOW	404.9	809.8
1553	FAST BLUE	417.8	835.6

	DK GREEN MET	Corvette	
1501	LANDAU BLACK	166.4	332.9
1508	SILVER	248.1	496.3
1556	FAST GREEN	327.8	655.5
1551	FAST YELLOW	405.2	810.4

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

	SILVER	Corvette	
1508	SILVER	238.1	476.1
2024	SILVER BASE	362.3	724.7
1552	FAST RED	390.5	781.1
1551	FAST YELLOW	404.9	809.8
1553	FAST BLUE	417.8	835.6
		0.0	0.0

	DK BLUE	Corvette	
1553	FAST BLUE	220.9	441.8
1501	LANDAU BLACK	364.4	728.8
1554	TINTING WHITE	404.4	808.8

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 98

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4849	OXBLOOD	Corvette		4856	DK BROWN	Corvette	
1552	FAST RED	305.2	610.5	1559	YELLOW OXIDE	219.8	439.7
1550	RED OXIDE	389.7	779.4	1501	LANDAU BLACK	319.5	639.0
1554	TINTING WHITE	401.5	802.9	1550	RED OXIDE	408.5	817.0
1553	FAST BLUE	407.0	814.0	1554	TINTING WHITE	411.7	823.5
4850	MED SADDLE	Corvette		4857	INDIGO BLUE	Corvette	
1559	YELLOW OXIDE	195.2	390.5	1553	FAST BLUE	163.8	327.6
1302	LOW LUSTER CLEAR	278.3	556.5	1552	FAST RED	303.2	606.5
1554	TINTING WHITE	354.9	709.8	1554	TINTING WHITE	355.9	711.7
1550	RED OXIDE	401.2	802.4	1501	LANDAU BLACK	405.7	811.5
1501	LANDAU BLACK	414.8	829.5				
4851	BLUE GREEN	Corvette		4858	DK GREEN	Corvette	
1556	FAST GREEN	313.6	627.2	1556	FAST GREEN	185.3	370.5
1501	LANDAU BLACK	371.0	742.0	1501	LANDAU BLACK	351.0	702.1
1508	SILVER	391.6	783.2	1508	SILVER	404.9	809.8
1554	TINTING WHITE	404.8	809.6				
4852	FIRETHORN	Corvette		4859	DOESKIN	Corvette	
1552	FAST RED	200.5	400.9	1554	TINTING WHITE	313.2	626.4
1550	RED OXIDE	397.8	795.5	1551	FAST YELLOW	370.9	741.8
1554	TINTING WHITE	405.9	811.9	1552	FAST RED	416.4	832.8
1501	LANDAU BLACK	409.5	818.9	1501	LANDAU BLACK	425.3	850.6
4853	WHITE	Corvette		4860	OYSTER	Corvette	
1554	TINTING WHITE	425.9	851.8	1554	TINTING WHITE	381.6	763.2
1559	YELLOW OXIDE	433.1	866.2	1559	YELLOW OXIDE	425.0	850.1
1550	RED OXIDE	436.0	871.9	1501	LANDAU BLACK	433.3	866.6
1556	FAST GREEN	436.7	873.4	1550	RED OXIDE	434.2	868.3
4854	DOVE GREY	Corvette		4861	DK BLUE	Corvette	
1554	TINTING WHITE	272.7	545.5	1553	FAST BLUE	203.5	407.0
1302	LOW LUSTER CLEAR	357.9	715.7	1501	LANDAU BLACK	304.3	608.6
1559	YELLOW OXIDE	399.4	798.8	1556	FAST GREEN	389.4	778.8
1501	LANDAU BLACK	421.9	843.8	1554	TINTING WHITE	402.6	805.2
1550	RED OXIDE	425.3	850.6				
4855	BUCKSKIN	Corvette		4862	SILVER	Corvette	
1559	YELLOW OXIDE	178.7	357.4	1508	SILVER	385.7	771.4
1302	LOW LUSTER CLEAR	316.2	632.3	1501	LANDAU BLACK	407.8	815.7
1554	TINTING WHITE	377.9	755.8	1551	FAST YELLOW	408.6	817.2
1550	RED OXIDE	404.6	809.2				
1501	LANDAU BLACK	412.4	824.8				

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 99

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4863	MED RED	Corvette		
1552	FAST RED	317.6	635.2	
1551	FAST YELLOW	389.0	778.1	
1554	TINTING WHITE	404.9	809.8	

4870	MED TITANIUM	Ford Motor		R
1559	YELLOW OXIDE	140.1	280.3	
1554	TINTING WHITE	261.9	523.8	
1501	LANDAU BLACK	365.4	730.7	
1550	RED OXIDE	417.9	835.8	

4864	CINNABAR	Corvette		
1550	RED OXIDE	332.0	664.1	
1559	YELLOW OXIDE	388.1	776.2	
1501	LANDAU BLACK	405.3	810.5	
1554	TINTING WHITE	414.1	828.2	

4871	LT CRYSTAL BLUE	Ford Motor		A310N
2024	SILVER BASE	156.7	313.3	
1553	FAST BLUE	275.1	550.2	
1508	SILVER	332.3	664.6	
1552	FAST RED	387.5	775.0	
1501	LANDAU BLACK	418.2	836.4	

4865	CHARCOAL	Corvette		
1501	LANDAU BLACK	210.0	420.1	
1554	TINTING WHITE	294.7	589.4	
1551	FAST YELLOW	361.1	722.2	
1552	FAST RED	410.2	820.4	

4872	GLACIER WHITE	Ford Motor		B
1554	TINTING WHITE	436.9	873.8	
1553	FAST BLUE	437.2	874.4	
1552	FAST RED	437.4	874.8	

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4866	CARMINE	Corvette		
1552	FAST RED	309.8	619.6	
1551	FAST YELLOW	393.4	786.8	
1554	TINTING WHITE	402.1	804.3	
1553	FAST BLUE	404.4	808.8	

4873	MED DRIFTWOOD	Chrysler Motors		FD
1501	LANDAU BLACK	159.4	318.8	
2024	SILVER BASE	281.2	562.4	
1508	SILVER	392.4	784.7	
1552	FAST RED	406.5	813.0	
1551	FAST YELLOW	416.5	833.0	

4867	SILVER GREEN	Corvette		
1508	SILVER	325.4	650.8	
1553	FAST BLUE	362.6	725.2	
1551	FAST YELLOW	383.0	766.1	
1554	TINTING WHITE	398.9	797.8	
1501	LANDAU BLACK	408.4	816.8	

4874	PURPLE PEARL	General Motors		91T
1552	FAST RED	152.5	305.0	
1501	LANDAU BLACK	292.3	584.6	
1508	SILVER	342.0	684.0	
1553	FAST BLUE	381.5	763.0	
2024	SILVER BASE	407.1	814.2	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4868	BLUE	Corvette		
1501	LANDAU BLACK	176.3	352.6	
1553	FAST BLUE	311.6	623.2	
1554	TINTING WHITE	374.0	748.0	
1551	FAST YELLOW	407.1	814.2	

4875	DK QUARTZ GREY	Chrysler Motors		DL
1501	LANDAU BLACK	185.3	370.5	
2024	SILVER BASE	278.9	557.8	
1508	SILVER	345.0	690.1	
1552	FAST RED	396.6	793.3	
1553	FAST BLUE	413.5	827.1	

4869	SILVER BEIGE	Corvette		
1508	SILVER	327.4	654.7	
1551	FAST YELLOW	353.0	706.0	
1554	TINTING WHITE	375.3	750.5	
1501	LANDAU BLACK	394.2	788.3	
1552	FAST RED	409.4	818.7	

4876	MED GRAY MET	Ford Motor		ADLAMP/DOOR
1508	SILVER	199.0	398.1	
1501	LANDAU BLACK	358.7	717.4	
1551	FAST YELLOW	386.7	773.3	
1552	FAST RED	406.8	813.6	

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 100

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4877	MED QUARTZ MET	Chrysler Motors	DM	4884	BRIGHT WHITE	General Motors	16T
1508	SILVER	139.7	279.5	1554	TINTING WHITE	435.8	871.5
2024	SILVER BASE	247.2	494.4	1501	LANDAU BLACK	436.4	872.9
1501	LANDAU BLACK	350.2	700.3	1559	YELLOW OXIDE	437.1	874.2
1551	FAST YELLOW	399.5	799.0	1553	FAST BLUE	437.3	874.6
1553	FAST BLUE	415.3	830.7				
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR			
4878	LT SANTA FE	Ford Motor	X	4885	MED ADRIATIC ME	General Motors	30T
1559	YELLOW OXIDE	157.4	314.8	1552	FAST RED	173.9	347.9
1554	TINTING WHITE	299.4	598.9	1553	FAST BLUE	318.9	637.8
1550	RED OXIDE	403.0	806.0	1508	SILVER	363.7	727.3
1501	LANDAU BLACK	420.9	841.9	1501	LANDAU BLACK	402.9	805.8
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4879	SPRUCE	Chrysler Motors	P8	4886	DK ADRIATIC MET	General Motors	39T
1302	LOW LUSTER CLEAR	211.3	422.6	1553	FAST BLUE	281.4	562.8
1501	LANDAU BLACK	311.7	623.4	1556	FAST GREEN	383.3	766.7
1554	TINTING WHITE	378.7	757.3	1551	FAST YELLOW	401.6	803.1
1556	FAST GREEN	408.5	817.0	2024	SILVER BASE	403.0	806.0
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4880	MED CAMEL TAN	Chrysler Motors	K5	4887	LT ADRIATIC MET	General Motors	36T
1302	LOW LUSTER CLEAR	138.0	276.1	1508	SILVER	292.8	585.6
1559	YELLOW OXIDE	274.6	549.3	1552	FAST RED	331.5	662.9
1554	TINTING WHITE	369.1	738.2	1553	FAST BLUE	368.9	737.8
1550	RED OXIDE	398.9	797.8	1501	LANDAU BLACK	396.1	792.1
1501	LANDAU BLACK	414.1	828.2	1554	TINTING WHITE	407.8	815.7
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4881	LT NEUTRAL	Chrysler Motors	F1	4888	BLUE	Corvette	
1554	TINTING WHITE	194.6	389.1	1553	FAST BLUE	234.9	469.9
1302	LOW LUSTER CLEAR	334.6	669.2	1556	FAST GREEN	315.8	631.6
1559	YELLOW OXIDE	388.0	776.0	1554	TINTING WHITE	362.2	724.5
1550	RED OXIDE	405.9	811.9	1501	LANDAU BLACK	404.3	808.6
1501	LANDAU BLACK	419.4	838.9				
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4882	DK FERN GREY ME	Chrysler Motors	F9	4889	LT DOESKIN	Corvette	
1501	LANDAU BLACK	225.1	450.1	1554	TINTING WHITE	243.9	487.7
2024	SILVER BASE	327.7	655.3	1559	YELLOW OXIDE	407.2	814.3
1508	SILVER	385.6	771.2	1550	RED OXIDE	421.7	843.4
1552	FAST RED	401.3	802.6	1501	LANDAU BLACK	426.6	853.3
1551	FAST YELLOW	414.4	828.8				
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			
4883	LT GRAY MET	General Motors	14T	4890	SADDLE	Corvette	
1508	SILVER	265.1	530.3	1559	YELLOW OXIDE	254.3	508.6
1501	LANDAU BLACK	380.5	761.0	1554	TINTING WHITE	376.8	753.5
1553	FAST BLUE	401.9	803.9	1550	RED OXIDE	409.0	818.0
1551	FAST YELLOW	407.2	814.3	1501	LANDAU BLACK	419.7	839.4
MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR				MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR			

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 101

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4891	DK BRIGHT BLUE	Corvette	
1553	FAST BLUE	321.6	643.2
1501	LANDAU BLACK	366.3	732.6
1508	SILVER	400.6	801.2

4898	NEUTRAL	Corvette	
1554	TINTING WHITE	291.0	582.0
1559	YELLOW OXIDE	416.1	832.2
1501	LANDAU BLACK	427.8	855.6
1550	RED OXIDE	429.0	858.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4892	AQUA	Corvette	
1508	SILVER	206.4	412.9
1553	FAST BLUE	319.6	639.2
1556	FAST GREEN	401.9	803.9
1552	FAST RED	404.9	809.8

4899	IVORY	Corvette	
1554	TINTING WHITE	391.8	783.6
1559	YELLOW OXIDE	433.1	866.2
1501	LANDAU BLACK	434.2	868.3
1550	RED OXIDE	434.8	869.6

4893	BLUE	Mazda	
1302	LOW LUSTER CLEAR	199.1	398.2
1501	LANDAU BLACK	297.1	594.1
1553	FAST BLUE	363.3	726.6
1554	TINTING WHITE	394.2	788.3
1552	FAST RED	405.3	810.5

4900	VANILLA	Corvette	
1554	TINTING WHITE	308.7	617.3
1559	YELLOW OXIDE	426.6	853.3
1550	RED OXIDE	430.3	860.5

4894	LT YELLOW	General Motors		50
1554	TINTING WHITE	400.5	801.0	
1551	FAST YELLOW	426.3	852.5	
1552	FAST RED	430.5	861.1	
1556	FAST GREEN	431.3	862.6	

4901	SAFFRON	Corvette	
1559	YELLOW OXIDE	220.8	441.6
1554	TINTING WHITE	420.4	840.8
1552	FAST RED	423.8	847.6
1501	LANDAU BLACK	424.2	848.4

4895	MED QUARTZ	Chrysler Motors	
1550	RED OXIDE	170.5	341.1
1508	SILVER	268.6	537.1
1559	YELLOW OXIDE	348.7	697.3
1553	FAST BLUE	410.9	821.8

4902	PARFAIT	Corvette	
1554	TINTING WHITE	266.9	533.7
1559	YELLOW OXIDE	397.3	794.6
1550	RED OXIDE	427.6	855.2
1501	LANDAU BLACK	428.1	856.1

MUST TOPCOAT WITH 1300

4896	WHITE	Corvette	
1554	TINTING WHITE	431.2	862.4
1551	FAST YELLOW	434.0	867.9
1501	LANDAU BLACK	435.6	871.2
1550	RED OXIDE	436.9	873.8

4903	SHELL	Corvette	
1554	TINTING WHITE	251.1	502.2
1559	YELLOW OXIDE	381.1	762.3
1550	RED OXIDE	426.1	852.2
1501	LANDAU BLACK	427.1	854.2

4897	GRAY MET	Chrysler Motors		MFE
1508	SILVER	354.4	708.9	
1501	LANDAU BLACK	372.8	745.6	
1552	FAST RED	390.7	781.5	
3526	ORANGE PEARL	403.0	806.0	
1551	FAST YELLOW	411.5	823.1	

4904	TAN	Corvette	
1559	YELLOW OXIDE	239.7	479.4
1554	TINTING WHITE	364.4	728.8
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	420.1	840.2

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 102

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4905	YELLOW BROWN						
1559	YELLOW OXIDE	223.8	447.6	1554	TINTING WHITE	348.4	696.7
1550	RED OXIDE	329.8	659.7	1553	FAST BLUE	419.7	839.4
1302	LOW LUSTER CLEAR	398.4	796.9	1550	RED OXIDE	429.0	858.0
1501	LANDAU BLACK	411.2	822.3	1559	YELLOW OXIDE	430.5	861.1
4906	PERSIMMON			4913	LT BLUE		
1550	RED OXIDE	150.9	301.7	1554	TINTING WHITE	330.0	660.1
1302	LOW LUSTER CLEAR	287.4	574.8	1553	FAST BLUE	403.9	807.9
1559	YELLOW OXIDE	398.3	796.7	1556	FAST GREEN	422.9	845.9
1501	LANDAU BLACK	409.3	818.5	1501	LANDAU BLACK	425.6	851.2
4907	WHITE			4914	REGATTA		
1554	TINTING WHITE	435.1	870.2	1554	TINTING WHITE	328.4	656.8
1559	YELLOW OXIDE	436.5	873.1	1553	FAST BLUE	397.2	794.4
1550	RED OXIDE	437.0	874.0	1501	LANDAU BLACK	420.9	841.9
1553	FAST BLUE	437.2	874.4	1559	YELLOW OXIDE	429.0	858.0
4908	GRAY	Lexus		4915	BOAT BLUE		
1554	TINTING WHITE	192.0	384.0	1554	TINTING WHITE	231.3	462.7
1501	LANDAU BLACK	362.6	725.2	1553	FAST BLUE	317.0	634.0
1559	YELLOW OXIDE	404.2	808.5	1559	YELLOW OXIDE	373.2	746.3
1553	FAST BLUE	419.9	839.8	1556	FAST GREEN	422.6	845.1
4909	PALE BLUE			4916	BLUE		
1554	TINTING WHITE	395.7	791.4	1554	TINTING WHITE	283.8	567.5
1553	FAST BLUE	417.4	834.9	1553	FAST BLUE	370.5	741.0
1552	FAST RED	424.9	849.9	1556	FAST GREEN	400.4	800.9
1556	FAST GREEN	430.7	861.5	1501	LANDAU BLACK	422.3	844.6
4910	LT BLUE	General Motors		4917	MED BLUE		
1554	TINTING WHITE	384.4	768.7	1554	TINTING WHITE	202.6	405.3
1559	YELLOW OXIDE	408.0	816.1	1553	FAST BLUE	395.1	790.2
1553	FAST BLUE	426.6	853.3	1501	LANDAU BLACK	405.8	811.7
1550	RED OXIDE	434.0	867.9	1556	FAST GREEN	415.4	830.9
4911	M-420 REGAL BLUE			4918	DK BLUE		
1554	TINTING WHITE	362.6	725.2	1553	FAST BLUE	181.2	362.3
1553	FAST BLUE	410.6	821.2	1556	FAST GREEN	286.4	572.9
1556	FAST GREEN	425.6	851.2	1554	TINTING WHITE	376.8	753.5
1501	LANDAU BLACK	428.2	856.3	1501	LANDAU BLACK	407.8	815.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 103

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4919	MARINE BLUE						
1553	FAST BLUE	335.5	671.1	1556	FAST GREEN	294.6	589.2
1554	TINTING WHITE	389.7	779.4	1554	TINTING WHITE	403.8	807.5
1556	FAST GREEN	401.8	803.5	1559	YELLOW OXIDE	408.1	816.2
1559	YELLOW OXIDE	407.0	814.0	1553	FAST BLUE	412.5	825.0
4920	VERY DK BLUE			4927	CHINA GREEN		
1553	FAST BLUE	193.9	387.8	1556	FAST GREEN	265.6	531.2
1552	FAST RED	344.0	688.0	1554	TINTING WHITE	381.0	762.1
1554	TINTING WHITE	397.4	794.8	1559	YELLOW OXIDE	405.5	810.9
1501	LANDAU BLACK	407.5	814.9	1501	LANDAU BLACK	413.3	826.7
4921	BRIGHT BLUE MET	Corvette	41	4928	MED GREEN		
1553	FAST BLUE	199.9	399.8	1559	YELLOW OXIDE	175.8	351.5
1508	SILVER	332.2	664.4	1556	FAST GREEN	328.8	657.6
1556	FAST GREEN	384.9	769.9	1554	TINTING WHITE	403.3	806.6
1501	LANDAU BLACK	403.2	806.4	1501	LANDAU BLACK	413.6	827.3
4922	VERY LT GREEN	General Motors		4929	MED DK GREEN		
1554	TINTING WHITE	406.0	812.1	1556	FAST GREEN	249.6	499.1
1559	YELLOW OXIDE	425.9	851.8	1551	FAST YELLOW	336.1	672.2
1553	FAST BLUE	431.1	862.2	1554	TINTING WHITE	409.5	819.1
1556	FAST GREEN	435.5	871.0				
4923	LT GREEN			4930	BOAT GREEN		
1554	TINTING WHITE	280.3	560.7	1556	FAST GREEN	159.5	319.0
1556	FAST GREEN	361.3	722.6	1554	TINTING WHITE	276.8	553.7
1559	YELLOW OXIDE	410.7	821.4	1553	FAST BLUE	367.4	734.7
1501	LANDAU BLACK	426.5	852.9	1559	YELLOW OXIDE	413.6	827.3
4924	AQUA	Ford Motor	PF	4931	MINT GREEN		
1554	TINTING WHITE	222.0	444.0	1556	FAST GREEN	282.5	565.1
1556	FAST GREEN	376.4	752.8	1551	FAST YELLOW	352.8	705.7
1553	FAST BLUE	419.7	839.4	1554	TINTING WHITE	407.3	814.5
1559	YELLOW OXIDE	420.8	841.5				
4925	TURQUOISE			4932	OPAL		
1554	TINTING WHITE	235.4	470.8	1556	FAST GREEN	365.1	730.2
1556	FAST GREEN	367.3	734.5	1554	TINTING WHITE	400.0	800.1
1553	FAST BLUE	403.2	806.4	1501	LANDAU BLACK	406.6	813.2
1501	LANDAU BLACK	419.4	838.9				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 104

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4933	BLUE GREEN						
1559	YELLOW OXIDE	164.7	329.5	1501	LANDAU BLACK	248.0	496.1
1553	FAST BLUE	294.1	588.2	1559	YELLOW OXIDE	366.4	732.8
1556	FAST GREEN	394.4	788.9	1554	TINTING WHITE	388.9	777.9
1554	TINTING WHITE	408.2	816.4	1550	RED OXIDE	409.5	819.1
4934	GUNMETAL	Corvette		4940	MIST GRAY	Chrysler Motors	C3
1300	HIGH GLOSS CLEAR	202.1	404.1	1302	LOW LUSTER CLEAR	138.5	277.0
1501	LANDAU BLACK	310.8	621.7	1554	TINTING WHITE	275.9	551.8
1508	SILVER	389.0	778.1	1501	LANDAU BLACK	356.0	711.9
1556	FAST GREEN	404.1	808.3	1550	RED OXIDE	395.3	790.6
				1559	YELLOW OXIDE	415.2	830.5
4935	ANNIVERSARY WHI	Corvette		4941	MED ROSEWOOD	Chrysler Motors	EC
1554	TINTING WHITE	436.3	872.7	1302	LOW LUSTER CLEAR	137.6	275.1
1553	FAST BLUE	436.8	873.6	1559	YELLOW OXIDE	243.5	487.0
1551	FAST YELLOW	437.1	874.2	1554	TINTING WHITE	319.7	639.4
1501	LANDAU BLACK	437.3	874.6	1550	RED OXIDE	378.7	757.3
				1501	LANDAU BLACK	412.7	825.4
4936	MAHOGANY SAFFR	Corvette		4942	SHALE	General Motors	WA149B
1550	RED OXIDE	256.7	513.4	1554	TINTING WHITE	249.9	499.9
1552	FAST RED	375.3	750.5	1559	YELLOW OXIDE	332.0	663.9
1501	LANDAU BLACK	398.4	796.9	1302	LOW LUSTER CLEAR	413.9	827.7
1554	TINTING WHITE	411.3	822.5	1501	LANDAU BLACK	432.5	865.0
				1550	RED OXIDE	446.0	892.0
4937	DK RED CARMINE	Corvette		4943	CAPPUCCINO CREA	General Motors	TC16
1552	FAST RED	345.5	691.0	1554	TINTING WHITE	210.4	420.9
1550	RED OXIDE	396.6	793.3	1302	LOW LUSTER CLEAR	350.6	701.1
1553	FAST BLUE	401.3	802.6	1559	YELLOW OXIDE	409.6	819.3
1554	TINTING WHITE	405.6	811.1	1550	RED OXIDE	418.6	837.1
				1553	FAST BLUE	420.6	841.1
4938	MED SILVERFERN	Chrysler Motors	JK	4944	MOSS GREEN	Chrysler Motors	J4
1302	LOW LUSTER CLEAR	138.1	276.3	1302	LOW LUSTER CLEAR	135.7	271.3
1554	TINTING WHITE	258.9	517.8	1559	YELLOW OXIDE	270.8	541.5
1559	YELLOW OXIDE	358.8	717.6	1501	LANDAU BLACK	337.3	674.7
1501	LANDAU BLACK	413.8	827.6	1556	FAST GREEN	395.7	791.4
1550	RED OXIDE	414.7	829.4	1554	TINTING WHITE	407.3	814.5
4939	EBONY	General Motors	WA167A	4945	STEEL BLUE	Corvette	
1501	LANDAU BLACK	248.0	496.1	1501	LANDAU BLACK	207.4	414.8
1559	YELLOW OXIDE	366.4	732.8	1554	TINTING WHITE	379.8	759.6
1554	TINTING WHITE	388.9	777.9	1551	FAST YELLOW	399.5	799.0
1550	RED OXIDE	409.5	819.1	1550	RED OXIDE	418.1	836.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 105

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4946	TOBACCO	Corvette	
1559	YELLOW OXIDE	136.9	273.8
1550	RED OXIDE	268.7	537.3
1501	LANDAU BLACK	392.9	785.8
1554	TINTING WHITE	412.1	824.2

4953	MED MARBLEHEA	General Motors	3T
1508	SILVER	263.2	526.3
1501	LANDAU BLACK	365.8	731.7
1552	FAST RED	396.6	793.3
1551	FAST YELLOW	407.5	814.9

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4947	FAWN BEIGE	Corvette	
1508	SILVER	243.3	486.6
1554	TINTING WHITE	291.9	583.9
1551	FAST YELLOW	340.1	680.2
1552	FAST RED	379.1	758.1
1501	LANDAU BLACK	410.7	821.4

4954	DK CALYSCO GREE	General Motors	92T
1556	FAST GREEN	224.7	449.4
1553	FAST BLUE	334.1	668.2
1501	LANDAU BLACK	376.1	752.2
1508	SILVER	403.9	807.9

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4948	DK NAVY BLUE	General Motors	30 & 26
1553	FAST BLUE	219.7	439.5
1501	LANDAU BLACK	353.1	706.2
1554	TINTING WHITE	389.7	779.4
1552	FAST RED	406.3	812.6

4955	CREAM	Ferrari	VM-3997
1554	TINTING WHITE	266.5	533.0
1302	LOW LUSTER CLEAR	407.6	815.3
1551	FAST YELLOW	418.7	837.3
1552	FAST RED	422.8	845.7
1556	FAST GREEN	423.4	846.8

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4949	MED GRAY	General Motors	13
1554	TINTING WHITE	143.2	286.3
1302	LOW LUSTER CLEAR	280.1	560.1
1559	YELLOW OXIDE	343.6	687.2
1501	LANDAU BLACK	391.5	783.0
1550	RED OXIDE	416.1	832.2

4956	BEIGE	Ferrari	VM-4208
1554	TINTING WHITE	150.1	300.2
1302	LOW LUSTER CLEAR	288.5	577.0
1551	FAST YELLOW	373.9	747.8
1550	RED OXIDE	415.0	829.9
1501	LANDAU BLACK	415.5	831.1

4950	MED NEUTRAL	General Motors	52
1554	TINTING WHITE	167.6	335.2
1559	YELLOW OXIDE	325.8	651.5
1550	RED OXIDE	380.5	761.0
1501	LANDAU BLACK	421.7	843.4

4957	GRIEGO	Ferrari	VM-3393
1302	LOW LUSTER CLEAR	138.8	277.6
1554	TINTING WHITE	276.5	552.9
1559	YELLOW OXIDE	377.5	755.1
1501	LANDAU BLACK	406.3	812.6
1550	RED OXIDE	416.1	832.2

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4951	MED LT MUSHROO	General Motors	55
1554	TINTING WHITE	220.0	440.0
1559	YELLOW OXIDE	333.8	667.7
1550	RED OXIDE	392.1	784.1
1501	LANDAU BLACK	424.7	849.5

4958	ROSSO	Ferrari	VM-3171
1552	FAST RED	194.8	389.5
1302	LOW LUSTER CLEAR	329.7	659.3
1551	FAST YELLOW	365.4	730.7
1550	RED OXIDE	391.0	782.0
1554	TINTING WHITE	404.8	809.6

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4952	MED DK MUSHROO	General Motors	55
1554	TINTING WHITE	133.1	266.2
1559	YELLOW OXIDE	262.0	524.0
1550	RED OXIDE	352.2	704.3
1501	LANDAU BLACK	419.3	838.7

4959	BLUE	Ferrari	VM-3282
1501	LANDAU BLACK	201.4	402.8
1302	LOW LUSTER CLEAR	337.2	674.3
1554	TINTING WHITE	390.1	780.1
1553	FAST BLUE	403.8	807.7
1552	FAST RED	407.6	815.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 106

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	NERO	Ferrari	VM-8500
1501	LANDAU BLACK	269.2	538.5
1302	LOW LUSTER CLEAR	403.8	807.7

	LT GRAPHITE	Ford Motor	B
1554	TINTING WHITE	324.2	648.5
1559	YELLOW OXIDE	373.7	747.5
1501	LANDAU BLACK	407.7	815.5
1550	RED OXIDE	430.5	861.1

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

	TAUPE	Lexus	
1302	LOW LUSTER CLEAR	137.8	275.7
1501	LANDAU BLACK	227.8	455.6
1550	RED OXIDE	291.5	582.9
1554	TINTING WHITE	352.1	704.1
1559	YELLOW OXIDE	410.8	821.6

	BLUE	Lexus	85L/80L
1302	LOW LUSTER CLEAR	134.0	268.1
1552	FAST RED	242.0	483.9
1554	TINTING WHITE	310.4	620.7
1553	FAST BLUE	370.8	741.6
1551	FAST YELLOW	408.1	816.2

	DK PORTOFINO	Ford Motor	
1553	FAST BLUE	312.7	625.5
1556	FAST GREEN	402.0	804.1
1508	SILVER	402.8	805.6

	GRAY	Lexus	15L/10L
1302	LOW LUSTER CLEAR	137.7	275.3
1554	TINTING WHITE	235.3	470.6
1501	LANDAU BLACK	309.5	619.0
1559	YELLOW OXIDE	378.9	757.7
1550	RED OXIDE	413.1	826.1

	MED GRAPHITE BU	Ford Motor	T
1552	FAST RED	131.5	263.0
1501	LANDAU BLACK	230.0	460.0
2024	SILVER BASE	301.1	602.1
1508	SILVER	367.7	735.5
1553	FAST BLUE	411.2	822.3

	BURGUNDY	Lexus	35L/
1552	FAST RED	293.2	586.3
1551	FAST YELLOW	344.1	688.2
1554	TINTING WHITE	378.4	756.8
1501	LANDAU BLACK	406.6	813.2

	MED GRAY MET	Ford Motor	C
2024	SILVER BASE	173.9	347.7
1301	SATIN GLOSS CLEAR	272.0	544.0
1508	SILVER	369.2	738.3
1501	LANDAU BLACK	415.8	831.6
1553	FAST BLUE	420.6	841.1

	MAUVE	Lexus	45L/
1302	LOW LUSTER CLEAR	136.0	272.1
1559	YELLOW OXIDE	229.1	458.3
1550	RED OXIDE	302.1	604.2
1554	TINTING WHITE	362.0	723.9
1501	LANDAU BLACK	411.6	823.3

	DK TITANIUM BUM	Ford Motor	T
1501	LANDAU BLACK	158.6	317.1
1508	SILVER	294.7	589.4
2024	SILVER BASE	407.2	814.3
1551	FAST YELLOW	416.0	832.0

	WILLOW	Ford Motor	D
1302	LOW LUSTER CLEAR	137.0	274.0
1559	YELLOW OXIDE	234.7	469.3
1554	TINTING WHITE	308.3	616.6
1501	LANDAU BLACK	378.0	756.0
1553	FAST BLUE	411.0	821.9

	IVORY	Ford Motor	A
1554	TINTING WHITE	380.0	760.0
1559	YELLOW OXIDE	426.8	853.7
1550	RED OXIDE	431.6	863.2
1501	LANDAU BLACK	434.2	868.3

	NIGHTMIST	Ford Motor	
1550	RED OXIDE	138.8	277.6
1302	LOW LUSTER CLEAR	276.0	552.0
1554	TINTING WHITE	341.2	682.5
1501	LANDAU BLACK	390.1	780.1
1553	FAST BLUE	411.4	822.9

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 107

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	PUMICE	Ford Motor			CYPRESS	Ford Motor		
4974					4981			A
1554	TINTING WHITE	175.9	351.9		1554	TINTING WHITE	198.3	396.5
1559	YELLOW OXIDE	306.3	612.6		1302	LOW LUSTER CLEAR	339.1	678.1
1550	RED OXIDE	366.5	733.0		1559	YELLOW OXIDE	395.7	791.4
1501	LANDAU BLACK	422.0	844.0		1501	LANDAU BLACK	409.9	819.9
					1550	RED OXIDE	419.8	839.6

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	MED CAMEL TAN	Chrysler Motors			OPEL GRAY	General Motors		
4975				K5	4982			WA104D
1554	TINTING WHITE	171.7	343.3		1554	TINTING WHITE	215.6	431.1
1302	LOW LUSTER CLEAR	311.1	622.3		1302	LOW LUSTER CLEAR	356.5	713.1
1559	YELLOW OXIDE	396.4	792.9		1559	YELLOW OXIDE	397.8	795.5
1550	RED OXIDE	409.4	818.7		1501	LANDAU BLACK	411.9	823.8
1501	LANDAU BLACK	418.4	836.8		1550	RED OXIDE	420.7	841.3

	SADDLE TAN	Chrysler Motors			VERY DK TEAL	General Motors		
4976				T6	4983			37
1559	YELLOW OXIDE	180.7	361.4		1302	LOW LUSTER CLEAR	135.9	271.7
1302	LOW LUSTER CLEAR	318.0	635.9		1501	LANDAU BLACK	266.1	532.2
1554	TINTING WHITE	371.0	742.0		1559	YELLOW OXIDE	330.2	660.4
1550	RED OXIDE	404.2	808.5		1553	FAST BLUE	370.3	740.6
1501	LANDAU BLACK	411.9	823.8		1554	TINTING WHITE	407.6	815.1

	STONE WHITE	Chrysler Motors			MED CRYSTAL GRE	General Motors		
4977				W1	4984			42
1554	TINTING WHITE	274.9	549.9		1554	TINTING WHITE	138.3	276.6
1302	LOW LUSTER CLEAR	416.5	833.0		1302	LOW LUSTER CLEAR	276.6	553.3
1559	YELLOW OXIDE	422.7	845.3		1559	YELLOW OXIDE	369.4	738.7
1501	LANDAU BLACK	424.1	848.2		1501	LANDAU BLACK	409.5	818.9
					1556	FAST GREEN	415.7	831.4

	CAMEL TAN	Chrysler Motors			MED DK CRYSTAL	General Motors		
4978				KC	4985			42
1559	YELLOW OXIDE	154.7	309.3		1302	LOW LUSTER CLEAR	137.2	274.4
1302	LOW LUSTER CLEAR	292.6	585.2		1559	YELLOW OXIDE	252.7	505.4
1554	TINTING WHITE	385.2	770.5		1501	LANDAU BLACK	330.4	660.8
1550	RED OXIDE	402.8	805.6		1554	TINTING WHITE	407.3	814.5
1501	LANDAU BLACK	414.0	828.0		1556	FAST GREEN	411.7	823.5

	CORDOVAN	Ford Motor			VERY DK NEUTRAL	General Motors		
4979				E	4986			52
1552	FAST RED	161.9	323.8		1302	LOW LUSTER CLEAR	136.7	273.4
1302	LOW LUSTER CLEAR	297.0	593.9		1559	YELLOW OXIDE	241.6	483.2
1550	RED OXIDE	370.2	740.4		1501	LANDAU BLACK	318.5	637.1
1501	LANDAU BLACK	399.0	798.0		1554	TINTING WHITE	365.9	731.9
1554	TINTING WHITE	405.6	811.1		1550	RED OXIDE	410.3	820.6

	MED GRAPHITE	Ford Motor			DK SMOKE GRAY	General Motors		
4980				C	4987			55
1554	TINTING WHITE	141.6	283.3		1302	LOW LUSTER CLEAR	135.7	271.3
1302	LOW LUSTER CLEAR	280.3	560.7		1501	LANDAU BLACK	258.1	516.2
1559	YELLOW OXIDE	343.1	686.3		1559	YELLOW OXIDE	332.5	665.0
1501	LANDAU BLACK	391.6	783.2		1550	RED OXIDE	373.9	747.8
1550	RED OXIDE	416.0	832.0		1554	TINTING WHITE	408.8	817.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 108

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
4988	VERY DK RUBY RE	General Motors		79	4995	PACIFIC BLUE	
1552	FAST RED	237.1	474.2	1553	FAST BLUE	188.3	376.6
1302	LOW LUSTER CLEAR	371.6	743.3	1552	FAST RED	323.0	646.0
1501	LANDAU BLACK	399.1	798.2	1554	TINTING WHITE	398.2	796.5
1554	TINTING WHITE	403.6	807.1	1556	FAST GREEN	408.9	817.8
4989	DK GRAY	General Motors		4996	BLUEBIRD BROWN		
1302	LOW LUSTER CLEAR	137.1	274.2	1559	YELLOW OXIDE	249.5	498.9
1501	LANDAU BLACK	231.7	463.4	1550	RED OXIDE	341.0	681.9
1554	TINTING WHITE	307.1	614.3	1501	LANDAU BLACK	394.4	788.9
1559	YELLOW OXIDE	377.1	754.1	1554	TINTING WHITE	413.4	826.9
1550	RED OXIDE	411.6	823.3				
4990	DK CRYSTAL GREE	General Motors		4997	GRAPHITE PEARL	General Motors	12P
1302	LOW LUSTER CLEAR	136.7	273.4	1300	HIGH GLOSS CLEAR	191.2	382.5
1559	YELLOW OXIDE	270.1	540.2	1501	LANDAU BLACK	316.6	633.3
1501	LANDAU BLACK	350.7	701.5	1552	FAST RED	367.7	735.3
1554	TINTING WHITE	398.3	796.7	1551	FAST YELLOW	395.3	790.6
1553	FAST BLUE	409.8	819.7	3520	PLATINUM PEARL	406.3	812.6
4991	SAILCLOTH WHITE			4998	DENIM	Ford Motor	KYD
1554	TINTING WHITE	436.7	873.4	1550	RED OXIDE	113.3	226.7
1501	LANDAU BLACK	437.1	874.2	1554	TINTING WHITE	214.6	429.2
1551	FAST YELLOW	437.4	874.8	1553	FAST BLUE	300.9	601.7
				1302	LOW LUSTER CLEAR	377.6	755.3
				1559	YELLOW OXIDE	414.5	829.0
4992	SPINNAKER BLUE			4999	LT PRAIRIE TAN	Ford Motor	AYB
1554	TINTING WHITE	361.6	723.1	1554	TINTING WHITE	149.9	299.8
1553	FAST BLUE	406.0	812.1	1559	YELLOW OXIDE	292.2	584.4
1556	FAST GREEN	421.5	843.0	1302	LOW LUSTER CLEAR	376.1	752.2
1501	LANDAU BLACK	431.4	862.8	1550	RED OXIDE	408.5	817.0
				1501	LANDAU BLACK	419.0	837.9
4993	PORTSMOUTH GRA			5000	PRAIRIE TAN	Ford Motor	AYC
1554	TINTING WHITE	405.4	810.7	1559	YELLOW OXIDE	143.0	286.0
1550	RED OXIDE	416.7	833.3	1554	TINTING WHITE	263.7	527.4
1501	LANDAU BLACK	426.3	852.5	1302	LOW LUSTER CLEAR	347.1	694.3
1559	YELLOW OXIDE	435.4	870.8	1550	RED OXIDE	391.7	783.4
				1501	LANDAU BLACK	417.0	833.9
4994	AQUA			5001	DK PRAIRIE TAN	Ford Motor	AY5
1554	TINTING WHITE	332.8	665.6	1559	YELLOW OXIDE	138.2	276.5
1556	FAST GREEN	380.9	761.7	1302	LOW LUSTER CLEAR	274.8	549.7
1553	FAST BLUE	425.4	850.8	1550	RED OXIDE	325.7	651.3
1551	FAST YELLOW	429.3	858.6	1501	LANDAU BLACK	376.2	752.4
				1554	TINTING WHITE	410.1	820.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 109

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5002	WHEAT/DATE	Mercedes Benz		5009	MED DK GRAPHITE	Ford Motor	ZU4
1559	YELLOW OXIDE	288.7	577.4	1302	LOW LUSTER CLEAR	139.3	278.5
1554	TINTING WHITE	356.6	713.3	1554	TINTING WHITE	245.7	491.3
1550	RED OXIDE	405.5	810.9	1501	LANDAU BLACK	320.6	641.3
1501	LANDAU BLACK	416.9	833.7	1559	YELLOW OXIDE	381.2	762.5
				1550	RED OXIDE	413.5	827.1
5003	VERY DK BISCUIT	Saturn		5010	MIDNIGHT SADDLE	Ford Motor	DE5
1559	YELLOW OXIDE	194.7	389.3	1501	LANDAU BLACK	131.9	263.7
1554	TINTING WHITE	274.0	548.0	1559	YELLOW OXIDE	244.2	488.3
1501	LANDAU BLACK	353.3	706.6	1302	LOW LUSTER CLEAR	326.2	652.5
1550	RED OXIDE	416.1	832.2	1550	RED OXIDE	370.7	741.4
				1554	TINTING WHITE	410.5	821.0
5004	DK BISCUIT II	Saturn		5011	DK WILLOW	Ford Motor	SGE
1559	YELLOW OXIDE	202.4	404.9	1553	FAST BLUE	194.5	388.9
1554	TINTING WHITE	281.0	562.0	1559	YELLOW OXIDE	364.5	729.0
1550	RED OXIDE	353.8	707.6	1501	LANDAU BLACK	407.1	814.2
1501	LANDAU BLACK	416.4	832.8				
5005	DK ANTELOPE	Saturn		5012	DK CYPRESS	Ford Motor	BG5
1559	YELLOW OXIDE	185.3	370.5	1302	LOW LUSTER CLEAR	204.1	408.1
1550	RED OXIDE	284.4	568.9	1559	YELLOW OXIDE	292.4	584.8
1554	TINTING WHITE	358.1	716.1	1501	LANDAU BLACK	344.5	688.9
1501	LANDAU BLACK	416.3	832.6	1554	TINTING WHITE	379.5	759.1
				1550	RED OXIDE	408.1	816.2
5006	MED ANTELOPE	Saturn		5013	DK GRAPHITE	Ford Motor	ZU5
1554	TINTING WHITE	192.9	385.7	1501	LANDAU BLACK	164.4	328.7
1559	YELLOW OXIDE	332.9	665.8	1559	YELLOW OXIDE	265.0	529.9
1550	RED OXIDE	395.6	791.2	1554	TINTING WHITE	357.0	714.0
1501	LANDAU BLACK	423.5	847.0	1550	RED OXIDE	415.2	830.5
5007	GRAY MET	Chrysler Motors		5014	MED IVORY	Ford Motor	AUB
1508	SILVER	232.2	464.4	1554	TINTING WHITE	223.5	447.1
1501	LANDAU BLACK	373.5	747.1	1559	YELLOW OXIDE	371.9	743.9
1552	FAST RED	404.3	808.6	1550	RED OXIDE	404.2	808.5
1553	FAST BLUE	407.1	814.2	1501	LANDAU BLACK	425.2	850.4
5008	LT QUARTZ	Chrysler Motors		5015	CHEROKEE GRAY	Chrysler Motors	
1554	TINTING WHITE	327.5	654.9	1501	LANDAU BLACK	138.7	277.4
1559	YELLOW OXIDE	376.5	753.0	1559	YELLOW OXIDE	222.6	445.2
1501	LANDAU BLACK	405.7	811.5	1302	LOW LUSTER CLEAR	305.5	611.0
1550	RED OXIDE	430.7	861.5	1554	TINTING WHITE	365.5	730.9
				1550	RED OXIDE	411.4	822.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 110

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5016	DARK DENIM	Ford Motor	KY5	5023	MED TRUFFLE	Ford Motor	
1302	LOW LUSTER CLEAR	204.3	408.7	1302	LOW LUSTER CLEAR	138.5	277.0
1501	LANDAU BLACK	285.0	570.0	1554	TINTING WHITE	274.6	549.1
1554	TINTING WHITE	352.5	704.9	1559	YELLOW OXIDE	356.8	713.6
1550	RED OXIDE	383.7	767.4	1501	LANDAU BLACK	397.7	795.3
1553	FAST BLUE	408.7	817.4	1550	RED OXIDE	415.9	831.8
5017	VERY DK CAMEL T	Chrysler Motors	JK3	5024	LT WARM GRAY	Saturn	11
1302	LOW LUSTER CLEAR	136.0	272.1	1554	TINTING WHITE	268.5	536.9
1501	LANDAU BLACK	251.6	503.1	1559	YELLOW OXIDE	337.9	675.8
1559	YELLOW OXIDE	341.0	681.9	1302	LOW LUSTER CLEAR	377.4	754.9
1550	RED OXIDE	388.8	777.7	1501	LANDAU BLACK	404.7	809.4
1554	TINTING WHITE	408.0	816.1	1550	RED OXIDE	426.5	852.9
5018	BEIGE	General Motors	171B	5025	MED WARM GRAY	Saturn	11
1554	TINTING WHITE	162.5	324.9	1554	TINTING WHITE	203.1	406.2
1559	YELLOW OXIDE	322.7	645.4	1559	YELLOW OXIDE	304.9	609.7
1550	RED OXIDE	381.4	762.9	1501	LANDAU BLACK	346.7	693.3
1501	LANDAU BLACK	421.5	843.0	1302	LOW LUSTER CLEAR	385.0	770.1
				1550	RED OXIDE	422.7	845.3
5019	GRAY	General Motors		5026	DK WARM GRAY	Saturn	11
1302	LOW LUSTER CLEAR	136.3	272.7	1559	YELLOW OXIDE	135.0	270.0
1501	LANDAU BLACK	257.4	514.7	1554	TINTING WHITE	230.7	461.3
1559	YELLOW OXIDE	330.2	660.4	1501	LANDAU BLACK	324.4	648.9
1554	TINTING WHITE	371.3	742.5	1550	RED OXIDE	378.1	756.2
1550	RED OXIDE	409.1	818.1	1302	LOW LUSTER CLEAR	415.6	831.3
5020	MED CAMEL TAN	Chrysler Motors	K5	5027	MED BISCUIT II	Saturn	61
1302	LOW LUSTER CLEAR	137.8	275.5	1554	TINTING WHITE	191.8	383.6
1559	YELLOW OXIDE	267.2	534.5	1559	YELLOW OXIDE	324.7	649.4
1554	TINTING WHITE	363.7	727.3	1302	LOW LUSTER CLEAR	362.7	725.4
1550	RED OXIDE	396.2	792.3	1550	RED OXIDE	399.6	799.1
1501	LANDAU BLACK	414.1	828.2	1501	LANDAU BLACK	422.4	844.7
5021	ALCHEMY NAPLES	Ford Motor		5028	ATLANTIS BLUE	Ford Motor	KZE
1302	LOW LUSTER CLEAR	135.3	270.6	1302	LOW LUSTER CLEAR	112.0	224.0
1501	LANDAU BLACK	236.9	473.9	1553	FAST BLUE	224.0	448.0
1553	FAST BLUE	327.0	654.0	1501	LANDAU BLACK	303.1	606.1
1550	RED OXIDE	390.0	780.0	1550	RED OXIDE	364.5	729.0
1554	TINTING WHITE	405.8	811.7	1554	TINTING WHITE	407.7	815.5
5022	GRAY MET	General Motors		5029	PUMICE	Ford Motor	DCC
1501	LANDAU BLACK	331.6	663.3	1554	TINTING WHITE	116.9	233.7
1552	FAST RED	379.1	758.1	1302	LOW LUSTER CLEAR	224.8	449.5
1508	SILVER	401.2	802.4	1559	YELLOW OXIDE	330.9	661.8
3522	GOLD PEARL	406.7	813.4	1550	RED OXIDE	377.7	755.4
				1501	LANDAU BLACK	415.8	831.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 111

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5030	MED DK PUMICE	Ford Motor	BA3	5037	MED PEWTER	General Motors	92
1302	LOW LUSTER CLEAR	156.4	312.7	1554	TINTING WHITE	185.7	371.5
1559	YELLOW OXIDE	263.2	526.5	1559	YELLOW OXIDE	289.2	578.4
1554	TINTING WHITE	323.2	646.4	1302	LOW LUSTER CLEAR	343.8	687.6
1550	RED OXIDE	368.0	736.1	1501	LANDAU BLACK	390.5	780.9
1501	LANDAU BLACK	411.1	822.1	1550	RED OXIDE	421.0	842.1
5031	MEDICI	General Motors	77	5038	DK TRUFFLE	Ford Motor	
1552	FAST RED	226.8	453.5	1559	YELLOW OXIDE	156.6	313.1
1302	LOW LUSTER CLEAR	381.5	763.0	1554	TINTING WHITE	271.1	542.3
1553	FAST BLUE	390.2	780.3	1501	LANDAU BLACK	379.3	758.7
1559	YELLOW OXIDE	397.4	794.8	1550	RED OXIDE	417.5	835.1
1554	TINTING WHITE	403.5	806.9				
5032	CRYSTAL GREEN	General Motors	42	5039	CORK PRINT	Porsche	
1554	TINTING WHITE	145.6	291.3	1559	YELLOW OXIDE	259.7	519.5
1302	LOW LUSTER CLEAR	269.6	539.2	1302	LOW LUSTER CLEAR	366.3	732.6
1559	YELLOW OXIDE	368.8	737.6	1550	RED OXIDE	408.7	817.4
1501	LANDAU BLACK	411.0	821.9	1501	LANDAU BLACK	410.0	820.0
1556	FAST GREEN	416.6	833.2				
5033	MED DK PEWTER	General Motors	92	5040	BUCKSKIN	BMW	
1554	TINTING WHITE	141.3	282.5	1559	YELLOW OXIDE	202.4	404.9
1559	YELLOW OXIDE	242.6	485.3	1302	LOW LUSTER CLEAR	291.3	582.5
1302	LOW LUSTER CLEAR	328.8	657.6	1554	TINTING WHITE	377.8	755.6
1501	LANDAU BLACK	386.4	772.7	1550	RED OXIDE	408.5	817.0
1550	RED OXIDE	417.4	834.9	1501	LANDAU BLACK	415.2	830.5
5034	DK TOREADOR RE	General Motors		5041	PEARL BEIGE	BMW	
1550	RED OXIDE	132.7	265.4	1554	TINTING WHITE	192.4	384.8
1552	FAST RED	246.2	492.5	1302	LOW LUSTER CLEAR	291.8	583.7
1302	LOW LUSTER CLEAR	344.6	689.1	1559	YELLOW OXIDE	388.0	776.0
1501	LANDAU BLACK	392.5	785.1	1501	LANDAU BLACK	405.6	811.1
1554	TINTING WHITE	408.0	816.1	1550	RED OXIDE	420.5	840.9
5035	FIRETHORN	General Motors		5042	BEIGE	Porsche	
1552	FAST RED	192.1	384.2	1302	LOW LUSTER CLEAR	132.7	265.4
1302	LOW LUSTER CLEAR	324.1	648.3	1559	YELLOW OXIDE	257.5	514.9
1551	FAST YELLOW	382.7	765.3	1554	TINTING WHITE	350.4	700.7
1554	TINTING WHITE	399.1	798.2	1550	RED OXIDE	393.1	786.2
1501	LANDAU BLACK	404.4	808.8	1501	LANDAU BLACK	414.1	828.2
5036	MED DK FIRETHOR	General Motors		5043	CARDINAL	BMW	
1552	FAST RED	225.1	450.1	1552	FAST RED	262.6	525.2
1559	YELLOW OXIDE	323.4	646.8	1302	LOW LUSTER CLEAR	354.7	709.5
1302	LOW LUSTER CLEAR	394.1	788.1	1550	RED OXIDE	394.8	789.6
1553	FAST BLUE	405.0	810.0	1554	TINTING WHITE	402.2	804.5
1554	TINTING WHITE	405.7	811.3	1553	FAST BLUE	405.0	810.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 112

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5044	LT CREME	Jaguar		5051	STEIN	Mercedes Benz	
1554	TINTING WHITE	251.5	502.9	1559	YELLOW OXIDE	144.3	288.6
1551	FAST YELLOW	326.5	653.0	1302	LOW LUSTER CLEAR	249.5	498.9
1302	LOW LUSTER CLEAR	393.2	786.4	1554	TINTING WHITE	349.2	698.4
1552	FAST RED	420.3	840.6	1550	RED OXIDE	386.2	772.4
1501	LANDAU BLACK	422.8	845.5	1501	LANDAU BLACK	415.1	830.1
5045	SADDLE	Jaguar		5052	PARCHMENT	Mercedes Benz	
1559	YELLOW OXIDE	199.0	398.1	1554	TINTING WHITE	262.8	525.5
1554	TINTING WHITE	291.9	583.9	1302	LOW LUSTER CLEAR	344.5	688.9
1302	LOW LUSTER CLEAR	368.5	737.0	1559	YELLOW OXIDE	413.1	826.1
1550	RED OXIDE	405.3	810.5	1501	LANDAU BLACK	420.6	841.1
1551	FAST YELLOW	416.0	832.0	1550	RED OXIDE	425.1	850.3
5046	GREY	Mercedes Benz		5053	BAMBOO	Mercedes Benz	
1554	TINTING WHITE	176.3	352.6	1559	YELLOW OXIDE	260.3	520.6
1302	LOW LUSTER CLEAR	284.6	569.2	1302	LOW LUSTER CLEAR	348.0	696.0
1559	YELLOW OXIDE	344.4	688.8	1550	RED OXIDE	397.1	794.2
1501	LANDAU BLACK	403.2	806.4	1554	TINTING WHITE	407.1	814.2
1550	RED OXIDE	418.7	837.3	1501	LANDAU BLACK	411.2	822.3
5047	CHAMPAGNE PRIN	Mercedes Benz		5054	GREEN	Honda	G
1554	TINTING WHITE	188.8	377.5	1554	TINTING WHITE	149.3	298.7
1559	YELLOW OXIDE	301.3	602.7	1302	LOW LUSTER CLEAR	253.8	507.7
1302	LOW LUSTER CLEAR	384.2	768.4	1501	LANDAU BLACK	333.0	666.0
1550	RED OXIDE	407.4	814.7	1559	YELLOW OXIDE	412.1	824.2
1501	LANDAU BLACK	420.9	841.9	1553	FAST BLUE	416.6	833.2
5048	CREME BEIGE PRI	Mercedes Benz		5055	BROWN	Honda	H
1554	TINTING WHITE	169.2	338.4	1302	LOW LUSTER CLEAR	103.8	207.7
1559	YELLOW OXIDE	314.9	629.9	1559	YELLOW OXIDE	204.7	409.5
1302	LOW LUSTER CLEAR	393.3	786.6	1554	TINTING WHITE	296.7	593.4
1550	RED OXIDE	408.3	816.6	1501	LANDAU BLACK	355.7	711.4
1501	LANDAU BLACK	420.1	840.2	1550	RED OXIDE	414.1	828.2
5049	SAFFRIN PRINT	Mercedes Benz		5056	BROWN	Honda	G
1559	YELLOW OXIDE	238.7	477.5	1559	YELLOW OXIDE	165.7	331.4
1302	LOW LUSTER CLEAR	337.1	674.1	1302	LOW LUSTER CLEAR	284.1	568.1
1550	RED OXIDE	391.8	783.6	1550	RED OXIDE	331.4	662.7
1554	TINTING WHITE	403.0	806.0	1501	LANDAU BLACK	374.3	748.6
1501	LANDAU BLACK	410.9	821.8	1554	TINTING WHITE	411.0	821.9
5050	MED GREY	Mercedes Benz		5057	GREY	Honda	
1501	LANDAU BLACK	120.2	240.4	1559	YELLOW OXIDE	114.0	228.0
1302	LOW LUSTER CLEAR	226.7	453.3	1302	LOW LUSTER CLEAR	224.9	449.7
1559	YELLOW OXIDE	321.6	643.2	1554	TINTING WHITE	308.8	617.5
1554	TINTING WHITE	395.5	791.0	1501	LANDAU BLACK	391.1	782.2
1550	RED OXIDE	411.6	823.3	1550	RED OXIDE	413.0	825.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 113

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5058	BEIGE	Honda		H	5065	DK GREY	Honda	K
1554	TINTING WHITE	206.2	412.5		1501	LANDAU BLACK	182.3	364.6
1302	LOW LUSTER CLEAR	317.3	634.6		1302	LOW LUSTER CLEAR	282.0	563.9
1559	YELLOW OXIDE	382.0	764.0		1559	YELLOW OXIDE	339.0	677.9
1550	RED OXIDE	402.3	804.7		1554	TINTING WHITE	393.1	786.2
1501	LANDAU BLACK	421.0	842.1		1550	RED OXIDE	409.6	819.3
5059	BEIGE	Honda		F	5066	TAUPE	Chrysler Motors	L5
1554	TINTING WHITE	128.6	257.3		1554	TINTING WHITE	121.7	243.4
1559	YELLOW OXIDE	246.4	492.9		1559	YELLOW OXIDE	235.3	470.6
1302	LOW LUSTER CLEAR	354.9	709.8		1302	LOW LUSTER CLEAR	331.4	662.7
1550	RED OXIDE	392.4	784.9		1501	LANDAU BLACK	379.7	759.4
1501	LANDAU BLACK	416.7	833.3		1550	RED OXIDE	416.2	832.4
5060	BEIGE	Honda		F	5067	DK TAUPE	Chrysler Motors	L8
1554	TINTING WHITE	203.8	407.6		1559	YELLOW OXIDE	122.8	245.7
1302	LOW LUSTER CLEAR	315.2	630.4		1302	LOW LUSTER CLEAR	232.2	464.4
1559	YELLOW OXIDE	407.6	815.1		1501	LANDAU BLACK	309.4	618.8
1501	LANDAU BLACK	415.5	831.1		1554	TINTING WHITE	365.7	731.3
1550	RED OXIDE	420.9	841.9		1550	RED OXIDE	411.6	823.3
5061	BEIGE	Honda		F	5068	LT OAK	General Motors	
1554	TINTING WHITE	176.9	353.8		1559	YELLOW OXIDE	165.9	331.7
1302	LOW LUSTER CLEAR	286.0	572.1		1554	TINTING WHITE	290.8	581.6
1559	YELLOW OXIDE	395.2	790.4		1302	LOW LUSTER CLEAR	375.4	750.9
1550	RED OXIDE	407.6	815.3		1550	RED OXIDE	404.9	809.8
1501	LANDAU BLACK	419.5	839.0		1501	LANDAU BLACK	417.4	834.9
5062	MED BROWN	Honda		F	5069	MED DK OAK	General Motors	
1559	YELLOW OXIDE	170.0	339.9		1559	YELLOW OXIDE	201.3	402.6
1302	LOW LUSTER CLEAR	278.1	556.1		1302	LOW LUSTER CLEAR	285.1	570.2
1550	RED OXIDE	325.0	650.0		1550	RED OXIDE	339.3	678.7
1554	TINTING WHITE	371.4	742.7		1554	TINTING WHITE	388.3	776.5
1501	LANDAU BLACK	411.8	823.7		1501	LANDAU BLACK	413.1	826.1
5063	TAN	Honda			5070	DK OAK	General Motors	
1559	YELLOW OXIDE	129.6	259.2		1559	YELLOW OXIDE	198.6	397.1
1302	LOW LUSTER CLEAR	239.1	478.2		1302	LOW LUSTER CLEAR	280.3	560.7
1501	LANDAU BLACK	325.2	650.4		1501	LANDAU BLACK	346.8	693.5
1554	TINTING WHITE	375.9	751.8		1550	RED OXIDE	405.7	811.3
1550	RED OXIDE	411.2	822.3		1554	TINTING WHITE	409.9	819.9
5064	DK GREEN	Honda		G	5071	DK REGAL BLUE	General Motors	
1501	LANDAU BLACK	153.4	306.9		1501	LANDAU BLACK	131.0	262.0
1302	LOW LUSTER CLEAR	256.7	513.4		1554	TINTING WHITE	224.3	448.6
1559	YELLOW OXIDE	312.7	625.5		1302	LOW LUSTER CLEAR	306.9	613.9
1554	TINTING WHITE	365.8	731.7		1553	FAST BLUE	366.8	733.6
1556	FAST GREEN	409.0	818.0		1550	RED OXIDE	411.7	823.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 114

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5072	MED DK PEWTER	General Motors		92	5079	CREME BEIGH PRI	Mercedes Benz	175
1554	TINTING WHITE	141.3	282.5		1554	TINTING WHITE	172.8	345.6
1559	YELLOW OXIDE	242.6	485.3		1559	YELLOW OXIDE	298.7	597.4
1302	LOW LUSTER CLEAR	328.8	657.6		1302	LOW LUSTER CLEAR	394.5	789.1
1501	LANDAU BLACK	386.4	772.7		1550	RED OXIDE	407.3	814.5
1550	RED OXIDE	417.4	834.9		1501	LANDAU BLACK	419.7	839.4
5073	DK HIGHLAND GRE	General Motors			5080	STONE PINE GREE	Mercedes Benz	176
1559	YELLOW OXIDE	171.1	342.2		1501	LANDAU BLACK	106.8	213.6
1501	LANDAU BLACK	292.8	585.6		1302	LOW LUSTER CLEAR	197.0	394.1
1302	LOW LUSTER CLEAR	374.6	749.2		1551	FAST YELLOW	287.0	574.0
1554	TINTING WHITE	393.2	786.4		1556	FAST GREEN	374.2	748.4
1556	FAST GREEN	408.9	817.8		1554	TINTING WHITE	406.1	812.3
5074	ACCENT OAK	General Motors			5081	BURGUNDY PRINT	Mercedes Benz	177
1559	YELLOW OXIDE	188.9	377.7		1552	FAST RED	224.3	448.6
1302	LOW LUSTER CLEAR	270.7	541.3		1302	LOW LUSTER CLEAR	330.2	660.4
1550	RED OXIDE	341.3	682.7		1551	FAST YELLOW	382.9	765.7
1501	LANDAU BLACK	386.8	773.7		1501	LANDAU BLACK	393.8	787.6
1554	TINTING WHITE	411.4	822.7		1554	TINTING WHITE	404.0	808.1
5075	BLACK PRINT	Mercedes Benz		171	5082	GREY PRINT	Mercedes Benz	178
1501	LANDAU BLACK	279.3	558.6		1554	TINTING WHITE	188.5	377.0
1302	LOW LUSTER CLEAR	375.1	750.1		1302	LOW LUSTER CLEAR	285.3	570.6
1559	YELLOW OXIDE	394.3	788.5		1501	LANDAU BLACK	349.8	699.6
1550	RED OXIDE	401.2	802.4		1559	YELLOW OXIDE	406.6	813.2
1554	TINTING WHITE	405.0	810.0		1550	RED OXIDE	419.5	839.0
5076	BLUE PRINT	Mercedes Benz		172	5083	BLACK	Mercedes Benz	
1553	FAST BLUE	188.1	376.2		1501	LANDAU BLACK	344.6	689.1
1501	LANDAU BLACK	290.6	581.2		1302	LOW LUSTER CLEAR	389.5	779.0
1302	LOW LUSTER CLEAR	380.5	761.0		1551	FAST YELLOW	398.5	797.1
1554	TINTING WHITE	404.7	809.4		1550	RED OXIDE	404.5	809.0
					1554	TINTING WHITE	404.8	809.6
5077	DK BROWN PRINT	Mercedes Benz		173	5084	GREY	Mercedes Benz	
1501	LANDAU BLACK	133.7	267.3		1554	TINTING WHITE	186.8	373.5
1550	RED OXIDE	242.8	485.6		1501	LANDAU BLACK	279.5	559.0
1302	LOW LUSTER CLEAR	333.7	667.5		1559	YELLOW OXIDE	357.5	715.0
1559	YELLOW OXIDE	404.0	808.1		1302	LOW LUSTER CLEAR	408.8	817.6
1554	TINTING WHITE	408.3	816.6		1550	RED OXIDE	420.1	840.2
5078	PALOMINO PRINT	Mercedes Benz		174	5085	PARCHMENT	Mercedes Benz	
1559	YELLOW OXIDE	213.6	427.1		1554	TINTING WHITE	162.6	325.3
1302	LOW LUSTER CLEAR	309.2	618.5		1559	YELLOW OXIDE	320.2	640.3
1554	TINTING WHITE	366.3	732.6		1302	LOW LUSTER CLEAR	375.2	750.3
1550	RED OXIDE	406.5	813.0		1550	RED OXIDE	403.4	806.7
1501	LANDAU BLACK	413.5	827.1		1501	LANDAU BLACK	420.2	840.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 115

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5086	BLUE	Mercedes Benz		5093	RUBY	General Motors 9933	
1501	LANDAU BLACK	155.4	310.8	1552	FAST RED	262.4	524.8
1553	FAST BLUE	304.9	609.7	1302	LOW LUSTER CLEAR	388.6	777.1
1302	LOW LUSTER CLEAR	364.6	729.2	1501	LANDAU BLACK	394.1	788.1
1554	TINTING WHITE	396.5	793.1	1553	FAST BLUE	398.8	797.6
1550	RED OXIDE	406.1	812.3	1554	TINTING WHITE	403.4	806.7
5087	SADDLE	Mercedes Benz		5094	MED SMOKE GARY	General Motors M18	
1559	YELLOW OXIDE	248.5	497.0	1554	TINTING WHITE	160.2	320.3
1550	RED OXIDE	317.9	635.7	1559	YELLOW OXIDE	259.5	519.1
1302	LOW LUSTER CLEAR	371.5	743.1	1501	LANDAU BLACK	315.8	631.6
1554	TINTING WHITE	398.7	797.4	1550	RED OXIDE	371.6	743.3
1501	LANDAU BLACK	413.1	826.1	1302	LOW LUSTER CLEAR	419.8	839.6
5088	TRUFFLE	Ford Motor	YEC	5095	MED BEIGE	General Motors UK	
1554	TINTING WHITE	140.9	281.8	1559	YELLOW OXIDE	217.3	434.5
1302	LOW LUSTER CLEAR	279.0	558.0	1554	TINTING WHITE	318.2	636.3
1559	YELLOW OXIDE	361.0	722.0	1550	RED OXIDE	387.2	774.4
1501	LANDAU BLACK	397.5	795.0	1501	LANDAU BLACK	418.3	836.6
1550	RED OXIDE	416.3	832.6				
5089	NAPLES	Ford Motor	YZ5A	5096	DARK REGAL BLUE	General Motors 104E	
1302	LOW LUSTER CLEAR	151.7	303.4	1302	LOW LUSTER CLEAR	144.1	288.2
1553	FAST BLUE	242.6	485.3	1501	LANDAU BLACK	227.1	454.3
1550	RED OXIDE	317.6	635.2	1554	TINTING WHITE	303.5	607.1
1501	LANDAU BLACK	390.0	780.0	1553	FAST BLUE	369.8	739.7
1554	TINTING WHITE	405.7	811.5	1550	RED OXIDE	409.9	819.9
5090	MIDNIGHT BLACK	Ford Motor	ZUEA	5097	LT WHEAT	General Motors 503F	
1501	LANDAU BLACK	135.9	271.7	1554	TINTING WHITE	377.9	755.8
1302	LOW LUSTER CLEAR	270.3	540.6	1559	YELLOW OXIDE	421.3	842.7
1559	YELLOW OXIDE	349.0	698.1	1550	RED OXIDE	430.8	861.7
1554	TINTING WHITE	380.0	760.0	1553	FAST BLUE	434.0	867.9
1550	RED OXIDE	408.2	816.4				
5091	BRIGHT AQUA	General Motors 147A		5098	MD WHEAT	General Motors 504F	
1556	FAST GREEN	141.2	282.3	1302	LOW LUSTER CLEAR	149.5	299.1
1302	LOW LUSTER CLEAR	231.1	462.3	1554	TINTING WHITE	271.6	543.2
1553	FAST BLUE	308.6	617.1	1559	YELLOW OXIDE	363.5	726.9
1554	TINTING WHITE	381.6	763.2	1501	LANDAU BLACK	395.5	791.0
1552	FAST RED	408.6	817.2	1550	RED OXIDE	415.0	829.9
5092	DK SIENNA	General Motors M25		5099	MD DK WHEAT	General Motors 564F	
1559	YELLOW OXIDE	233.9	467.8	1302	LOW LUSTER CLEAR	142.9	285.8
1550	RED OXIDE	336.4	672.8	1559	YELLOW OXIDE	263.2	526.3
1302	LOW LUSTER CLEAR	373.4	746.9	1554	TINTING WHITE	344.6	689.1
1501	LANDAU BLACK	398.6	797.2	1501	LANDAU BLACK	386.3	772.5
1554	TINTING WHITE	412.7	825.4	1552	FAST RED	412.0	824.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 116

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5100	DK GRAY	General Motors	8595	5107	OXFORD WHITE	Ford Motor	4PA
1501	LANDAU BLACK	173.3	346.6	1554	TINTING WHITE	415.4	830.9
1554	TINTING WHITE	323.2	646.4	1559	YELLOW OXIDE	431.2	862.4
1559	YELLOW OXIDE	414.2	828.4	1501	LANDAU BLACK	435.6	871.2
1550	RED OXIDE	418.0	836.0	1550	RED OXIDE	436.1	872.1
5101	PEWTER	General Motors	109D	5108	COGNAC	Chrysler Motors	UC
1554	TINTING WHITE	175.6	351.1	1302	LOW LUSTER CLEAR	214.4	428.8
1559	YELLOW OXIDE	273.7	547.4	1559	YELLOW OXIDE	344.5	688.9
1302	LOW LUSTER CLEAR	349.2	698.4	1550	RED OXIDE	403.1	806.2
1501	LANDAU BLACK	394.2	788.3	1556	FAST GREEN	406.8	813.6
1550	RED OXIDE	419.8	839.6				
5102	DARK GRAPHITE	Ford Motor	ZU5	5109	MED OPAL MET		
1302	LOW LUSTER CLEAR	135.6	271.1	1501	LANDAU BLACK	167.3	334.6
1501	LANDAU BLACK	231.6	463.2	1300	HIGH GLOSS CLEAR	331.3	662.5
1554	TINTING WHITE	308.5	616.9	3520	PLATINUM PEARL	396.9	793.8
1559	YELLOW OXIDE	379.6	759.2	1552	FAST RED	409.7	819.5
1550	RED OXIDE	411.5	823.1	1553	FAST BLUE	421.2	842.5
5103	FLANNEL GRAY	Ford Motor	YCB	5110	CAMEL	Chrysler Motors	K9
1554	TINTING WHITE	258.6	517.2	1302	LOW LUSTER CLEAR	176.0	352.1
1302	LOW LUSTER CLEAR	331.1	662.2	1559	YELLOW OXIDE	313.1	626.2
1501	LANDAU BLACK	373.8	747.7	1550	RED OXIDE	350.0	700.0
1559	YELLOW OXIDE	409.0	818.0	1554	TINTING WHITE	384.0	768.0
1550	RED OXIDE	424.6	849.1	1501	LANDAU BLACK	409.4	818.7
5104	MED DK TRUFFLE	Ford Motor	YE4	5111	FAWN	Chrysler Motors	T5
1302	LOW LUSTER CLEAR	138.0	276.1	1302	LOW LUSTER CLEAR	191.8	383.6
1559	YELLOW OXIDE	240.2	480.3	1559	YELLOW OXIDE	286.7	573.4
1501	LANDAU BLACK	313.9	627.8	1554	TINTING WHITE	363.5	726.9
1554	TINTING WHITE	386.5	772.9	1550	RED OXIDE	391.5	783.0
1550	RED OXIDE	411.5	823.1	1501	LANDAU BLACK	411.4	822.7
5105	MED PARCHMENT	Ford Motor	BJC	5111	TAN	Chrysler Motors	GT5
1554	TINTING WHITE	192.1	384.2	1302	LOW LUSTER CLEAR	191.8	383.6
1559	YELLOW OXIDE	361.9	723.7	1559	YELLOW OXIDE	286.7	573.4
1552	FAST RED	396.6	793.3	1554	TINTING WHITE	363.5	726.9
1501	LANDAU BLACK	422.5	844.9	1550	RED OXIDE	391.5	783.0
				1501	LANDAU BLACK	411.4	822.7
5106	LT PARCHMENT	Ford Motor	BJA	5112	EURO MET		
1554	TINTING WHITE	333.5	667.1	1501	LANDAU BLACK	234.9	469.9
1559	YELLOW OXIDE	412.2	824.4	1508	SILVER	366.1	732.3
1552	FAST RED	421.9	843.8	1553	FAST BLUE	403.3	806.6
1501	LANDAU BLACK	431.2	862.4	1552	FAST RED	406.0	812.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 117

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5113	CHRYSLER GRAY G	Chrysler Motors	
1559	YELLOW OXIDE	190.7	381.3
1501	LANDAU BLACK	344.0	688.0
1554	TINTING WHITE	393.7	787.4
1553	FAST BLUE	412.3	824.6

5120	HOUSE WHITE		
1554	TINTING WHITE	435.8	871.5
1501	LANDAU BLACK	436.4	872.9
1559	YELLOW OXIDE	437.1	874.2
1553	FAST BLUE	437.3	874.6

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5114	GLOSS CABERNET		
1552	FAST RED	334.7	669.4
1550	RED OXIDE	395.9	791.7
1553	FAST BLUE	402.5	805.0
1554	TINTING WHITE	405.7	811.3

5121	SHARK WHITE		
1554	TINTING WHITE	433.7	867.4
1501	LANDAU BLACK	435.4	870.8
1559	YELLOW OXIDE	436.7	873.4
1553	FAST BLUE	437.2	874.4

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5115	HATTERAS GREEN		
1556	FAST GREEN	275.6	551.2
1554	TINTING WHITE	396.6	793.3
1553	FAST BLUE	408.2	816.4
1551	FAST YELLOW	413.2	826.3

5122	GRAY WHITE		
1554	TINTING WHITE	434.7	869.4
1501	LANDAU BLACK	436.3	872.7
1559	YELLOW OXIDE	437.0	874.0
1553	FAST BLUE	437.2	874.4

5116	LT SLATE	Chrysler Motors	DB	
1554	TINTING WHITE	151.9	303.8	
1302	LOW LUSTER CLEAR	294.9	589.8	
1559	YELLOW OXIDE	351.7	703.4	
1501	LANDAU BLACK	401.9	803.7	
1550	RED OXIDE	416.4	832.8	

5123	PINE WHITE		
1554	TINTING WHITE	282.2	564.5
1302	LOW LUSTER CLEAR	424.1	848.2
1556	FAST GREEN	424.5	848.9
1550	RED OXIDE	424.6	849.1

5117	SUPREME WHITE		
1554	TINTING WHITE	282.4	564.9
1302	LOW LUSTER CLEAR	424.4	848.7
1501	LANDAU BLACK	424.5	848.9
1553	FAST BLUE	424.6	849.1

5124	SKY WHITE		
1554	TINTING WHITE	436.7	873.4
1553	FAST BLUE	437.4	874.8

5118	POLAR WHITE		
1554	TINTING WHITE	436.7	873.4
1553	FAST BLUE	437.1	874.2
1552	FAST RED	437.3	874.6

5125	FRESH VANILLA		
1554	TINTING WHITE	340.6	681.2
1559	YELLOW OXIDE	425.5	851.0
1550	RED OXIDE	429.9	859.8
1501	LANDAU BLACK	432.1	864.1

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5119	BABY WHITE		
1554	TINTING WHITE	282.2	564.3
1302	LOW LUSTER CLEAR	423.9	847.8
1553	FAST BLUE	424.5	848.9
1501	LANDAU BLACK	424.6	849.1

5126	VANILLA CREAM		
1554	TINTING WHITE	344.7	689.3
1559	YELLOW OXIDE	425.4	850.8
1550	RED OXIDE	430.4	860.7
1501	LANDAU BLACK	432.3	864.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 118

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5127	PASTEL BEIGE			
1554	TINTING WHITE	399.2	798.4	
1559	YELLOW OXIDE	428.7	857.5	
1550	RED OXIDE	433.1	866.2	
1501	LANDAU BLACK	435.3	870.6	

5134	NATURAL WHITE			
1554	TINTING WHITE	431.5	863.0	
1559	YELLOW OXIDE	435.3	870.6	
1552	FAST RED	436.7	873.4	
1553	FAST BLUE	437.0	874.0	

5128	VERY LIGHT MOC			
1554	TINTING WHITE	378.5	757.0	
1559	YELLOW OXIDE	423.7	847.4	
1550	RED OXIDE	432.3	864.7	
1501	LANDAU BLACK	434.1	868.1	

5135	CAROLINA WHITE			
1554	TINTING WHITE	430.8	861.7	
1559	YELLOW OXIDE	435.3	870.6	
1501	LANDAU BLACK	437.1	874.2	

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5129	LIGHT CARAMEL			
1554	TINTING WHITE	389.9	779.8	
1559	YELLOW OXIDE	424.2	848.4	
1550	RED OXIDE	433.0	866.0	
1501	LANDAU BLACK	434.8	869.6	

5136	DARK NATURAL W			
1554	TINTING WHITE	420.3	840.6	
1559	YELLOW OXIDE	434.2	868.5	
1501	LANDAU BLACK	436.0	871.9	
1550	RED OXIDE	436.4	872.9	

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5130	DARK PASTEL			
1554	TINTING WHITE	392.5	785.1	
1559	YELLOW OXIDE	426.4	852.7	
1550	RED OXIDE	431.4	862.8	
1501	LANDAU BLACK	434.9	869.8	

5137	OXFORD WHITE			
1554	TINTING WHITE	415.4	830.9	
1559	YELLOW OXIDE	431.2	862.4	
1501	LANDAU BLACK	435.6	871.2	
1550	RED OXIDE	436.1	872.1	

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5131	GRAY IVORY			
1554	TINTING WHITE	380.4	760.8	
1559	YELLOW OXIDE	427.2	854.4	
1550	RED OXIDE	431.1	862.2	
1501	LANDAU BLACK	434.2	868.3	

5138	HEATHER BEIGE			
1554	TINTING WHITE	402.3	804.7	
1559	YELLOW OXIDE	426.7	853.5	
1550	RED OXIDE	432.4	864.9	
1501	LANDAU BLACK	435.5	871.0	

MUST TOP COAT WITH 1302 LOW LUSTER CLEAR

5132	BETTER BEIGE			
1554	TINTING WHITE	412.3	824.6	
1559	YELLOW OXIDE	430.6	861.3	
1550	RED OXIDE	433.5	867.0	
1501	LANDAU BLACK	436.1	872.1	

5139	MED PEARL WHITE			
1554	TINTING WHITE	391.3	782.6	
1559	YELLOW OXIDE	428.3	856.5	
1501	LANDAU BLACK	433.0	866.0	
1550	RED OXIDE	434.7	869.4	

5133	PASTEL WHITE			
1554	TINTING WHITE	431.8	863.6	
1551	FAST YELLOW	434.4	868.9	
1550	RED OXIDE	435.8	871.5	
1501	LANDAU BLACK	437.1	874.2	

5140	OYSTER WHITE			
1554	TINTING WHITE	405.6	811.1	
1559	YELLOW OXIDE	426.8	853.7	
1550	RED OXIDE	433.8	867.5	
1556	FAST GREEN	435.5	871.0	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 119

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5141	DARK OYSTER WHI		
1554	TINTING WHITE	289.9	579.9
1302	LOW LUSTER CLEAR	396.5	793.1
1559	YELLOW OXIDE	421.8	843.6
1550	RED OXIDE	424.3	848.5
1501	LANDAU BLACK	426.1	852.2

5148	ROCK BEIGE		
1554	TINTING WHITE	220.8	441.6
1559	YELLOW OXIDE	324.4	648.9
1302	LOW LUSTER CLEAR	408.8	817.6
1550	RED OXIDE	416.6	833.2
1501	LANDAU BLACK	422.8	845.5

5142	LIGHT PASTEL		
1554	TINTING WHITE	399.7	799.3
1559	YELLOW OXIDE	428.1	856.1
1550	RED OXIDE	432.3	864.7
1501	LANDAU BLACK	435.3	870.6

5149	KHAKI		
1554	TINTING WHITE	172.4	344.9
1559	YELLOW OXIDE	298.0	596.0
1302	LOW LUSTER CLEAR	393.6	787.2
1550	RED OXIDE	407.6	815.3
1501	LANDAU BLACK	419.7	839.4

5143	BAMBI		
1554	TINTING WHITE	265.1	530.1
1302	LOW LUSTER CLEAR	405.9	811.9
1559	YELLOW OXIDE	419.7	839.4
1550	RED OXIDE	422.6	845.1
1501	LANDAU BLACK	423.7	847.4

5150	DIRTY BEIGE		
1302	LOW LUSTER CLEAR	138.7	277.4
1554	TINTING WHITE	272.1	544.2
1559	YELLOW OXIDE	400.5	801.0
1501	LANDAU BLACK	408.5	817.0
1550	RED OXIDE	416.2	832.4

5144	DEER		
1554	TINTING WHITE	386.3	772.5
1559	YELLOW OXIDE	422.3	844.6
1550	RED OXIDE	430.5	861.1
1501	LANDAU BLACK	434.4	868.9

5151	HONEY BEIGE		
1554	TINTING WHITE	176.7	353.4
1559	YELLOW OXIDE	312.6	625.3
1302	LOW LUSTER CLEAR	396.7	793.4
1550	RED OXIDE	409.5	819.1
1501	LANDAU BLACK	420.3	840.6

5145	ELK		
1554	TINTING WHITE	267.8	535.6
1302	LOW LUSTER CLEAR	378.1	756.2
1559	YELLOW OXIDE	412.8	825.6
1550	RED OXIDE	421.3	842.7
1501	LANDAU BLACK	424.7	849.5

5152	PHANTOM BEIGE		
1554	TINTING WHITE	263.7	527.4
1559	YELLOW OXIDE	405.3	810.5
1501	LANDAU BLACK	418.1	836.2
1550	RED OXIDE	427.5	855.0

5146	CHAMPAGNE		
1554	TINTING WHITE	390.9	781.9
1559	YELLOW OXIDE	432.2	864.3
1550	RED OXIDE	433.5	867.0
1501	LANDAU BLACK	434.8	869.6

5153	WALNUT BEIGE		
1554	TINTING WHITE	357.4	714.8
1559	YELLOW OXIDE	413.3	826.7
1501	LANDAU BLACK	423.2	846.5
1550	RED OXIDE	432.7	865.5

5147	LIGHT PHANTOM		
1554	TINTING WHITE	404.3	808.6
1559	YELLOW OXIDE	431.3	862.6
1550	RED OXIDE	433.5	867.0
1501	LANDAU BLACK	435.5	871.0

5154	CASTLE BEIGE		
1554	TINTING WHITE	200.6	401.3
1302	LOW LUSTER CLEAR	341.6	683.2
1559	YELLOW OXIDE	397.3	794.6
1501	LANDAU BLACK	412.1	824.2
1550	RED OXIDE	419.8	839.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 120

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5155	DUSTY BEIGE		
1554	TINTING WHITE	194.8	389.7
1302	LOW LUSTER CLEAR	334.8	669.6
1559	YELLOW OXIDE	393.8	787.6
1501	LANDAU BLACK	407.6	815.1
1550	RED OXIDE	419.5	839.0

5162	SAND BEIGE		
1554	TINTING WHITE	248.5	497.0
1551	FAST YELLOW	328.9	657.8
1302	LOW LUSTER CLEAR	391.0	782.0
1552	FAST RED	417.9	835.8
1501	LANDAU BLACK	422.6	845.1

5156	AUTUMN BEIGE		
1554	TINTING WHITE	250.5	501.0
1551	FAST YELLOW	329.4	658.7
1302	LOW LUSTER CLEAR	390.0	780.0
1552	FAST RED	419.9	839.8
1501	LANDAU BLACK	422.8	845.5

5163	CLAYTON TAN		
1554	TINTING WHITE	300.9	601.7
1559	YELLOW OXIDE	422.5	844.9
1550	RED OXIDE	427.2	854.4
1501	LANDAU BLACK	429.8	859.6

5157	APRICOT		
1554	TINTING WHITE	313.8	627.6
1559	YELLOW OXIDE	427.1	854.2
1550	RED OXIDE	430.5	861.1

5164	LIGHT BEIGE		
1554	TINTING WHITE	271.4	542.8
1559	YELLOW OXIDE	416.1	832.2
1550	RED OXIDE	422.6	845.1
1501	LANDAU BLACK	428.2	856.3

5158	COTTAGE BEIGE		
1554	TINTING WHITE	339.8	679.6
1559	YELLOW OXIDE	420.2	840.4
1550	RED OXIDE	431.1	862.2
1501	LANDAU BLACK	432.1	864.1

5165	SUPREME BEIGE		
1554	TINTING WHITE	173.8	347.5
1559	YELLOW OXIDE	320.0	639.9
1302	LOW LUSTER CLEAR	404.0	808.1
1550	RED OXIDE	414.1	828.2
1501	LANDAU BLACK	420.2	840.4

5159	CREAM WHEAT		
1554	TINTING WHITE	339.0	677.9
1559	YELLOW OXIDE	430.6	861.3
1501	LANDAU BLACK	432.0	863.9

5166	PECAN BEIGE		
1554	TINTING WHITE	256.5	513.0
1559	YELLOW OXIDE	389.8	779.6
1550	RED OXIDE	414.2	828.4
1501	LANDAU BLACK	427.3	854.6

5160	WHEAT		
1559	YELLOW OXIDE	148.9	297.7
1302	LOW LUSTER CLEAR	287.4	574.8
1554	TINTING WHITE	403.0	806.0
1550	RED OXIDE	411.1	822.1
1501	LANDAU BLACK	415.4	830.9

5167	SADDLE BEIGE		
1554	TINTING WHITE	153.5	307.0
1302	LOW LUSTER CLEAR	292.5	585.0
1559	YELLOW OXIDE	389.2	778.4
1550	RED OXIDE	405.9	811.9
1501	LANDAU BLACK	417.3	834.7

5161	ROCKY BEIGE		
1559	YELLOW OXIDE	300.4	600.8
1554	TINTING WHITE	405.1	810.2
1550	RED OXIDE	415.6	831.3
1501	LANDAU BLACK	418.9	837.7

5168	CLASSIC CARAMEL		
1554	TINTING WHITE	265.2	530.5
1559	YELLOW OXIDE	398.5	797.1
1550	RED OXIDE	417.7	835.4
1501	LANDAU BLACK	427.7	855.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 121

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5169	DARK KAHLUA		
1554	TINTING WHITE	202.3	404.5
1559	YELLOW OXIDE	384.9	769.9
1550	RED OXIDE	412.8	825.6
1501	LANDAU BLACK	424.2	848.4

5176	Elk Grain		
1554	TINTING WHITE	232.1	464.1
1302	LOW LUSTER CLEAR	358.9	717.8
1559	YELLOW OXIDE	411.2	822.5
1550	RED OXIDE	431.8	863.5
1501	LANDAU BLACK	443.8	887.6

5170	KAHLUA		
1559	YELLOW OXIDE	200.1	400.1
1554	TINTING WHITE	387.0	774.1
1550	RED OXIDE	415.3	830.7
1501	LANDAU BLACK	423.4	846.8

5177	SWEET MOCHA		
1554	TINTING WHITE	253.4	506.7
1559	YELLOW OXIDE	371.5	742.9
1550	RED OXIDE	415.1	830.1
1501	LANDAU BLACK	427.0	854.1

5171	CHESTNUT		
1559	YELLOW OXIDE	207.3	414.6
1554	TINTING WHITE	301.2	602.3
1302	LOW LUSTER CLEAR	384.2	768.4
1550	RED OXIDE	411.2	822.3
1501	LANDAU BLACK	415.9	831.8

5178	ANTELOPE BEIGE		
1554	TINTING WHITE	303.3	606.7
1559	YELLOW OXIDE	381.6	763.2
1550	RED OXIDE	416.0	832.0
1501	LANDAU BLACK	429.8	859.6

5172	COPPER MET.		
1508	SILVER	199.9	399.8
1552	FAST RED	332.5	665.0
1551	FAST YELLOW	381.4	762.9
1556	FAST GREEN	401.4	802.8
1554	TINTING WHITE	406.7	813.4

5179	SIERRA NEUTRAL		
1554	TINTING WHITE	185.9	371.8
1302	LOW LUSTER CLEAR	326.2	652.5
1559	YELLOW OXIDE	391.8	783.6
1550	RED OXIDE	406.7	813.4
1501	LANDAU BLACK	419.0	838.1

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5173	LIGHT SADDLE		
1559	YELLOW OXIDE	216.9	433.8
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	410.4	820.8
1501	LANDAU BLACK	421.6	843.2

5180	DARK SADDLE		
1559	YELLOW OXIDE	217.6	435.3
1554	TINTING WHITE	374.4	748.8
1550	RED OXIDE	410.9	821.8
1501	LANDAU BLACK	421.7	843.4

5174	BISCUIT		
1559	YELLOW OXIDE	230.7	461.3
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	417.2	834.5
1501	LANDAU BLACK	421.0	842.1

5181	DARK KHAKI		
1559	YELLOW OXIDE	239.7	479.4
1554	TINTING WHITE	364.4	728.8
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	420.1	840.2

MUST TOP COAT WITH 1302 LOW LUSTER CLEAR

5175	SHELL		
1554	TINTING WHITE	250.7	501.4
1559	YELLOW OXIDE	380.6	761.1
1550	RED OXIDE	426.7	853.5
1501	LANDAU BLACK	427.1	854.2

5182	COFFEE		
1559	YELLOW OXIDE	186.1	372.2
1302	LOW LUSTER CLEAR	323.4	646.8
1554	TINTING WHITE	370.8	741.6
1550	RED OXIDE	403.1	806.2
1501	LANDAU BLACK	411.5	823.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 122

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5183	SANDLE WOOD						
1559	YELLOW OXIDE	296.5	593.0	1559	YELLOW OXIDE	201.3	402.6
1550	RED OXIDE	353.2	706.4	1302	LOW LUSTER CLEAR	285.1	570.2
1554	TINTING WHITE	407.8	815.7	1550	RED OXIDE	339.3	678.7
1501	LANDAU BLACK	416.2	832.4	1554	TINTING WHITE	388.3	776.5
				1501	LANDAU BLACK	413.1	826.1
5184	GRAY KHAKI			5191	COCONUT		
1559	YELLOW OXIDE	223.2	446.3	1302	LOW LUSTER CLEAR	214.4	428.8
1554	TINTING WHITE	361.0	722.0	1559	YELLOW OXIDE	344.5	688.9
1550	RED OXIDE	396.6	793.3	1550	RED OXIDE	403.1	806.2
1501	LANDAU BLACK	420.4	840.8	1556	FAST GREEN	406.8	813.6
5185	COFFEE CREAM			5192	BAMB00		
1559	YELLOW OXIDE	254.3	508.6	1559	YELLOW OXIDE	196.6	393.1
1554	TINTING WHITE	376.8	753.5	1302	LOW LUSTER CLEAR	274.3	548.5
1550	RED OXIDE	409.0	818.0	1550	RED OXIDE	341.2	682.5
1501	LANDAU BLACK	419.7	839.4	1554	TINTING WHITE	392.5	785.1
				1552	FAST RED	413.4	826.9
5186	FRENCH COFFEE			5193	SANTA BROWN		
1559	YELLOW OXIDE	252.1	504.3	1559	YELLOW OXIDE	157.4	314.8
1554	TINTING WHITE	373.4	746.7	1554	TINTING WHITE	299.4	598.9
1550	RED OXIDE	405.9	811.9	1550	RED OXIDE	403.0	806.0
1501	LANDAU BLACK	419.6	839.2	1501	LANDAU BLACK	420.9	841.9
MUST TOP COAT WITH 1302 SATIN GLOSS CLEAR				MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR			
5187	DARK OATMEAL			5194	SPICE		
1559	YELLOW OXIDE	278.3	556.5	1559	YELLOW OXIDE	282.5	565.1
1554	TINTING WHITE	362.5	725.0	1550	RED OXIDE	352.1	704.1
1550	RED OXIDE	398.2	796.5	1554	TINTING WHITE	406.6	813.2
1501	LANDAU BLACK	417.5	835.1	1501	LANDAU BLACK	416.2	832.4
5188	DARK BISCUIT			5195	MED. SPICE		
1559	YELLOW OXIDE	207.0	414.0	1559	YELLOW OXIDE	166.1	332.1
1554	TINTING WHITE	340.4	680.8	1302	LOW LUSTER CLEAR	300.9	601.7
1550	RED OXIDE	403.5	806.9	1554	TINTING WHITE	354.3	708.5
1501	LANDAU BLACK	420.3	840.6	1550	RED OXIDE	406.3	812.6
				1501	LANDAU BLACK	412.2	824.4
5189	TAN			5196	COFFEE SUPREME		
1559	YELLOW OXIDE	210.0	420.1	1302	LOW LUSTER CLEAR	137.9	275.9
1554	TINTING WHITE	352.7	705.5	1559	YELLOW OXIDE	275.6	551.2
1550	RED OXIDE	407.8	815.7	1554	TINTING WHITE	360.1	720.1
1501	LANDAU BLACK	420.9	841.7	1550	RED OXIDE	399.8	799.5
				1501	LANDAU BLACK	413.5	827.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 123

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5197	DOESKIN		
1554	TINTING WHITE	195.2	390.5
1559	YELLOW OXIDE	366.9	733.8
1550	RED OXIDE	399.1	798.2
1501	LANDAU BLACK	423.5	847.0

5204	DARK SPICE		
1559	YELLOW OXIDE	196.3	392.5
1302	LOW LUSTER CLEAR	332.5	665.0
1550	RED OXIDE	389.6	779.2
1501	LANDAU BLACK	408.9	817.8

MUST TOP COAT WITH 1302 SATIN GLOSS CLEAR

5198	DRIFTWOOD		
1559	YELLOW OXIDE	186.6	373.2
1554	TINTING WHITE	358.2	716.5
1550	RED OXIDE	397.7	795.3
1501	LANDAU BLACK	422.3	844.6

5205	DARK TAN		
1559	YELLOW OXIDE	185.9	371.8
1302	LOW LUSTER CLEAR	310.4	620.7
1550	RED OXIDE	392.2	784.3
1501	LANDAU BLACK	409.3	818.5

5199	MED. CASTELLA		
1554	TINTING WHITE	189.1	378.3
1559	YELLOW OXIDE	331.3	662.5
1550	RED OXIDE	394.9	789.8
1501	LANDAU BLACK	423.2	846.5

5206	DARK CHAMOIS		
1559	YELLOW OXIDE	210.2	420.5
1550	RED OXIDE	297.2	594.3
1554	TINTING WHITE	358.8	717.6
1501	LANDAU BLACK	415.6	831.3

5200	DARK CASTELLA		
1554	TINTING WHITE	147.3	294.5
1559	YELLOW OXIDE	254.8	509.6
1302	LOW LUSTER CLEAR	321.1	642.2
1550	RED OXIDE	385.5	771.0
1501	LANDAU BLACK	418.9	837.7

5207	BROWN SUGAR		
1559	YELLOW OXIDE	166.7	333.5
1550	RED OXIDE	264.3	528.6
1554	TINTING WHITE	348.3	696.5
1501	LANDAU BLACK	416.6	833.2

5201	PUMICE		
1559	YELLOW OXIDE	156.7	313.3
1554	TINTING WHITE	306.9	613.9
1550	RED OXIDE	372.7	745.4
1501	LANDAU BLACK	420.7	841.3

5208	TAUPE		
1559	YELLOW OXIDE	175.4	350.7
1554	TINTING WHITE	267.1	534.3
1501	LANDAU BLACK	347.6	695.2
1550	RED OXIDE	416.8	833.5

5202	MED. SANDSTONE		
1559	YELLOW OXIDE	177.2	354.4
1554	TINTING WHITE	345.4	690.8
1550	RED OXIDE	395.5	791.0
1501	LANDAU BLACK	422.1	844.2

5209	BROWN		
1559	YELLOW OXIDE	175.4	350.7
1550	RED OXIDE	315.7	631.4
1501	LANDAU BLACK	378.8	757.5
1554	TINTING WHITE	414.2	828.4

5203	Nature		
1302	LOW LUSTER CLEAR	137.1	274.1
1559	YELLOW OXIDE	261.5	522.9
1554	TINTING WHITE	375.8	751.6
1550	RED OXIDE	402.7	805.4
1501	LANDAU BLACK	415.2	830.5

5210	SWISS BROWN		
1559	YELLOW OXIDE	190.8	381.5
1550	RED OXIDE	322.8	645.6
1501	LANDAU BLACK	394.7	789.5
1554	TINTING WHITE	413.1	826.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 124

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5211	BROWNIE			5218	BROWN BETTY		
1559	YELLOW OXIDE	192.0	384.0	1559	YELLOW OXIDE	229.3	458.7
1550	RED OXIDE	322.3	644.7	1550	RED OXIDE	326.5	653.0
1501	LANDAU BLACK	394.7	789.5	1501	LANDAU BLACK	411.7	823.5
1554	TINTING WHITE	413.2	826.3				
5212	CEDAR BROWN			5219	BRANDY		
1559	YELLOW OXIDE	173.3	346.6	1559	YELLOW OXIDE	247.4	494.8
1550	RED OXIDE	314.6	629.3	1550	RED OXIDE	338.9	677.7
1501	LANDAU BLACK	378.4	756.8	1501	LANDAU BLACK	394.1	788.1
1554	TINTING WHITE	414.2	828.4	1554	TINTING WHITE	413.3	826.5
5213	REDDISH AUBURN			5220	GINGER BROWN		
1559	YELLOW OXIDE	168.8	337.6	1551	FAST YELLOW	159.5	319.0
1552	FAST RED	312.5	624.9	1550	RED OXIDE	294.9	589.8
1302	LOW LUSTER CLEAR	394.3	788.7	1302	LOW LUSTER CLEAR	376.6	753.2
1501	LANDAU BLACK	407.3	814.5	1554	TINTING WHITE	400.1	800.3
				1501	LANDAU BLACK	408.6	817.2
5214	ROSEWOOD BROW			5221	NUT BROWN		
1501	LANDAU BLACK	162.5	324.9	1302	LOW LUSTER CLEAR	133.5	267.0
1550	RED OXIDE	320.7	641.4	1551	FAST YELLOW	263.7	527.4
1554	TINTING WHITE	388.9	777.9	1550	RED OXIDE	381.4	762.9
1559	YELLOW OXIDE	414.2	828.4	1554	TINTING WHITE	401.2	802.4
				1501	LANDAU BLACK	407.6	815.1
5215	DARK CHOCOLATE			5222	HONEY BROWN		
1559	YELLOW OXIDE	163.3	326.6	1559	YELLOW OXIDE	222.4	444.8
1302	LOW LUSTER CLEAR	295.4	590.7	1550	RED OXIDE	327.8	655.7
1550	RED OXIDE	356.2	712.3	1302	LOW LUSTER CLEAR	398.1	796.3
1501	LANDAU BLACK	408.4	816.8	1501	LANDAU BLACK	411.2	822.3
5216	MED. DARK CHOCO			5223	BROWN HORSE		
1302	LOW LUSTER CLEAR	138.8	277.6	1559	YELLOW OXIDE	269.2	538.5
1559	YELLOW OXIDE	245.1	490.2	1550	RED OXIDE	399.6	799.1
1550	RED OXIDE	333.6	667.3	1501	LANDAU BLACK	413.3	826.5
1501	LANDAU BLACK	401.6	803.1				
1554	TINTING WHITE	408.3	816.6				
5217	CAMOUFLAGE			5224	PERSIMMON		
1559	YELLOW OXIDE	276.1	552.1	1550	RED OXIDE	204.8	409.6
1501	LANDAU BLACK	365.6	731.1	1559	YELLOW OXIDE	398.4	796.9
1550	RED OXIDE	399.5	799.0	1501	LANDAU BLACK	413.3	826.7
1554	TINTING WHITE	412.1	824.2				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 125

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5225	RED OAK						
1550	RED OXIDE	147.3	294.7	1551	FAST YELLOW	177.2	354.4
1302	LOW LUSTER CLEAR	283.8	567.5	1553	FAST BLUE	347.8	695.6
1559	YELLOW OXIDE	397.5	795.0	1554	TINTING WHITE	407.9	815.9
1501	LANDAU BLACK	409.3	818.5				
5226	VAQUERO			5233	HUNTER GREEN		
1550	RED OXIDE	321.7	643.3	1551	FAST YELLOW	169.5	339.0
1559	YELLOW OXIDE	385.4	770.8	1554	TINTING WHITE	302.0	604.0
1501	LANDAU BLACK	407.0	814.0	1553	FAST BLUE	363.7	727.3
1554	TINTING WHITE	414.0	828.0	1501	LANDAU BLACK	414.0	828.0
5227	LIGHT VAQUERO			5234	GREEN LAWN		
1550	RED OXIDE	249.2	498.4	1556	FAST GREEN	198.7	397.5
1551	FAST YELLOW	381.9	763.8	1559	YELLOW OXIDE	358.2	716.5
1554	TINTING WHITE	400.4	800.9	1501	LANDAU BLACK	387.3	774.6
1501	LANDAU BLACK	411.6	823.3	1554	TINTING WHITE	409.4	818.7
5228	GREEN LIGHT			5235	SEA GREEN		
1302	LOW LUSTER CLEAR	135.3	270.6	1559	YELLOW OXIDE	246.1	492.3
1556	FAST GREEN	268.0	536.0	1554	TINTING WHITE	337.9	675.8
1501	LANDAU BLACK	334.7	669.4	1553	FAST BLUE	389.6	779.2
1559	YELLOW OXIDE	386.0	772.0	1501	LANDAU BLACK	416.3	832.6
1554	TINTING WHITE	405.8	811.7				
5229	CONE GREEN			5236	MOUNTAIN GREEN		
1551	FAST YELLOW	223.0	445.9	1559	YELLOW OXIDE	250.6	501.2
1554	TINTING WHITE	312.5	624.9	1501	LANDAU BLACK	355.0	710.0
1501	LANDAU BLACK	388.5	776.9	1556	FAST GREEN	392.0	783.9
1556	FAST GREEN	411.0	821.9	1554	TINTING WHITE	411.3	822.5
5230	FOREST GREEN			5237	GREEN STONE		
1556	FAST GREEN	152.3	304.6	1559	YELLOW OXIDE	160.5	320.9
1501	LANDAU BLACK	280.0	559.9	1553	FAST BLUE	302.2	604.4
1551	FAST YELLOW	347.1	694.3	1556	FAST GREEN	395.4	790.8
1554	TINTING WHITE	409.0	818.0	1554	TINTING WHITE	407.9	815.9
5231	BAY GREEN			5238	GREEN SAGE		
1556	FAST GREEN	198.2	396.3	1556	FAST GREEN	209.1	418.2
1551	FAST YELLOW	309.0	618.1	1501	LANDAU BLACK	313.9	627.8
1501	LANDAU BLACK	369.0	738.0	1559	YELLOW OXIDE	384.8	769.7
1554	TINTING WHITE	407.0	814.0	1554	TINTING WHITE	407.6	815.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 126

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5239	EMERALD GREEN			5246	SILVER GRAY		
1556	FAST GREEN	142.8	285.6	1554	TINTING WHITE	249.5	498.9
1559	YELLOW OXIDE	254.8	509.6	1302	LOW LUSTER CLEAR	390.5	780.9
1302	LOW LUSTER CLEAR	366.8	733.6	1559	YELLOW OXIDE	406.2	812.4
1501	LANDAU BLACK	401.8	803.5	1501	LANDAU BLACK	417.8	835.6
1554	TINTING WHITE	406.1	812.3	1550	RED OXIDE	422.6	845.1
5240	SPROUT GREEN			5247	GRAY OXFORD		
1556	FAST GREEN	226.2	452.4	1554	TINTING WHITE	407.2	814.3
1302	LOW LUSTER CLEAR	292.0	584.1	1501	LANDAU BLACK	426.3	852.5
1551	FAST YELLOW	346.1	692.2	1559	YELLOW OXIDE	434.1	868.1
1501	LANDAU BLACK	378.3	756.6	1550	RED OXIDE	435.4	870.8
1554	TINTING WHITE	405.8	811.7				
5241	BRIGHT GREEN			5248	GRAY FOX		
1553	FAST BLUE	169.7	339.3	1554	TINTING WHITE	366.7	733.4
1551	FAST YELLOW	270.9	541.9	1501	LANDAU BLACK	397.9	795.7
1556	FAST GREEN	351.0	702.1	1559	YELLOW OXIDE	427.7	855.4
1554	TINTING WHITE	407.6	815.1	1550	RED OXIDE	432.9	865.8
5242	BRIAR GREEN			5249	SILVER BASE		
1302	LOW LUSTER CLEAR	152.6	305.1	1554	TINTING WHITE	195.8	391.6
1559	YELLOW OXIDE	281.8	563.5	1302	LOW LUSTER CLEAR	335.9	671.8
1553	FAST BLUE	392.4	784.9	1559	YELLOW OXIDE	376.9	753.7
1501	LANDAU BLACK	399.3	798.6	1550	RED OXIDE	407.9	815.9
1554	TINTING WHITE	405.9	811.9	1553	FAST BLUE	419.6	839.2
5243	EARTH GREEN			5250	GRAY HOUND		
1556	FAST GREEN	218.5	437.0	1554	TINTING WHITE	238.6	477.3
1501	LANDAU BLACK	326.9	653.8	1302	LOW LUSTER CLEAR	379.3	758.7
1554	TINTING WHITE	385.8	771.6	1501	LANDAU BLACK	399.0	798.0
1551	FAST YELLOW	408.7	817.4	1559	YELLOW OXIDE	418.4	836.8
				1550	RED OXIDE	421.8	843.6
5244	White Fox			5251	ASH PEARL		
1554	TINTING WHITE	304.8	609.6	1554	TINTING WHITE	360.1	720.1
1302	LOW LUSTER CLEAR	415.4	830.8	1559	YELLOW OXIDE	405.7	811.3
1501	LANDAU BLACK	420.7	841.4	1501	LANDAU BLACK	430.8	861.7
1551	FAST YELLOW	424.7	849.4	1553	FAST BLUE	432.6	865.3
1550	RED OXIDE	426.6	853.1				
5245	WHITE ROCK			5252	GRAY FERN		
1554	TINTING WHITE	271.1	542.3	1554	TINTING WHITE	243.1	486.2
1302	LOW LUSTER CLEAR	412.2	824.4	1302	LOW LUSTER CLEAR	326.9	653.8
1559	YELLOW OXIDE	417.9	835.8	1501	LANDAU BLACK	361.8	723.5
1501	LANDAU BLACK	423.3	846.6	1559	YELLOW OXIDE	393.3	786.6
1550	RED OXIDE	423.9	847.8	1550	RED OXIDE	423.5	847.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 127

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5253	PLATINUM GRAY			5260	GRAY MET.		
1554	TINTING WHITE	329.7	659.3	1508	SILVER	286.2	572.5
1559	YELLOW OXIDE	370.1	740.2	1501	LANDAU BLACK	378.0	756.0
1550	RED OXIDE	401.2	802.4	1552	FAST RED	404.7	809.4
1501	LANDAU BLACK	430.9	861.8	1551	FAST YELLOW	407.6	815.3
5254	SILVER FOX			5261	SILVER FOIL MET.		
1554	TINTING WHITE	310.2	620.4	1508	SILVER	260.7	521.4
1501	LANDAU BLACK	379.7	759.4	1501	LANDAU BLACK	376.8	753.5
1559	YELLOW OXIDE	416.6	833.2	1553	FAST BLUE	398.6	797.2
1550	RED OXIDE	429.0	858.0	1551	FAST YELLOW	407.3	814.5
5255	SLATE GRAY			5262	SILVER FROST		
1554	TINTING WHITE	338.2	676.4	1508	SILVER	323.3	646.6
1501	LANDAU BLACK	394.3	788.7	1554	TINTING WHITE	371.6	743.3
1559	YELLOW OXIDE	415.7	831.4	1501	LANDAU BLACK	409.5	818.9
1550	RED OXIDE	430.8	861.7	1551	FAST YELLOW	410.9	821.8
				1552	FAST RED	411.6	823.3
5256	SILVER BELL			5263	GUN POWDER MET.		
1554	TINTING WHITE	338.0	676.0	1508	SILVER	228.4	456.8
1501	LANDAU BLACK	384.5	768.9	1302	LOW LUSTER CLEAR	370.3	740.6
1559	YELLOW OXIDE	419.8	839.6	1552	FAST RED	386.7	773.3
1550	RED OXIDE	431.0	862.0	1551	FAST YELLOW	396.4	792.9
				1554	TINTING WHITE	403.0	806.0
5257	ASH GRAY			5264	DARK GRAY MET.		
1554	TINTING WHITE	291.1	582.2	1508	SILVER	261.8	523.6
1559	YELLOW OXIDE	373.3	746.5	1501	LANDAU BLACK	375.6	751.3
1501	LANDAU BLACK	416.7	833.3	1553	FAST BLUE	402.0	804.1
1550	RED OXIDE	428.5	856.9	1551	FAST YELLOW	407.2	814.3
5258	SILVER FERN			MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR			
1554	TINTING WHITE	220.1	440.2	5265	MED. GRAY		
1302	LOW LUSTER CLEAR	360.3	720.7	1554	TINTING WHITE	296.1	592.2
1551	FAST YELLOW	383.0	766.1	1501	LANDAU BLACK	374.6	749.2
1501	LANDAU BLACK	405.2	810.4	1559	YELLOW OXIDE	416.2	832.4
1550	RED OXIDE	420.3	840.6	1550	RED OXIDE	428.1	856.1
5259	GRAY MOSS			MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR			
1554	TINTING WHITE	194.1	388.2	5266	GRAY PRINT		
1559	YELLOW OXIDE	344.6	689.1	1554	TINTING WHITE	191.6	383.2
1501	LANDAU BLACK	396.6	793.3	1302	LOW LUSTER CLEAR	288.5	577.0
1550	RED OXIDE	422.8	845.7	1501	LANDAU BLACK	352.2	704.3
				1559	YELLOW OXIDE	406.8	813.6
				1550	RED OXIDE	419.7	839.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 128

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5267	COOL GRAY		
1554	TINTING WHITE	226.5	453.0
1501	LANDAU BLACK	322.6	645.2
1559	YELLOW OXIDE	408.6	817.2
1550	RED OXIDE	423.8	847.6

5274	SILVERADO		
1508	SILVER	377.9	755.8
1552	FAST RED	397.1	794.2
1501	LANDAU BLACK	406.9	813.8
1551	FAST YELLOW	408.5	817.0

5268	BEN GRAY		
1554	TINTING WHITE	198.5	396.9
1501	LANDAU BLACK	275.4	550.8
1302	LOW LUSTER CLEAR	350.8	701.7
1559	YELLOW OXIDE	411.2	822.3
1550	RED OXIDE	420.5	840.9

5275	DIAMOND GRAY M		
1508	SILVER	380.4	760.8
1552	FAST RED	398.3	796.7
1551	FAST YELLOW	405.3	810.5
1501	LANDAU BLACK	408.5	817.0

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5269	MED. OPAL		
1302	LOW LUSTER CLEAR	178.5	357.0
1554	TINTING WHITE	255.2	510.3
1550	RED OXIDE	329.9	659.9
1559	YELLOW OXIDE	378.7	757.3
1553	FAST BLUE	411.5	823.1

5276	DARK SILVER		
1508	SILVER	220.6	441.2
1501	LANDAU BLACK	361.4	722.8
1552	FAST RED	402.0	804.1
1553	FAST BLUE	406.9	813.8

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5270	MED. DARK GRAY		
1554	TINTING WHITE	151.9	303.8
1300	HIGH GLOSS CLEAR	290.6	581.2
1501	LANDAU BLACK	375.3	750.5
1559	YELLOW OXIDE	400.8	801.6
1550	RED OXIDE	416.0	832.0

5277	SANDSTONE SILVE		
1508	SILVER	231.0	462.1
1501	LANDAU BLACK	375.3	750.7
1552	FAST RED	404.3	808.6
1551	FAST YELLOW	407.2	814.3

5271	GLAZE GRAY		
1554	TINTING WHITE	145.1	290.1
1300	HIGH GLOSS CLEAR	283.6	567.2
1501	LANDAU BLACK	380.6	761.1
1559	YELLOW OXIDE	400.8	801.6
1550	RED OXIDE	415.4	830.9

5278	MED SILVER STON		
1508	SILVER	224.5	449.0
1552	FAST RED	313.6	627.2
1501	LANDAU BLACK	386.0	772.0
1553	FAST BLUE	406.7	813.4

5272	DARK GRAY		
1554	TINTING WHITE	171.9	343.7
1501	LANDAU BLACK	294.6	589.2
1559	YELLOW OXIDE	380.6	761.1
1550	RED OXIDE	420.3	840.6

5279	SILVER STONE		
1508	SILVER	263.8	527.6
1552	FAST RED	336.7	673.4
1501	LANDAU BLACK	390.8	781.7
1553	FAST BLUE	407.1	814.2

5273	BRIGHT SILVER		
1508	SILVER	372.1	744.2
1501	LANDAU BLACK	405.2	810.4
1553	FAST BLUE	407.2	814.3
1551	FAST YELLOW	408.4	816.8

5280	SILVER CREEK		
1508	SILVER	221.0	441.9
1501	LANDAU BLACK	366.2	732.5
1553	FAST BLUE	393.5	787.0
1551	FAST YELLOW	406.9	813.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 129

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5281	SILVER CITY						
1508	SILVER	238.5	477.1	1554	TINTING WHITE	162.1	324.1
1501	LANDAU BLACK	364.9	729.8	1501	LANDAU BLACK	268.8	537.5
1552	FAST RED	404.7	809.4	1559	YELLOW OXIDE	358.1	716.1
1551	FAST YELLOW	407.2	814.3	1550	RED OXIDE	420.1	840.2
5282	SILVER BAY			5289	DARK GRAPHITE		
1508	SILVER	233.6	467.2	1302	LOW LUSTER CLEAR	135.6	271.1
1501	LANDAU BLACK	346.4	692.7	1501	LANDAU BLACK	231.6	463.2
1552	FAST RED	395.6	791.2	1554	TINTING WHITE	308.5	616.9
1551	FAST YELLOW	407.0	814.0	1559	YELLOW OXIDE	379.6	759.2
				1550	RED OXIDE	411.5	823.1
5283	SILVER QUEEN			5290	DARK BLACK GRA		
1508	SILVER	280.5	561.1	1501	LANDAU BLACK	126.4	252.7
1501	LANDAU BLACK	376.2	752.4	1559	YELLOW OXIDE	220.4	440.8
1551	FAST YELLOW	394.5	789.1	1302	LOW LUSTER CLEAR	308.6	617.1
1552	FAST RED	407.6	815.1	1554	TINTING WHITE	367.4	734.7
				1550	RED OXIDE	411.4	822.9
5284	ROCK GRAY			5291	CHEROKEE GRAY		
1554	TINTING WHITE	182.7	365.4	1501	LANDAU BLACK	140.8	281.6
1302	LOW LUSTER CLEAR	266.7	533.3	1559	YELLOW OXIDE	236.3	472.5
1559	YELLOW OXIDE	341.5	683.1	1302	LOW LUSTER CLEAR	304.5	609.0
1501	LANDAU BLACK	391.6	783.2	1554	TINTING WHITE	364.1	728.3
1550	RED OXIDE	419.8	839.6	1550	RED OXIDE	411.8	823.7
5285	MED. GRAPHITE			5292	BLACK		
1554	TINTING WHITE	134.6	269.2	1501	LANDAU BLACK	310.0	620.0
1302	LOW LUSTER CLEAR	242.9	485.8	1302	LOW LUSTER CLEAR	388.9	777.9
1501	LANDAU BLACK	311.0	622.1	1550	RED OXIDE	397.8	795.5
1559	YELLOW OXIDE	376.0	752.0	1554	TINTING WHITE	405.0	810.0
1550	RED OXIDE	416.2	832.4				
5286	CHIMNEY GRAY			5293	MED. SAGE		
1554	TINTING WHITE	182.3	364.6	1501	LANDAU BLACK	202.6	405.3
1559	YELLOW OXIDE	288.0	576.1	1559	YELLOW OXIDE	383.2	766.5
1501	LANDAU BLACK	381.1	762.3	1556	FAST GREEN	403.7	807.3
1550	RED OXIDE	421.6	843.2	1554	TINTING WHITE	409.0	818.0
5287	LUX GRAY			5294	SMOKEY MOUNTAI		
1302	LOW LUSTER CLEAR	137.8	275.7	1501	LANDAU BLACK	260.7	521.4
1554	TINTING WHITE	242.6	485.3	1554	TINTING WHITE	404.3	808.6
1559	YELLOW OXIDE	312.1	624.2	1551	FAST YELLOW	412.0	824.0
1501	LANDAU BLACK	379.1	758.1	1552	FAST RED	414.0	828.0
1550	RED OXIDE	413.5	827.1	1553	FAST BLUE	415.6	831.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 130

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5295	MED. DARK CHARC		
1501	LANDAU BLACK	199.8	399.6
1554	TINTING WHITE	316.1	632.1
1559	YELLOW OXIDE	408.3	816.6
1553	FAST BLUE	415.3	830.7

5302	MED ADRIATIC ME		
1552	FAST RED	169.5	339.0
1553	FAST BLUE	329.7	659.5
1508	SILVER	369.0	738.0
1501	LANDAU BLACK	403.8	807.7

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5296	BROWN SPICE		
1302	LOW LUSTER CLEAR	106.8	213.6
1559	YELLOW OXIDE	210.1	420.3
1501	LANDAU BLACK	295.5	591.1
1554	TINTING WHITE	355.3	710.6
1550	RED OXIDE	411.7	823.5

5303	BLUE MOUNTAIN		
1508	SILVER	180.2	360.4
1552	FAST RED	297.6	595.3
1553	FAST BLUE	405.7	811.5

5297	BLACK COFFEE		
1501	LANDAU BLACK	243.1	486.2
1302	LOW LUSTER CLEAR	329.9	659.9
1559	YELLOW OXIDE	385.5	771.0
1550	RED OXIDE	396.0	791.9
1554	TINTING WHITE	406.4	812.8

5304	BLUE CHIP MET.		
1508	SILVER	134.6	269.2
1553	FAST BLUE	251.5	502.9
1552	FAST RED	358.2	716.3
1554	TINTING WHITE	409.0	818.0

5298	CHARCOAL BLACK		
1501	LANDAU BLACK	215.1	430.2
1302	LOW LUSTER CLEAR	304.7	609.3
1554	TINTING WHITE	352.5	704.9
1559	YELLOW OXIDE	394.3	788.5
1550	RED OXIDE	408.9	817.8

5305	NILE BLUE MET.		
1508	SILVER	159.7	319.4
1552	FAST RED	266.0	532.0
1553	FAST BLUE	343.9	687.8
1554	TINTING WHITE	410.7	821.4

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5299	DARK TITANIUM		
1501	LANDAU BLACK	207.3	414.6
1559	YELLOW OXIDE	329.0	658.0
1550	RED OXIDE	372.6	745.2
1554	TINTING WHITE	411.3	822.5

5306	CRYSTAL BLUE ME		
1508	SILVER	231.0	462.1
1553	FAST BLUE	356.4	712.9
1552	FAST RED	389.6	779.2
1501	LANDAU BLACK	406.2	812.4

5300	BRIGHT BLUE MET.		
1553	FAST BLUE	258.4	516.8
1508	SILVER	329.9	659.9
1556	FAST GREEN	385.6	771.2
1501	LANDAU BLACK	403.8	807.7

5307	LIGHT BLUE MET.		
1508	SILVER	311.5	623.0
1553	FAST BLUE	395.4	790.8
1552	FAST RED	405.0	810.0
1501	LANDAU BLACK	407.4	814.7

5301	BLUEBIRD MET.		
1553	FAST BLUE	216.8	433.6
1501	LANDAU BLACK	316.4	632.9
1508	SILVER	402.5	805.0
1556	FAST GREEN	404.4	808.8

5308	SABLE BLUE MET.		
1508	SILVER	222.0	444.0
1553	FAST BLUE	308.8	617.5
1501	LANDAU BLACK	368.1	736.3
1552	FAST RED	406.5	813.0

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 131

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5309	MED CRYSTAL BLU			
1508	SILVER	235.7	471.4	
1553	FAST BLUE	345.4	690.8	
1552	FAST RED	388.1	776.2	
1501	LANDAU BLACK	406.4	812.8	

5316	DARK BLUE MET.			
1553	FAST BLUE	271.5	543.0	
1501	LANDAU BLACK	337.8	675.6	
1556	FAST GREEN	373.4	746.7	
1508	SILVER	403.5	806.9	

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5310	DARK TEAL			
1508	SILVER	202.9	405.8	
1553	FAST BLUE	293.6	587.3	
1501	LANDAU BLACK	377.1	754.1	
1556	FAST GREEN	406.3	812.6	

5317	DARK BLUEBIRD M			
1553	FAST BLUE	181.3	362.5	
1501	LANDAU BLACK	333.0	666.0	
1508	SILVER	404.6	809.2	
		0.0	0.0	

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

MUST TOP WITH 1301 SATIN GLOSS CLEAR

5311	BLUE PRINT MET.			
1553	FAST BLUE	232.5	464.9	
1508	SILVER	333.2	666.3	
1556	FAST GREEN	376.9	753.7	
1552	FAST RED	404.3	808.6	

5318	DARK ADRIATIC M			
1552	FAST RED	182.6	365.2	
1553	FAST BLUE	316.4	632.9	
1508	SILVER	361.8	723.5	
1501	LANDAU BLACK	404.0	808.1	

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5312	BLUE RIBBON			
1553	FAST BLUE	215.4	430.7	
1508	SILVER	342.7	685.3	
1556	FAST GREEN	389.5	779.0	
1554	TINTING WHITE	399.4	798.8	
1552	FAST RED	405.4	810.7	

5319	THOMAS BLUE			
1501	LANDAU BLACK	144.1	288.2	
1554	TINTING WHITE	272.0	544.0	
1553	FAST BLUE	391.3	782.6	
1550	RED OXIDE	414.3	828.6	

5313	BLUE DOGWOOD M			
1553	FAST BLUE	222.2	444.4	
1508	SILVER	330.0	660.1	
1556	FAST GREEN	371.7	743.5	
1554	TINTING WHITE	391.0	782.0	
1552	FAST RED	405.7	811.5	

5320	MED. LIGHT BLUE			
1554	TINTING WHITE	157.0	314.1	
1553	FAST BLUE	297.4	594.9	
1501	LANDAU BLACK	374.2	748.4	
1550	RED OXIDE	416.7	833.3	

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

5314	BLUE CHEESE ME			
1508	SILVER	188.6	377.2	
1553	FAST BLUE	336.1	672.2	
1501	LANDAU BLACK	389.4	778.8	
1552	FAST RED	405.8	811.7	

5321	BLUE MIST			
1553	FAST BLUE	156.1	312.2	
1554	TINTING WHITE	248.1	496.3	
1501	LANDAU BLACK	318.1	636.1	
1302	LOW LUSTER CLEAR	373.3	746.5	
1552	FAST RED	410.1	820.2	

5315	BLUE BONNET MET			
1553	FAST BLUE	216.1	432.3	
1508	SILVER	338.1	676.2	
1556	FAST GREEN	390.3	780.5	
1501	LANDAU BLACK	404.6	809.2	

5322	ROYAL BLUE			
1553	FAST BLUE	151.3	302.7	
1501	LANDAU BLACK	279.5	559.0	
1554	TINTING WHITE	395.6	791.2	
1559	YELLOW OXIDE	413.0	825.9	

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 132

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5323	BLUEBERRY						
1553	FAST BLUE	150.6	301.2	1551	FAST YELLOW	183.3	366.5
1554	TINTING WHITE	244.7	489.4	1554	TINTING WHITE	303.9	607.8
1501	LANDAU BLACK	320.1	640.1	1559	YELLOW OXIDE	414.5	829.0
1302	LOW LUSTER CLEAR	376.5	753.0	1556	FAST GREEN	415.6	831.3
1552	FAST RED	410.4	820.8				
5324	PEACH			5331	PERCH YELLOW		
1554	TINTING WHITE	234.8	469.7	1551	FAST YELLOW	306.9	613.7
1551	FAST YELLOW	377.0	753.9	1559	YELLOW OXIDE	362.1	724.3
1552	FAST RED	421.5	843.0	1554	TINTING WHITE	408.6	817.2
1553	FAST BLUE	421.9	843.8	1556	FAST GREEN	408.7	817.4
5325	PEACH BLOSSOM			5332	GREENWOOD		
1554	TINTING WHITE	231.4	462.8	1556	FAST GREEN	290.3	580.6
1559	YELLOW OXIDE	379.3	758.7	1554	TINTING WHITE	406.5	813.0
1552	FAST RED	424.9	849.9	1553	FAST BLUE	409.9	819.9
				1559	YELLOW OXIDE	412.9	825.7
5326	YOLK YELLOW			5333	OPAL GREEN		
1551	FAST YELLOW	298.7	597.4	1556	FAST GREEN	361.0	722.0
1554	TINTING WHITE	362.8	725.6	1554	TINTING WHITE	392.9	785.8
1559	YELLOW OXIDE	402.6	805.2	1553	FAST BLUE	403.1	806.2
1552	FAST RED	409.7	819.5	1501	LANDAU BLACK	406.3	812.6
5327	PUMPKIN YELLOW			5334	GREENSBORO		
1554	TINTING WHITE	276.5	552.9	1556	FAST GREEN	280.3	560.5
1551	FAST YELLOW	410.5	821.0	1554	TINTING WHITE	392.1	784.1
1552	FAST RED	425.1	850.3	1553	FAST BLUE	412.4	824.8
5328	SUN FLOWER YELL			5335	DARK BIMINI		
1551	FAST YELLOW	213.6	427.1	1553	FAST BLUE	183.6	367.3
1554	TINTING WHITE	314.3	628.5	1556	FAST GREEN	339.2	678.5
1559	YELLOW OXIDE	413.0	825.9	1554	TINTING WHITE	406.6	813.2
1552	FAST RED	413.7	827.5	1501	LANDAU BLACK	408.5	817.0
5329	SUN YELLOW			5336	LIGHT BIMINI		
1554	TINTING WHITE	273.4	546.8	1302	LOW LUSTER CLEAR	137.0	274.0
1551	FAST YELLOW	418.0	836.0	1556	FAST GREEN	248.4	496.9
1550	RED OXIDE	422.9	845.9	1553	FAST BLUE	358.5	717.1
1556	FAST GREEN	425.0	850.1	1554	TINTING WHITE	406.3	812.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 133

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5337	AQUANAUT						
1554	TINTING WHITE	211.4	422.8	1551	FAST YELLOW	239.7	479.4
1556	FAST GREEN	344.9	689.7	1556	FAST GREEN	311.5	623.0
1553	FAST BLUE	409.8	819.7	1554	TINTING WHITE	364.8	729.6
1559	YELLOW OXIDE	420.1	840.2	1553	FAST BLUE	407.9	815.9
5338	AQUARIUM			5345	LIGHT MOSS GREE		
1554	TINTING WHITE	246.3	492.7	1551	FAST YELLOW	165.5	331.0
1556	FAST GREEN	367.7	735.5	1554	TINTING WHITE	300.9	601.7
1553	FAST BLUE	420.6	841.1	1556	FAST GREEN	407.1	814.2
1551	FAST YELLOW	422.7	845.3	1501	LANDAU BLACK	414.4	828.8
5339	LIGHT GREEN			5346	OCEAN GREEN		
1554	TINTING WHITE	410.3	820.6	1559	YELLOW OXIDE	175.8	351.5
1556	FAST GREEN	428.7	857.5	1556	FAST GREEN	328.8	657.6
1551	FAST YELLOW	434.1	868.1	1554	TINTING WHITE	403.3	806.6
1501	LANDAU BLACK	435.3	870.6	1501	LANDAU BLACK	413.6	827.3
5340	REGAL BLUE			5347	ORANGEBURG		
1554	TINTING WHITE	365.7	731.3	1551	FAST YELLOW	313.5	627.0
1553	FAST BLUE	414.0	828.0	1554	TINTING WHITE	360.5	721.1
1556	FAST GREEN	429.1	858.2	1552	FAST RED	407.6	815.1
1501	LANDAU BLACK	431.7	863.4				
5341	MED. BLUE MIST			5348	ORANGE BLOSSOM		
1554	TINTING WHITE	336.3	672.6	1551	FAST YELLOW	246.9	493.8
1553	FAST BLUE	416.2	832.4	1552	FAST RED	351.4	702.8
1550	RED OXIDE	428.2	856.3	1554	TINTING WHITE	408.4	816.8
1559	YELLOW OXIDE	429.6	859.2				
5342	MED. EMERALD GR			5349	BRIGHT ORANGE		
1556	FAST GREEN	282.7	565.4	1552	FAST RED	193.1	386.3
1551	FAST YELLOW	361.0	722.0	1551	FAST YELLOW	340.3	680.6
1554	TINTING WHITE	407.6	815.1	1554	TINTING WHITE	409.3	818.5
5343	LIGHT EMERALD			5350	BLUE BEARD MET.		
1556	FAST GREEN	276.9	553.9	1553	FAST BLUE	138.2	276.5
1551	FAST YELLOW	345.8	691.6	1508	SILVER	270.0	540.0
1554	TINTING WHITE	408.9	817.8	1552	FAST RED	388.9	777.9
				1557	MAGENTA	405.0	810.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 134

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5351	BLUE JAY MET.						
1557	MAGENTA	150.7	301.3	1551	FAST YELLOW	155.2	310.5
1508	SILVER	297.6	595.3	1508	SILVER	278.9	557.8
1553	FAST BLUE	405.3	810.5	1552	FAST RED	400.1	800.3
				1501	LANDAU BLACK	405.5	810.9
5352	TRUE BLUE			5359	WINTER GREEN		
1302	LOW LUSTER CLEAR	198.9	397.9	1559	YELLOW OXIDE	177.3	354.5
1553	FAST BLUE	364.7	729.4	1556	FAST GREEN	313.7	627.4
1554	TINTING WHITE	397.9	795.7	1554	TINTING WHITE	367.7	735.3
1501	LANDAU BLACK	401.9	803.7	1501	LANDAU BLACK	412.2	824.4
1552	FAST RED	404.5	809.0				
5353	DARK TRUE BLUE			5360	TONNEAU GREEN		
1302	LOW LUSTER CLEAR	147.9	295.8	1551	FAST YELLOW	136.7	273.4
1553	FAST BLUE	265.1	530.3	1554	TINTING WHITE	250.6	501.2
1552	FAST RED	357.6	715.2	1302	LOW LUSTER CLEAR	338.2	676.4
1554	TINTING WHITE	406.2	812.4	1501	LANDAU BLACK	381.3	762.7
				1552	FAST RED	412.2	824.4
5354	MED. TRUE BLUE			5361	GREEN PASTURE		
1553	FAST BLUE	338.6	677.2	1559	YELLOW OXIDE	289.4	578.7
1554	TINTING WHITE	393.2	786.4	1554	TINTING WHITE	397.7	795.3
1556	FAST GREEN	402.9	805.8	1556	FAST GREEN	408.4	816.8
1559	YELLOW OXIDE	407.0	814.0	1501	LANDAU BLACK	418.8	837.5
5355	DARK RUBY			5362	MEADOW GREEN		
1552	FAST RED	383.4	766.8	1551	FAST YELLOW	185.3	370.7
1501	LANDAU BLACK	391.6	783.2	1554	TINTING WHITE	354.5	709.1
1554	TINTING WHITE	398.1	796.1	1501	LANDAU BLACK	408.5	817.0
1553	FAST BLUE	404.5	809.0	1556	FAST GREEN	417.0	833.9
5356	LIGHT TRUE BLUE			5363	LIGHT AQUA		
1552	FAST RED	130.5	261.1	1554	TINTING WHITE	350.8	701.7
1553	FAST BLUE	241.5	483.0	1553	FAST BLUE	387.5	775.0
1302	LOW LUSTER CLEAR	349.8	699.6	1556	FAST GREEN	411.3	822.5
1554	TINTING WHITE	407.2	814.3	1559	YELLOW OXIDE	431.1	862.2
5357	VERY DARK BLUE			5364	Light Parchment		
1501	LANDAU BLACK	272.6	545.1	1554	TINTING WHITE	291.8	583.6
1554	TINTING WHITE	415.7	831.4	1302	LOW LUSTER CLEAR	405.1	810.2
		0.0	0.0	1559	YELLOW OXIDE	430.7	861.3
				1501	LANDAU BLACK	436.6	873.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 135

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5365	MED. DK PARCHME	Ford Motor		5372	MED. PORTLAND	Ford Motor	
							UGC
1559	YELLOW OXIDE	144.7	289.4	1554	TINTING WHITE	151.1	302.3
1302	LOW LUSTER CLEAR	241.1	482.2	1501	LANDAU BLACK	287.1	574.2
1501	LANDAU BLACK	302.9	605.7	1302	LOW LUSTER CLEAR	363.5	726.9
1550	RED OXIDE	359.8	719.5	1551	FAST YELLOW	403.8	807.5
1554	TINTING WHITE	412.2	824.4	1550	RED OXIDE	415.6	831.3
5366	DK. TAUPE	Chrysler Motors		5373	LT CACTUS	Ford Motor	
			L8				UFA
1559	YELLOW OXIDE	124.4	248.7	1554	TINTING WHITE	151.3	302.7
1302	LOW LUSTER CLEAR	233.1	466.3	1559	YELLOW OXIDE	259.0	517.9
1501	LANDAU BLACK	312.4	624.7	1302	LOW LUSTER CLEAR	344.4	688.8
1554	TINTING WHITE	367.7	735.3	1501	LANDAU BLACK	412.0	824.0
1550	RED OXIDE	411.4	822.9	1556	FAST GREEN	417.5	835.1
5367	LT.CAMEL	Chrysler Motors		5374	SCHOOL BUS GRAY		
			K4				
1554	TINTING WHITE	223.4	446.9	1554	TINTING WHITE	230.7	461.3
1559	YELLOW OXIDE	328.1	656.3	1501	LANDAU BLACK	346.8	693.7
1302	LOW LUSTER CLEAR	398.0	795.9	1559	YELLOW OXIDE	416.9	833.7
1550	RED OXIDE	413.5	827.1	1550	RED OXIDE	423.6	847.2
1501	LANDAU BLACK	423.3	846.6				
5368	TUXEDO BLUE	General Motors		5375	DP ROYAL BLUE	Chrysler Motors	
			WA400G				BP
1501	LANDAU BLACK	208.3	416.7	1501	LANDAU BLACK	185.9	371.8
1554	TINTING WHITE	285.8	571.5	1553	FAST BLUE	316.5	633.1
1302	LOW LUSTER CLEAR	354.8	709.7	1302	LOW LUSTER CLEAR	372.5	745.0
1553	FAST BLUE	384.6	769.1	1550	RED OXIDE	389.0	778.1
1559	YELLOW OXIDE	410.5	821.0	1554	TINTING WHITE	405.2	810.4
5369	MED DARK SABLE	General Motors		5376	NAVY BLUE	Chrysler Motors	
			64				QL
1559	YELLOW OXIDE	150.6	301.2	1501	LANDAU BLACK	150.5	301.0
1501	LANDAU BLACK	231.2	462.5	1553	FAST BLUE	277.2	554.4
1302	LOW LUSTER CLEAR	300.5	601.0	1302	LOW LUSTER CLEAR	369.6	739.3
1550	RED OXIDE	359.7	719.3	1554	TINTING WHITE	402.1	804.3
1554	TINTING WHITE	412.6	825.2	1551	FAST YELLOW	405.8	811.7
5370	MD MOSS	General Motors		5377	CREAM	Chrysler Motors	
			43				T1
1559	YELLOW OXIDE	204.3	408.7	1554	TINTING WHITE	275.6	551.2
1554	TINTING WHITE	290.6	581.2	1302	LOW LUSTER CLEAR	354.8	709.7
1501	LANDAU BLACK	354.3	708.5	1559	YELLOW OXIDE	415.6	831.3
1302	LOW LUSTER CLEAR	407.9	815.9	1550	RED OXIDE	421.6	843.2
1550	RED OXIDE	415.1	830.1	1501	LANDAU BLACK	426.1	852.2
5371	LT MINK	Ford Motor		5378	MD SLATE	Chrysler Motors	
			BHA				XDH
1554	TINTING WHITE	164.7	329.5	1501	LANDAU BLACK	143.3	286.5
1559	YELLOW OXIDE	273.5	547.0	1554	TINTING WHITE	241.8	483.6
1302	LOW LUSTER CLEAR	353.5	707.0	1559	YELLOW OXIDE	323.1	646.2
1501	LANDAU BLACK	388.1	776.2	1302	LOW LUSTER CLEAR	401.3	802.6
1550	RED OXIDE	419.4	838.9	1550	RED OXIDE	413.4	826.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 136

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5379	DK SLATE GRAY	Chrysler Motors	DV	5386	BLACK	Chrysler Motors	AC20157
1501	LANDAU BLACK	218.0	436.1	1501	LANDAU BLACK	243.9	487.7
1559	YELLOW OXIDE	300.4	600.8	1302	LOW LUSTER CLEAR	365.8	731.5
1302	LOW LUSTER CLEAR	359.7	719.3	1551	FAST YELLOW	380.0	760.0
1554	TINTING WHITE	386.3	772.5	1554	TINTING WHITE	392.6	785.3
1550	RED OXIDE	408.6	817.2	1552	FAST RED	404.8	809.6
5380	VY LT OAK	General Motors	640H	5387	EBONY BLACK	Honda	A,D,J,Y,Z
1554	TINTING WHITE	182.8	365.6	1501	LANDAU BLACK	260.6	521.2
1559	YELLOW OXIDE	319.9	639.7	1302	LOW LUSTER CLEAR	362.0	723.9
1302	LOW LUSTER CLEAR	398.6	797.2	1554	TINTING WHITE	384.6	769.1
1552	FAST RED	412.2	824.4	1553	FAST BLUE	395.6	791.2
1501	LANDAU BLACK	420.4	840.8	1551	FAST YELLOW	405.7	811.5
5381	MD OAK	General Motors	641H	5388	DK LAPIS	Honda	C
1559	YELLOW OXIDE	182.8	365.6	1501	LANDAU BLACK	234.3	468.5
1554	TINTING WHITE	281.5	563.0	1302	LOW LUSTER CLEAR	320.0	639.9
1302	LOW LUSTER CLEAR	372.9	745.8	1554	TINTING WHITE	382.8	765.5
1552	FAST RED	401.0	802.0	1553	FAST BLUE	402.4	804.8
1501	LANDAU BLACK	414.9	829.7	1551	FAST YELLOW	408.7	817.4
5382	VY DK PEWTER	General Motors	WA642H	5389	LAPIS	Honda	C
1559	YELLOW OXIDE	130.4	260.9	1554	TINTING WHITE	155.4	310.8
1501	LANDAU BLACK	242.5	485.1	1501	LANDAU BLACK	296.1	592.2
1302	LOW LUSTER CLEAR	324.0	648.1	1302	LOW LUSTER CLEAR	373.3	746.5
1554	TINTING WHITE	369.6	739.3	1559	YELLOW OXIDE	400.0	800.1
1552	FAST RED	410.1	820.2	1550	RED OXIDE	416.7	833.3
5383	BROWN	Toyota		5390	DK IVORY	Honda	F/Q
1559	YELLOW OXIDE	139.5	278.9	1559	YELLOW OXIDE	142.7	285.4
1554	TINTING WHITE	251.8	503.5	1302	LOW LUSTER CLEAR	242.6	485.3
1302	LOW LUSTER CLEAR	337.8	675.6	1554	TINTING WHITE	306.0	612.0
1501	LANDAU BLACK	384.3	768.6	1501	LANDAU BLACK	362.5	725.0
1550	RED OXIDE	415.9	831.8	1550	RED OXIDE	412.8	825.6
5384	LT GRAY	Chrysler Motors	AC20650	5391	IVORY	Honda	F/G
1554	TINTING WHITE	186.9	373.7	1554	TINTING WHITE	145.7	291.5
1302	LOW LUSTER CLEAR	270.8	541.5	1559	YELLOW OXIDE	269.8	539.6
1501	LANDAU BLACK	337.8	675.6	1302	LOW LUSTER CLEAR	365.3	730.6
1559	YELLOW OXIDE	408.3	816.6	1550	RED OXIDE	395.8	791.5
1550	RED OXIDE	419.7	839.4	1501	LANDAU BLACK	418.0	836.0
5385	BEIGE	Chrysler Motors	AC20656	5392	PARCHMENT	Honda	F/T
1554	TINTING WHITE	170.1	340.3	1559	YELLOW OXIDE	163.2	326.4
1559	YELLOW OXIDE	289.6	579.1	1302	LOW LUSTER CLEAR	252.2	504.5
1302	LOW LUSTER CLEAR	372.0	744.0	1554	TINTING WHITE	310.7	621.3
1550	RED OXIDE	399.4	798.8	1501	LANDAU BLACK	367.0	734.0
1501	LANDAU BLACK	419.8	839.6	1550	RED OXIDE	412.7	825.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 137

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5393	TAUPE	Honda		P	5400	DK GRAY	Honda	K/X/Y
1559	YELLOW OXIDE	135.9	271.7		1501	LANDAU BLACK	182.1	364.2
1302	LOW LUSTER CLEAR	238.1	476.1		1302	LOW LUSTER CLEAR	278.7	557.5
1554	TINTING WHITE	308.8	617.5		1559	YELLOW OXIDE	353.2	706.4
1501	LANDAU BLACK	365.8	731.5		1554	TINTING WHITE	395.2	790.4
1550	RED OXIDE	413.1	826.1		1550	RED OXIDE	409.0	818.0
5394	CAMEL	Honda		Y	5402	NEUTRAL	General Motors	521/WA325CU
1559	YELLOW OXIDE	186.5	373.0		1554	TINTING WHITE	145.9	291.8
1554	TINTING WHITE	300.8	601.5		1559	YELLOW OXIDE	281.4	562.8
1302	LOW LUSTER CLEAR	383.6	767.2		1302	LOW LUSTER CLEAR	350.8	701.7
1550	RED OXIDE	410.4	820.8		1550	RED OXIDE	388.4	776.7
1501	LANDAU BLACK	417.1	834.1		1501	LANDAU BLACK	418.6	837.1
5395	BEIGE	Honda		181	5403	NEUTRAL SHALE	General Motors	601/WA172D
1559	YELLOW OXIDE	147.6	295.3		1554	TINTING WHITE	288.9	577.8
1302	LOW LUSTER CLEAR	226.4	452.8		1501	LANDAU BLACK	310.3	620.5
1550	RED OXIDE	291.3	582.5		1550	RED OXIDE	328.3	656.6
1554	TINTING WHITE	355.8	711.6		1559	YELLOW OXIDE	428.8	857.7
1501	LANDAU BLACK	413.4	826.9					
5396	GRAY	Honda		A	5404	DK GOLD	General Motors	UCV 2-1332
1554	TINTING WHITE	146.1	292.2		1559	YELLOW OXIDE	237.4	474.8
1501	LANDAU BLACK	239.3	478.6		1550	RED OXIDE	281.8	563.5
1302	LOW LUSTER CLEAR	318.0	635.9		1554	TINTING WHITE	333.1	666.1
1559	YELLOW OXIDE	392.0	783.9		1501	LANDAU BLACK	345.1	690.3
1550	RED OXIDE	417.1	834.3		1302	LOW LUSTER CLEAR	413.9	827.8
5397	DK QUARTZ	Honda		B-Y	5405	DK MAROON	General Motors	UCV 2-1335
1501	LANDAU BLACK	132.1	264.3		1552	FAST RED	286.0	572.1
1302	LOW LUSTER CLEAR	222.3	444.6		1302	LOW LUSTER CLEAR	393.0	786.0
1554	TINTING WHITE	297.4	594.9		1553	FAST BLUE	400.5	801.0
1559	YELLOW OXIDE	363.6	727.1		1554	TINTING WHITE	403.5	806.9
1550	RED OXIDE	412.2	824.4					
5398	QUARTZ	Honda		B	5406	BLUE	Toyota	807/B
1554	TINTING WHITE	153.3	306.7		1553	FAST BLUE	163.8	327.6
1559	YELLOW OXIDE	238.9	477.9		1501	LANDAU BLACK	298.8	597.6
1302	LOW LUSTER CLEAR	318.8	637.6		1302	LOW LUSTER CLEAR	356.3	712.5
1501	LANDAU BLACK	379.5	759.1		1551	FAST YELLOW	382.1	764.2
1550	RED OXIDE	418.2	836.4		1554	TINTING WHITE	405.1	810.2
5399	LT GRAY	Honda		F	5407	NEUTRAL	General Motors	521/WA323C
1501	LANDAU BLACK	112.4	224.8		1559	YELLOW OXIDE	140.4	280.8
1554	TINTING WHITE	214.1	428.3		1501	LANDAU BLACK	251.3	502.6
1302	LOW LUSTER CLEAR	310.5	620.9		1554	TINTING WHITE	328.8	657.6
1559	YELLOW OXIDE	397.1	794.2		1552	FAST RED	375.6	751.3
1550	RED OXIDE	413.8	827.6		1302	LOW LUSTER CLEAR	413.1	826.1

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 138

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5408	DK BROWN	Mitsubishi	C46
1559	YELLOW OXIDE	189.5	379.1
1554	TINTING WHITE	294.8	589.6
1501	LANDAU BLACK	378.2	756.4
1550	RED OXIDE	417.3	834.7

5415	PINK	Mitsubishi	P89
1554	TINTING WHITE	329.3	658.5
1559	YELLOW OXIDE	384.3	768.6
1557	MAGENTA	408.6	817.2
1501	LANDAU BLACK	430.4	860.7

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5409	WHITE	Mitsubishi	WO9
1554	TINTING WHITE	420.7	841.3
1559	YELLOW OXIDE	433.1	866.2
1501	LANDAU BLACK	435.8	871.5
1553	FAST BLUE	436.4	872.9

5416	LT GREEN	Mitsubishi	G 73
1554	TINTING WHITE	287.1	574.2
1501	LANDAU BLACK	317.4	634.8
1559	YELLOW OXIDE	390.5	781.1
1553	FAST BLUE	427.5	855.0

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5410	CHARCOAL	General Motors	UCV 1370
1501	LANDAU BLACK	297.9	595.8
1559	YELLOW OXIDE	346.2	692.4
1554	TINTING WHITE	373.4	746.7
1553	FAST BLUE	377.5	755.1
1302	LOW LUSTER CLEAR	407.7	815.5

5417	NATURAL BEIGE	General Motors	UCV2-1369
1554	TINTING WHITE	222.6	445.2
1501	LANDAU BLACK	237.1	474.2
1550	RED OXIDE	254.3	508.6
1559	YELLOW OXIDE	351.2	702.4
1302	LOW LUSTER CLEAR	423.0	846.1

5411	SHADOW BLUE	General Motors	821/WA173D
1554	TINTING WHITE	223.1	446.1
1559	YELLOW OXIDE	306.1	612.2
1501	LANDAU BLACK	348.2	696.4
1550	RED OXIDE	368.3	736.6
1302	LOW LUSTER CLEAR	423.1	846.3

5418	EBONY BLACK	General Motors	801/WA174D
1501	LANDAU BLACK	276.5	553.1
1302	LOW LUSTER CLEAR	331.8	663.7
1553	FAST BLUE	373.5	747.1
1551	FAST YELLOW	401.2	802.4
1554	TINTING WHITE	404.4	808.8

5412	DK GRAY	Mitsubishi	H52
1501	LANDAU BLACK	192.9	385.7
1559	YELLOW OXIDE	356.1	712.1
1554	TINTING WHITE	383.0	766.1
1550	RED OXIDE	410.8	821.6

5419	TAN	Toyota	
1554	TINTING WHITE	33.4	66.9
1501	LANDAU BLACK	76.2	152.4
1550	RED OXIDE	139.4	278.7
1559	YELLOW OXIDE	356.8	713.6
1302	LOW LUSTER CLEAR	412.6	825.2

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5413	YELLOW	Mitsubishi	YB7
1554	TINTING WHITE	230.9	461.9
1551	FAST YELLOW	419.9	839.8
1553	FAST BLUE	420.8	841.5
1550	RED OXIDE	421.6	843.2

5420	BURGUNDY	Toyota	
1554	TINTING WHITE	16.2	32.3
1501	LANDAU BLACK	136.6	273.2
1550	RED OXIDE	278.7	557.5
1552	FAST RED	409.1	818.1

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5414	DK BROWN	Mitsubishi	C 46
1554	TINTING WHITE	104.5	209.0
1501	LANDAU BLACK	191.0	382.1
1550	RED OXIDE	232.3	464.6
1559	YELLOW OXIDE	417.2	834.5

5421	SMOKE	Toyota	
1302	LOW LUSTER CLEAR	153.9	307.8
1501	LANDAU BLACK	269.3	538.7
1559	YELLOW OXIDE	338.6	677.2
1552	FAST RED	382.6	765.1
1554	TINTING WHITE	406.8	813.6

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

MUST TOP COAT WITH 1302 LOW LUSTER CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 139

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5422	DK BLUE	Toyota	
1501	LANDAU BLACK	113.6	227.2
1553	FAST BLUE	177.7	355.3
1554	TINTING WHITE	227.4	454.9
1550	RED OXIDE	240.4	480.7
1302	LOW LUSTER CLEAR	407.1	814.2

5429	MD MAROON	General Motors UVC2-1333	
1552	FAST RED	211.4	422.8
1550	RED OXIDE	288.2	576.5
1501	LANDAU BLACK	300.1	600.2
1554	TINTING WHITE	310.0	620.0
1302	LOW LUSTER CLEAR	406.0	812.1

5423	NAVY BLUE	Toyota	
1553	FAST BLUE	181.6	363.3
1501	LANDAU BLACK	256.3	512.6
1302	LOW LUSTER CLEAR	329.6	659.1
1556	FAST GREEN	388.2	776.3
1554	TINTING WHITE	404.3	808.6

5430	DK NATURAL BEIG	General Motors UCV2-1422	
1559	YELLOW OXIDE	135.5	270.9
1554	TINTING WHITE	230.6	461.1
1302	LOW LUSTER CLEAR	311.2	622.4
1501	LANDAU BLACK	381.2	762.5
1550	RED OXIDE	414.8	829.5

5424	GRAY	General Motors CV2-1623 NEW	
1554	TINTING WHITE	50.3	100.5
1501	LANDAU BLACK	226.0	452.0
1550	RED OXIDE	235.5	471.0
1551	FAST YELLOW	256.9	513.8
1302	LOW LUSTER CLEAR	407.6	815.1

5431	LT TAN	Subaru	
1559	YELLOW OXIDE	204.9	409.8
1554	TINTING WHITE	266.4	532.8
1550	RED OXIDE	304.3	608.6
1302	LOW LUSTER CLEAR	397.5	795.0
1501	LANDAU BLACK	413.6	827.3

5425	BEIGE	Mitsubishi S 55	
1554	TINTING WHITE	342.0	684.0
1501	LANDAU BLACK	358.2	716.5
1550	RED OXIDE	370.0	740.1
1559	YELLOW OXIDE	431.8	863.6

5432	LT GRAY	General Motors RPO 181	
1554	TINTING WHITE	199.6	399.2
1302	LOW LUSTER CLEAR	282.5	565.1
1559	YELLOW OXIDE	348.8	697.7
1501	LANDAU BLACK	400.5	801.0
1550	RED OXIDE	420.8	841.5

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5426	BLUE	Mitsubishi T 85	
1554	TINTING WHITE	317.4	634.8
1501	LANDAU BLACK	402.6	805.2
1559	YELLOW OXIDE	406.8	813.6
1553	FAST BLUE	428.5	857.1

5433	MD NEUTRAL	General Motors CV2 1620 NEW	
1302	LOW LUSTER CLEAR	166.6	333.3
1559	YELLOW OXIDE	278.5	557.1
1554	TINTING WHITE	339.2	678.5
1501	LANDAU BLACK	379.0	757.9
1550	RED OXIDE	410.9	821.8

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5427	BLACK	Mitsubishi XA4	
1501	LANDAU BLACK	376.7	753.4
1553	FAST BLUE	404.9	809.8

5434	BLACK	General Motors 181	
1501	LANDAU BLACK	225.3	450.7
1554	TINTING WHITE	286.5	573.0
1302	LOW LUSTER CLEAR	342.2	684.4
1551	FAST YELLOW	384.8	769.5
1550	RED OXIDE	409.5	819.1

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

5428	RED	Mitsubishi R 52	
1550	RED OXIDE	252.4	504.8
1552	FAST RED	371.6	743.3
1551	FAST YELLOW	395.4	790.8
1554	TINTING WHITE	411.4	822.7

5435	BEIGE	Mitsubishi S55	
1554	TINTING WHITE	341.4	682.9
1559	YELLOW OXIDE	402.8	805.6
1501	LANDAU BLACK	420.6	841.1
1550	RED OXIDE	431.8	863.6

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 140

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5436	SMOKE	Toyota	A.B	5443	WHITE SATIN	Chrysler Motors	AB61-EW1
1501	LANDAU BLACK	194.1	388.2	1554	TINTING WHITE	295.5	591.1
1302	LOW LUSTER CLEAR	267.1	534.3	1302	LOW LUSTER CLEAR	404.4	808.8
1559	YELLOW OXIDE	361.2	722.4	1559	YELLOW OXIDE	424.7	849.3
1550	RED OXIDE	390.9	781.9	1501	LANDAU BLACK	426.2	852.3
1554	TINTING WHITE	408.1	816.2	1550	RED OXIDE	426.3	852.5
5437	LT GRAY	Toyota	A 195	5444	DK MAIZE	General Motors	4-0451-6
1554	TINTING WHITE	383.6	767.2	1559	YELLOW OXIDE	336.2	672.4
1559	YELLOW OXIDE	410.3	820.6	1554	TINTING WHITE	366.6	733.2
1501	LANDAU BLACK	427.5	855.0	1501	LANDAU BLACK	395.5	791.0
1550	RED OXIDE	434.0	867.9	1550	RED OXIDE	414.3	828.6
5438	BLACK	General Motors	191/WA322C	5445	GREEN INT	American Moto	75R3
1501	LANDAU BLACK	237.8	475.6	1556	FAST GREEN	126.6	253.3
1302	LOW LUSTER CLEAR	290.3	580.6	1554	TINTING WHITE	238.9	477.9
1551	FAST YELLOW	337.5	675.1	1302	LOW LUSTER CLEAR	320.1	640.1
1554	TINTING WHITE	384.3	768.6	1550	RED OXIDE	394.7	789.5
1550	RED OXIDE	408.4	816.8	1551	FAST YELLOW	413.9	827.8
5439	IVORY	Toyota	A 025	5446	BLUE	General Motors	UCV-2144
1554	TINTING WHITE	273.9	547.8	1554	TINTING WHITE	159.6	319.2
1559	YELLOW OXIDE	332.7	665.4	1553	FAST BLUE	269.7	539.4
1300	HIGH GLOSS CLEAR	396.4	792.9	1302	LOW LUSTER CLEAR	352.6	705.3
1550	RED OXIDE	415.7	831.4	1501	LANDAU BLACK	404.4	808.8
1501	LANDAU BLACK	426.4	852.7	1551	FAST YELLOW	415.3	830.7
5440	GRAY	Mitsubishi	H84	5447	MD TAUPE	General Motors	BN 69
1554	TINTING WHITE	363.8	727.5	1559	YELLOW OXIDE	216.9	433.8
1501	LANDAU BLACK	403.1	806.2	1554	TINTING WHITE	349.5	699.0
1559	YELLOW OXIDE	427.0	854.1	1501	LANDAU BLACK	386.7	773.5
1550	RED OXIDE	432.5	865.1	1550	RED OXIDE	419.9	839.8
MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR							
5441	LT GRAY	General Motors	UCV2-1622 NEW	5448	GREEN INT	American Moto	73R2
1554	TINTING WHITE	195.3	390.6	1559	YELLOW OXIDE	149.7	299.4
1559	YELLOW OXIDE	261.0	521.9	1302	LOW LUSTER CLEAR	253.7	507.3
1501	LANDAU BLACK	317.8	635.6	1554	TINTING WHITE	326.1	652.3
1550	RED OXIDE	338.5	677.0	1556	FAST GREEN	375.7	751.5
1302	LOW LUSTER CLEAR	420.6	841.1	1501	LANDAU BLACK	412.3	824.6
5442	DK SADDLE	General Motors	CN 65	5449	MD MAIZE	General Motors	UCV2-163
1559	YELLOW OXIDE	217.6	435.1	1559	YELLOW OXIDE	280.7	561.5
1302	LOW LUSTER CLEAR	335.0	669.9	1554	TINTING WHITE	402.3	804.7
1550	RED OXIDE	388.4	776.7	1501	LANDAU BLACK	415.9	831.8
1501	LANDAU BLACK	404.2	808.5	1550	RED OXIDE	419.6	839.2
1554	TINTING WHITE	409.8	819.7				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 141

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5450	MIDNIGHT BLUE	General Motors	DN 29	5457	DK CHAMOIS	General Motors	WOA/4297
1553	FAST BLUE	152.1	304.2	1559	YELLOW OXIDE	254.7	509.4
1501	LANDAU BLACK	268.5	536.9	1302	LOW LUSTER CLEAR	371.8	743.7
1302	LOW LUSTER CLEAR	349.7	699.4	1550	RED OXIDE	390.5	781.1
1554	TINTING WHITE	383.5	767.0	1501	LANDAU BLACK	401.9	803.9
1559	YELLOW OXIDE	406.2	812.4	1551	FAST YELLOW	409.3	818.5
5451	WHITE	General Motors	N 10	5458	MIDNIGHT NEUTR	General Motors	DN/60
1554	TINTING WHITE	323.0	646.0	1559	YELLOW OXIDE	188.8	377.5
1302	LOW LUSTER CLEAR	408.6	817.2	1501	LANDAU BLACK	313.4	626.8
1559	YELLOW OXIDE	425.7	851.4	1550	RED OXIDE	369.6	739.3
1501	LANDAU BLACK	427.8	855.6	1551	FAST YELLOW	409.9	819.9
1550	RED OXIDE	428.5	856.9				
5452	MD BLUE	General Motors	BN 21	5459	DK SADDLE	General Motors	CN/63
1554	TINTING WHITE	226.3	452.6	1559	YELLOW OXIDE	276.2	552.3
1553	FAST BLUE	310.1	620.2	1550	RED OXIDE	376.1	752.2
1550	RED OXIDE	370.1	740.2	1554	TINTING WHITE	395.1	790.2
1501	LANDAU BLACK	422.7	845.3	1501	LANDAU BLACK	414.1	828.2
5453	DK BLUE	General Motors	CN 21	5460	OXBLOOD	General Motors	CN 73
1554	TINTING WHITE	181.5	362.9	1552	FAST RED	329.7	659.5
1553	FAST BLUE	289.8	579.7	1551	FAST YELLOW	371.9	743.9
1550	RED OXIDE	363.8	727.5	1554	TINTING WHITE	398.7	797.4
1501	LANDAU BLACK	419.3	838.7	1553	FAST BLUE	406.0	812.1
5454	MIDNIGHT BLUE	General Motors	DN 29	5461	MD GRAY	General Motors	BN 11
1553	FAST BLUE	236.5	472.9	1554	TINTING WHITE	270.1	540.2
1550	RED OXIDE	340.8	681.5	1559	YELLOW OXIDE	350.1	700.2
1554	TINTING WHITE	376.6	753.2	1501	LANDAU BLACK	420.6	841.1
1551	FAST YELLOW	408.4	816.8	1550	RED OXIDE	426.7	853.5
5455	DK GREEN	General Motors	CN 44	5462	DK TEAL	General Motors	CN 32
1559	YELLOW OXIDE	193.8	387.6	1556	FAST GREEN	141.9	283.9
1556	FAST GREEN	305.8	611.6	1550	RED OXIDE	274.6	549.1
1501	LANDAU BLACK	375.7	751.5	1553	FAST BLUE	346.1	692.2
1554	TINTING WHITE	411.3	822.5	1554	TINTING WHITE	412.0	824.0
5456	MD CHAMOIS	General Motors	BN/54	5463	MD MAIZE	General Motors	BN 51
1559	YELLOW OXIDE	269.8	539.6	1559	YELLOW OXIDE	275.8	551.6
1554	TINTING WHITE	372.4	744.8	1554	TINTING WHITE	394.6	789.3
1302	LOW LUSTER CLEAR	410.4	820.8	1501	LANDAU BLACK	412.6	825.2
1550	RED OXIDE	414.2	828.4	1551	FAST YELLOW	419.3	838.7
1501	LANDAU BLACK	417.6	835.2				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 142

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5464	DK MAIZE	General Motors	CM/51	5471	DK SADDLE	General Motors	CN 63
1559	YELLOW OXIDE	308.6	617.1	1559	YELLOW OXIDE	205.2	410.4
1554	TINTING WHITE	386.1	772.2	1302	LOW LUSTER CLEAR	323.1	646.2
1501	LANDAU BLACK	409.5	818.9	1550	RED OXIDE	393.9	787.7
1550	RED OXIDE	417.0	833.9	1551	FAST YELLOW	402.4	804.8
				1553	FAST BLUE	409.5	818.9
5465	MD BEIGE	General Motors	BN/61	5472	DK TAUPE	General Motors	CN/68
1559	YELLOW OXIDE	213.4	426.7	1559	YELLOW OXIDE	194.3	388.6
1554	TINTING WHITE	353.6	707.2	1302	LOW LUSTER CLEAR	311.1	622.3
1550	RED OXIDE	398.0	795.9	1501	LANDAU BLACK	353.5	707.0
1501	LANDAU BLACK	420.6	841.1	1550	RED OXIDE	387.7	775.4
				1554	TINTING WHITE	410.2	820.4
5466	DK BEIGE	General Motors	CN/61	5473	BERRY INT	American Moto	75R45
1559	YELLOW OXIDE	245.9	491.7	1550	RED OXIDE	259.3	518.5
1550	RED OXIDE	324.4	648.9	1302	LOW LUSTER CLEAR	334.9	669.8
1554	TINTING WHITE	372.8	745.6	1552	FAST RED	388.2	776.3
1501	LANDAU BLACK	415.2	830.5	1554	TINTING WHITE	401.5	802.9
				1553	FAST BLUE	410.9	821.8
5467	DK TAUPE	General Motors	CN/69	5474	MD AMBER	General Motors	BN/59
1559	YELLOW OXIDE	250.1	500.3	1559	YELLOW OXIDE	357.1	714.2
1554	TINTING WHITE	313.7	627.4	1550	RED OXIDE	398.6	797.2
1501	LANDAU BLACK	370.0	740.1	1554	TINTING WHITE	409.5	818.9
1550	RED OXIDE	415.7	831.4	1501	LANDAU BLACK	413.8	827.6
5468	DK RED	General Motors	WOA/4462	5475	TAN INT	American Moto	75R8
1552	FAST RED	171.6	343.1	1559	YELLOW OXIDE	275.3	550.6
1302	LOW LUSTER CLEAR	287.9	575.9	1550	RED OXIDE	347.7	695.4
1550	RED OXIDE	389.8	779.6	1554	TINTING WHITE	401.9	803.7
1554	TINTING WHITE	404.9	809.8	1501	LANDAU BLACK	416.1	832.2
1501	LANDAU BLACK	406.9	813.8				
5469	DK TEAL	General Motors	WOA-4292	5476	DK LIME	General Motors	CN47
1556	FAST GREEN	107.4	214.9	1559	YELLOW OXIDE	331.6	663.3
1550	RED OXIDE	211.7	423.3	1556	FAST GREEN	379.0	757.9
1302	LOW LUSTER CLEAR	293.6	587.1	1554	TINTING WHITE	408.3	816.6
1553	FAST BLUE	356.4	712.9	1501	LANDAU BLACK	413.6	827.3
1554	TINTING WHITE	409.8	819.7				
5470	DK MAIZE	General Motors	CN/51	5477	MD GREEN	General Motors	BN44
1559	YELLOW OXIDE	240.4	480.9	1559	YELLOW OXIDE	230.6	461.1
1302	LOW LUSTER CLEAR	360.6	721.2	1302	LOW LUSTER CLEAR	311.8	623.6
1554	TINTING WHITE	392.7	785.5	1554	TINTING WHITE	384.2	768.4
1501	LANDAU BLACK	407.7	815.5	1553	FAST BLUE	401.4	802.8
1550	RED OXIDE	411.1	822.1	1501	LANDAU BLACK	414.0	828.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 143

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5478	DK SADDLE	General Motors	CN/59	5485	DK BEIGE	Ford Motor	M/4071J
1559	YELLOW OXIDE	338.6	677.2	1559	YELLOW OXIDE	259.7	519.5
1550	RED OXIDE	394.7	789.5	1302	LOW LUSTER CLEAR	329.8	659.7
1501	LANDAU BLACK	405.1	810.2	1554	TINTING WHITE	385.9	771.8
1551	FAST YELLOW	413.0	825.9	1550	RED OXIDE	402.7	805.4
				1501	LANDAU BLACK	413.9	827.8
5479	DK GREEN	General Motors	CN44	5486	DK JADE POLY	Ford Motor	M-4074-J
1559	YELLOW OXIDE	306.7	613.3	1556	FAST GREEN	282.7	565.4
1554	TINTING WHITE	371.1	742.1	1302	LOW LUSTER CLEAR	345.8	691.6
1501	LANDAU BLACK	394.2	788.3	1501	LANDAU BLACK	368.0	736.1
1553	FAST BLUE	415.6	831.3	1508	SILVER	388.5	776.9
				1551	FAST YELLOW	403.8	807.7
5480	LT AQUA POLY	Ford Motor	M-4068-G	5487	MD AVOCADO	Ford Motor	M-4034-J
1554	TINTING WHITE	184.2	368.4	1551	FAST YELLOW	177.4	354.7
1508	SILVER	280.9	561.8	1554	TINTING WHITE	285.8	571.5
1556	FAST GREEN	350.0	700.0	1302	LOW LUSTER CLEAR	367.9	735.9
1553	FAST BLUE	391.4	782.8	1501	LANDAU BLACK	406.0	812.1
1552	FAST RED	419.0	838.1	1550	RED OXIDE	411.9	823.8
5481	MD AQUA POLY	Ford Motor	M-4069-J	5488	MD GOLD	Ford Motor	M-4027-J
1553	FAST BLUE	205.4	410.8	1559	YELLOW OXIDE	252.5	505.0
1559	YELLOW OXIDE	335.1	670.1	1302	LOW LUSTER CLEAR	336.7	673.4
1508	SILVER	395.7	791.4	1554	TINTING WHITE	381.4	762.9
1552	FAST RED	406.8	813.6	1501	LANDAU BLACK	399.6	799.1
				1550	RED OXIDE	412.7	825.4
5482	MD GREEN	Ford Motor	M-4065-J	5489	DK BLUE POLY	Ford Motor	M-1847-J
1551	FAST YELLOW	208.1	416.3	1553	FAST BLUE	254.0	508.1
1302	LOW LUSTER CLEAR	282.5	565.1	1501	LANDAU BLACK	313.3	626.6
1501	LANDAU BLACK	339.1	678.1	1302	LOW LUSTER CLEAR	360.3	720.7
1554	TINTING WHITE	375.3	750.7	1508	SILVER	382.4	764.8
1556	FAST GREEN	393.2	786.4	1551	FAST YELLOW	403.1	806.2
5483	MD GREEN POLY	Ford Motor	M-4061-J	5490	MD TAN	Chrysler Motors	AB61/HT7
1551	FAST YELLOW	179.5	358.9	1559	YELLOW OXIDE	233.1	466.3
1501	LANDAU BLACK	255.2	510.3	1302	LOW LUSTER CLEAR	350.3	700.5
1508	SILVER	324.9	649.8	1550	RED OXIDE	388.9	777.9
1302	LOW LUSTER CLEAR	374.8	749.6	1554	TINTING WHITE	400.6	801.2
1556	FAST GREEN	404.7	809.4	1501	LANDAU BLACK	410.3	820.6
5484	LT GOLD	General Motors		5491	DK GREEN	Chrysler Motors	AB5-HF6
1559	YELLOW OXIDE	289.2	578.4	1559	YELLOW OXIDE	297.3	594.5
1554	TINTING WHITE	409.6	819.3	1501	LANDAU BLACK	355.9	711.7
1501	LANDAU BLACK	415.2	830.5	1556	FAST GREEN	410.8	821.6
1550	RED OXIDE	419.7	839.4				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 144

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5492	DK GOLD	Chrysler Motors	AB3/JY7	5499	GREEN INT	American Moto	73R25
1559	YELLOW OXIDE	308.5	616.9	1554	TINTING WHITE	191.3	382.7
1554	TINTING WHITE	360.1	720.3	1551	FAST YELLOW	272.5	544.9
1550	RED OXIDE	399.3	798.6	1501	LANDAU BLACK	348.2	696.4
1501	LANDAU BLACK	415.8	831.6	1556	FAST GREEN	418.9	837.7
5493	DK BLUE	Chrysler Motors	AB5-HB8	5500	MD TAUPE POLY	Ford Motor	M4062-J
1553	FAST BLUE	209.9	419.7	1552	FAST RED	179.7	359.5
1554	TINTING WHITE	304.6	609.1	1508	SILVER	256.8	513.6
1550	RED OXIDE	364.4	728.8	1551	FAST YELLOW	324.1	648.3
1501	LANDAU BLACK	412.0	824.0	1302	LOW LUSTER CLEAR	388.4	776.7
				1553	FAST BLUE	404.4	808.8
5494	BRITE BLUE POLY	Chrysler Motors	AB62-GB5	5501	LT SMOKE GRAY	General Motors	BN/75
1553	FAST BLUE	255.6	511.1	1554	TINTING WHITE	372.4	744.8
1508	SILVER	358.4	716.9	1559	YELLOW OXIDE	408.3	816.6
1552	FAST RED	370.0	740.1	1501	LANDAU BLACK	430.4	860.9
1302	LOW LUSTER CLEAR	403.8	807.7	1550	RED OXIDE	433.3	866.6
5495	DK BLUE	Chrysler Motors	AB3-KB7	5502	DK. BLUE GREEN	Chrysler Motors	CN32
1553	FAST BLUE	171.6	343.1	1556	FAST GREEN	327.3	654.6
1554	TINTING WHITE	279.4	558.8	1501	LANDAU BLACK	371.7	743.5
1559	YELLOW OXIDE	352.9	705.9	1554	TINTING WHITE	393.8	787.6
1501	LANDAU BLACK	413.3	826.7	1550	RED OXIDE	406.1	812.3
MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR							
5496	LT PARCHMENT	Chrysler Motors	AB3-KL2	5503	MD SILVER BLUE	Ford Motor	M-4054-J
1554	TINTING WHITE	311.3	622.6	1554	TINTING WHITE	133.8	267.5
1559	YELLOW OXIDE	412.4	824.8	1559	YELLOW OXIDE	224.1	448.2
1501	LANDAU BLACK	422.7	845.3	1302	LOW LUSTER CLEAR	307.7	615.4
1550	RED OXIDE	430.2	860.3	1501	LANDAU BLACK	384.7	769.3
				1553	FAST BLUE	415.7	831.4
MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR							
5497	LT PARCHMENT SA	Chrysler Motors	AB61/HL2	5504	SILVER POLYLT G	Ford Motor	M-4039-J
1554	TINTING WHITE	212.5	425.0	1508	SILVER	308.2	616.4
1302	LOW LUSTER CLEAR	345.3	690.7	1501	LANDAU BLACK	354.4	708.9
1559	YELLOW OXIDE	413.3	826.5	1553	FAST BLUE	396.1	792.1
1501	LANDAU BLACK	417.7	835.4	1551	FAST YELLOW	407.6	815.3
1550	RED OXIDE	430.2	860.3				
5498	GREEN INT	American Moto	75R7	5505	SILVER POLY MD.G	Ford Motor	M-4051-J
1559	YELLOW OXIDE	246.0	491.9	1501	LANDAU BLACK	167.8	335.5
1554	TINTING WHITE	351.3	702.6	1508	SILVER	306.2	612.4
1553	FAST BLUE	405.6	811.1	1302	LOW LUSTER CLEAR	367.8	735.7
1501	LANDAU BLACK	417.2	834.5	1553	FAST BLUE	386.1	772.2
				1559	YELLOW OXIDE	396.7	793.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 145

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5506	LT BEIGE	Ford Motor	M4028-G	5513	DK RED	Ford Motor	M/4056J
1554	TINTING WHITE	259.4	518.9	1552	FAST RED	315.5	631.0
1559	YELLOW OXIDE	390.4	780.7	1302	LOW LUSTER CLEAR	355.6	711.2
1550	RED OXIDE	416.1	832.2	1559	YELLOW OXIDE	387.7	775.4
1501	LANDAU BLACK	427.3	854.6	1554	TINTING WHITE	397.6	795.2
				1501	LANDAU BLACK	404.8	809.6
5507	MD ORANGE POLY	Ford Motor	M4041-J	5514	MD GINGER	Ford Motor	M3605-G
1551	FAST YELLOW	170.5	341.1	1559	YELLOW OXIDE	312.6	625.3
1552	FAST RED	296.4	592.8	1550	RED OXIDE	395.0	790.0
1554	TINTING WHITE	389.8	779.6	1501	LANDAU BLACK	411.3	822.5
1508	SILVER	410.1	820.2	1554	TINTING WHITE	413.2	826.3
1501	LANDAU BLACK	411.4	822.7				
5508	LT GOLD	Ford Motor	M-4026-G	5515	DK GINGER	Ford Motor	M3606-J
1559	YELLOW OXIDE	292.2	584.4	1559	YELLOW OXIDE	231.9	463.8
1554	TINTING WHITE	394.4	788.9	1550	RED OXIDE	311.6	623.2
1501	LANDAU BLACK	410.4	820.8	1302	LOW LUSTER CLEAR	376.7	753.4
1550	RED OXIDE	418.6	837.1	1501	LANDAU BLACK	407.3	814.5
				1554	TINTING WHITE	411.2	822.3
5509	TOBACCO POLY	Ford Motor	M-4018-J	5516	WHITE	Ford Motor	M3209-G
1552	FAST RED	183.4	366.7	1554	TINTING WHITE	400.9	801.8
1551	FAST YELLOW	283.5	567.0	1559	YELLOW OXIDE	430.6	861.3
1302	LOW LUSTER CLEAR	348.5	696.9	1550	RED OXIDE	434.4	868.9
1501	LANDAU BLACK	384.8	769.7	1553	FAST BLUE	435.3	870.6
1508	SILVER	403.8	807.7				
5510	LT TAN	Ford Motor	M4042-G	5517	MD SADDLE POLY	Ford Motor	M-4050-J
1559	YELLOW OXIDE	218.2	436.4	1552	FAST RED	161.3	322.6
1554	TINTING WHITE	392.0	783.9	1551	FAST YELLOW	287.9	575.7
1550	RED OXIDE	418.7	837.3	1302	LOW LUSTER CLEAR	351.1	702.2
1501	LANDAU BLACK	422.8	845.5	1508	SILVER	380.9	761.7
				1501	LANDAU BLACK	403.9	807.9
5511	DK CRANBERRY	Ford Motor	M-4022-J	5519	DK TERRA RED	General Motors	CN 71
1552	FAST RED	227.1	454.1	1550	RED OXIDE	398.2	796.5
1557	MAGENTA	335.8	671.7	1553	FAST BLUE	406.8	813.6
1302	LOW LUSTER CLEAR	388.6	777.3	1554	TINTING WHITE	414.4	828.8
1554	TINTING WHITE	401.7	803.3				
1553	FAST BLUE	404.6	809.2				
5512	MD BLUE	Ford Motor	M-4036-J	5520	DK SADDLE	General Motors	CN/65
1553	FAST BLUE	119.7	239.4	1559	YELLOW OXIDE	289.7	579.3
1559	YELLOW OXIDE	218.3	436.6	1550	RED OXIDE	366.2	732.5
1552	FAST RED	305.0	609.9	1554	TINTING WHITE	390.6	781.3
1302	LOW LUSTER CLEAR	383.7	767.4	1501	LANDAU BLACK	414.2	828.4
1554	TINTING WHITE	407.0	814.0				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 146

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5521	RUSSET	General Motors	WOA-4543	5528	DK RED	Chrysler Motors	AB5-LE8
1550	RED OXIDE	190.2	380.4	1552	FAST RED	350.0	700.0
1559	YELLOW OXIDE	280.7	561.5	1559	YELLOW OXIDE	386.9	773.9
1302	LOW LUSTER CLEAR	371.3	742.5	1553	FAST BLUE	400.2	800.5
1551	FAST YELLOW	395.3	790.6	1554	TINTING WHITE	405.1	810.2
1501	LANDAU BLACK	410.0	820.0				
5522	MD SADDLE	General Motors	W25A/4432	5529	MD SANDSTONE	General Motors	BN/55
1559	YELLOW OXIDE	255.6	511.3	1559	YELLOW OXIDE	194.1	388.2
1554	TINTING WHITE	364.0	728.1	1554	TINTING WHITE	355.5	711.0
1550	RED OXIDE	407.8	815.7	1302	LOW LUSTER CLEAR	394.8	789.6
1501	LANDAU BLACK	419.0	838.1	1550	RED OXIDE	410.2	820.4
				1501	LANDAU BLACK	420.9	841.7
5523	TAN	General Motors	M4043-J	5530	MANDARIN ORANG	General Motors	BN/66
1559	YELLOW OXIDE	244.3	488.7	1559	YELLOW OXIDE	352.5	704.9
1302	LOW LUSTER CLEAR	309.5	619.0	1557	MAGENTA	380.2	760.4
1554	TINTING WHITE	362.3	724.7	1550	RED OXIDE	406.3	812.6
1550	RED OXIDE	404.7	809.4	1554	TINTING WHITE	413.0	825.9
1501	LANDAU BLACK	414.1	828.2				
5524	MD RED	General Motors	BN/75	5531	LT BLUE	General Motors	4675
1552	FAST RED	246.2	492.5	1554	TINTING WHITE	201.7	403.4
1551	FAST YELLOW	364.8	729.6	1302	LOW LUSTER CLEAR	285.7	571.3
1554	TINTING WHITE	393.2	786.4	1550	RED OXIDE	358.9	717.8
1559	YELLOW OXIDE	406.4	812.8	1553	FAST BLUE	407.3	814.5
				1551	FAST YELLOW	420.4	840.8
5525	OLIVE MET	Toyota	T654	5532	BLUE INT	American Moto	75R6
1501	LANDAU BLACK	153.3	306.7	1554	TINTING WHITE	141.1	282.2
1551	FAST YELLOW	287.6	575.1	1553	FAST BLUE	279.7	559.4
1552	FAST RED	357.0	714.0	1550	RED OXIDE	360.1	720.3
1508	SILVER	404.9	809.8	1559	YELLOW OXIDE	417.4	834.9
MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR							
5526	DK CRANBERRY	General Motors	WOA-4514	5533	SILVER MET	General Motors	AM/15
1552	FAST RED	314.2	628.3	1508	SILVER	403.9	807.9
1302	LOW LUSTER CLEAR	383.4	766.8	1559	YELLOW OXIDE	408.4	816.8
1554	TINTING WHITE	399.1	798.2	1552	FAST RED	408.8	817.6
1553	FAST BLUE	404.6	809.2				
5527	MD RED	General Motors	M-4072-J	5534	DK GRAYSTONE	General Motors	CN/16
1552	FAST RED	280.9	561.8	1559	YELLOW OXIDE	184.7	369.4
1302	LOW LUSTER CLEAR	345.3	690.7	1554	TINTING WHITE	324.5	649.0
1551	FAST YELLOW	387.6	775.2	1501	LANDAU BLACK	400.6	801.2
1554	TINTING WHITE	402.3	804.7	1550	RED OXIDE	419.4	838.9
1501	LANDAU BLACK	404.6	809.2				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 147

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5535	DK ROSEWOOD	General Motors	CN/79	5542	GRAY	Honda	180
1559	YELLOW OXIDE	211.5	422.9	1501	LANDAU BLACK	108.9	217.7
1550	RED OXIDE	332.5	665.0	1302	LOW LUSTER CLEAR	213.3	426.6
1554	TINTING WHITE	385.1	770.3	1559	YELLOW OXIDE	307.2	614.5
1501	LANDAU BLACK	415.7	831.4	1554	TINTING WHITE	386.3	772.5
				1550	RED OXIDE	412.2	824.4
5536	DK SANDSTONE	General Motors	CN/55	5543	DK FERN	Honda	G
1559	YELLOW OXIDE	288.0	576.1	1501	LANDAU BLACK	135.2	270.4
1554	TINTING WHITE	360.9	721.8	1559	YELLOW OXIDE	266.3	532.6
1550	RED OXIDE	396.5	793.1	1302	LOW LUSTER CLEAR	360.9	721.8
1501	LANDAU BLACK	416.9	833.7	1554	TINTING WHITE	406.6	813.2
				1550	RED OXIDE	410.1	820.2
5537	DK BROWN	General Motors	WOA-4646	5544	FERN	Honda	G
1559	YELLOW OXIDE	175.9	351.9	1554	TINTING WHITE	147.2	294.3
1302	LOW LUSTER CLEAR	265.9	531.8	1302	LOW LUSTER CLEAR	254.4	508.8
1550	RED OXIDE	334.9	669.8	1501	LANDAU BLACK	358.6	717.3
1501	LANDAU BLACK	392.7	785.5	1551	FAST YELLOW	403.1	806.2
1551	FAST YELLOW	409.3	818.5	1553	FAST BLUE	414.8	829.5
5538	DK MANDARIN	General Motors	CN/67	5545	KHAKI	Chrysler Motors	ZJ3
1559	YELLOW OXIDE	221.6	443.3	1559	YELLOW OXIDE	127.5	255.0
1550	RED OXIDE	334.8	669.6	1302	LOW LUSTER CLEAR	239.4	478.8
1551	FAST YELLOW	411.7	823.5	1554	TINTING WHITE	338.9	677.7
				1501	LANDAU BLACK	385.5	771.0
				1550	RED OXIDE	414.4	828.8
5539	LT BUCKSKIN	General Motors	AN/64	5546	DK KHAKI	Chrysler Motors	ZJ8
1559	YELLOW OXIDE	231.3	462.7	1559	YELLOW OXIDE	164.8	329.7
1554	TINTING WHITE	379.5	759.1	1501	LANDAU BLACK	247.1	494.2
1550	RED OXIDE	416.6	833.2	1302	LOW LUSTER CLEAR	328.7	657.4
1553	FAST BLUE	421.3	842.7	1554	TINTING WHITE	377.3	754.7
				1550	RED OXIDE	411.9	823.8
5540	DK FIRETHORN	Chrysler Motors	CN/71	5547	MIDNIGHT CREEK	Nissan	PK55
1552	FAST RED	267.2	534.5	1501	LANDAU BLACK	140.1	280.3
1559	YELLOW OXIDE	404.3	808.6	1302	LOW LUSTER CLEAR	280.3	560.5
1553	FAST BLUE	405.8	811.7	1552	FAST RED	344.8	689.5
1554	TINTING WHITE	407.2	814.3	1554	TINTING WHITE	375.6	751.3
				1559	YELLOW OXIDE	406.5	813.0
5541	DK BEIGE	Ford Motor		5548	DK PORTLAND	Ford Motor	UGE
1559	YELLOW OXIDE	225.9	451.8	1501	LANDAU BLACK	117.0	234.1
1554	TINTING WHITE	289.2	578.4	1302	LOW LUSTER CLEAR	233.3	466.6
1550	RED OXIDE	341.5	683.1	1559	YELLOW OXIDE	343.1	686.3
1302	LOW LUSTER CLEAR	379.1	758.3	1554	TINTING WHITE	388.4	776.7
1501	LANDAU BLACK	415.0	829.9	1552	FAST RED	409.3	818.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 148

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5549	DK MINK	Ford Motor	BHE	5556	LIGHT CAMEL	Chrysler Motors	K4/RK4
1554	TINTING WHITE	109.1	218.1	1554	TINTING WHITE	268.8	537.5
1559	YELLOW OXIDE	218.1	436.2	1302	LOW LUSTER CLEAR	353.3	706.6
1302	LOW LUSTER CLEAR	300.7	601.4	1551	FAST YELLOW	388.2	776.3
1501	LANDAU BLACK	364.4	728.8	1550	RED OXIDE	413.5	827.1
1550	RED OXIDE	415.6	831.3	1501	LANDAU BLACK	424.7	849.3
5550	DK SABLE	General Motors	4056	5557	NATURAL BEIGE	Chrysler Motors	L2/TL2
1302	LOW LUSTER CLEAR	108.8	217.6	1554	TINTING WHITE	245.7	491.3
1551	FAST YELLOW	197.0	394.1	1302	LOW LUSTER CLEAR	328.7	657.4
1501	LANDAU BLACK	280.9	561.8	1559	YELLOW OXIDE	386.8	773.7
1550	RED OXIDE	347.7	695.4	1501	LANDAU BLACK	406.1	812.3
1554	TINTING WHITE	409.8	819.7	1550	RED OXIDE	424.1	848.2
5551	MD DK OAK II	General Motors	112E	5558	LIGHT SANDSTONE	Chrysler Motors	TA/XTA
1559	YELLOW OXIDE	255.8	511.7	1554	TINTING WHITE	187.2	374.3
1302	LOW LUSTER CLEAR	305.2	610.5	1559	YELLOW OXIDE	284.7	569.4
1554	TINTING WHITE	354.6	709.3	1302	LOW LUSTER CLEAR	375.1	750.1
1550	RED OXIDE	396.2	792.5	1550	RED OXIDE	400.7	801.4
1501	LANDAU BLACK	414.2	828.4	1501	LANDAU BLACK	420.6	841.1
5552	GRAPHITE	General Motors	142E	5559	DARK SANDSTONE	Chrysler Motors	TM/XTM
1501	LANDAU BLACK	278.8	557.7	1554	TINTING WHITE	112.9	225.7
1302	LOW LUSTER CLEAR	360.1	720.3	1550	RED OXIDE	199.6	399.2
1554	TINTING WHITE	406.6	813.2	1551	FAST YELLOW	281.8	563.5
1553	FAST BLUE	407.7	815.5	1302	LOW LUSTER CLEAR	359.3	718.6
				1501	LANDAU BLACK	414.5	829.0
5553	LT TAUPE	Chrysler Motors	L2	5560	DARK CIRRUS GRA	Chrysler Motors	C8/RC8
1554	TINTING WHITE	229.5	459.0	1501	LANDAU BLACK	148.4	296.8
1302	LOW LUSTER CLEAR	314.5	629.1	1554	TINTING WHITE	256.0	512.1
1559	YELLOW OXIDE	381.2	762.5	1302	LOW LUSTER CLEAR	357.9	715.7
1501	LANDAU BLACK	402.6	805.2	1550	RED OXIDE	401.6	803.1
1550	RED OXIDE	423.0	846.1	1559	YELLOW OXIDE	413.3	826.5
5554	NEW ECRU	Toyota	008B	5561	LIGHT CIRRUS GRA	Chrysler Motors	C1/RC1
1554	TINTING WHITE	284.7	569.4	1554	TINTING WHITE	241.6	483.2
1302	LOW LUSTER CLEAR	384.0	768.0	1302	LOW LUSTER CLEAR	334.8	669.6
1559	YELLOW OXIDE	419.7	839.4	1501	LANDAU BLACK	368.6	737.2
1501	LANDAU BLACK	423.7	847.4	1559	YELLOW OXIDE	398.6	797.2
1550	RED OXIDE	425.9	851.8	1550	RED OXIDE	423.1	846.3
5555	BLACK	Toyota	136B	5562	LIGHT SILVER FER	Chrysler Motors	JJ/RJJ
1501	LANDAU BLACK	284.2	568.5	1508	SILVER	189.3	378.7
1302	LOW LUSTER CLEAR	361.8	723.5	1302	LOW LUSTER CLEAR	292.6	585.2
1551	FAST YELLOW	390.5	781.1	1554	TINTING WHITE	344.3	688.6
1554	TINTING WHITE	403.1	806.2	1551	FAST YELLOW	378.7	757.3
1553	FAST BLUE	405.2	810.4	1501	LANDAU BLACK	402.8	805.6
				1550	RED OXIDE	409.6	819.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 149

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5563	DARK SILVERFERN	Chrysler Motors	JL/RJL	5570	MIDNIGHT DENIM	Ford Motor	KY6A
1508	SILVER	130.8	261.6	1501	LANDAU BLACK	214.2	428.5
1501	LANDAU BLACK	261.3	522.7	1302	LOW LUSTER CLEAR	297.9	595.8
1302	LOW LUSTER CLEAR	359.3	718.6	1553	FAST BLUE	336.4	672.8
1551	FAST YELLOW	389.6	779.2	1554	TINTING WHITE	373.3	746.5
1554	TINTING WHITE	399.4	798.8	1552	FAST RED	406.7	813.4
1553	FAST BLUE	405.9	811.9				
5564	DARK CRIMSON RE	Chrysler Motors	M8/LM8	5571	NEUTRAL	General Motors	521/WA178E
1552	FAST RED	176.4	352.8	1559	YELLOW OXIDE	154.4	308.8
1302	LOW LUSTER CLEAR	255.6	511.1	1302	LOW LUSTER CLEAR	251.8	503.7
1501	LANDAU BLACK	327.9	655.9	1554	TINTING WHITE	318.2	636.3
1550	RED OXIDE	394.6	789.3	1501	LANDAU BLACK	370.1	740.2
1554	TINTING WHITE	406.1	812.3	1550	RED OXIDE	413.1	826.1
5565	DARK CLARET ME	Chrysler Motors	General Motors 4	5572	NEUTRAL	General Motors	601/WA640F
1552	FAST RED	319.7	639.4	1559	YELLOW OXIDE	146.4	292.8
1300	HIGH GLOSS CLEAR	381.4	762.9	1302	LOW LUSTER CLEAR	230.0	460.0
1551	FAST YELLOW	392.3	784.5	1552	FAST RED	296.9	593.8
1508	SILVER	399.7	799.3	1501	LANDAU BLACK	362.0	724.1
1553	FAST BLUE	403.7	807.3	1554	TINTING WHITE	410.5	821.0
5566	PLATINUM SILVER	Chrysler Motors	HD1	5573	CHARCOAL	General Motors	801/WA637F
1508	SILVER	246.0	491.9	1501	LANDAU BLACK	196.0	392.0
3520	PLATINUM PEARL	332.0	664.1	1559	YELLOW OXIDE	282.4	564.9
1300	HIGH GLOSS CLEAR	405.8	811.7	1302	LOW LUSTER CLEAR	357.6	715.2
1552	FAST RED	424.3	848.5	1554	TINTING WHITE	387.1	774.3
1551	FAST YELLOW	429.7	859.4	1550	RED OXIDE	408.7	817.4
MUST BE TOP COATED WITH 1300							
5567	DARK SILVER MET	Chrysler Motors	KS7	5574	MEDIUM OAK	Toyota	435B
1501	LANDAU BLACK	199.0	398.1	1559	YELLOW OXIDE	132.0	263.9
1508	SILVER	361.6	723.1	1554	TINTING WHITE	263.2	526.5
1553	FAST BLUE	406.2	812.4	1302	LOW LUSTER CLEAR	352.5	704.9
				1550	RED OXIDE	390.6	781.3
				1501	LANDAU BLACK	417.4	834.9
5568	MED DARK PUMICE	Ford Motor	DC4A	5578	Bahama Beige		SUC
1559	YELLOW OXIDE	132.1	264.3	1559	YELLOW OXIDE	259.9	519.9
1302	LOW LUSTER CLEAR	227.6	455.2	1554	TINTING WHITE	345.0	690.0
1554	TINTING WHITE	307.5	615.0	1550	RED OXIDE	394.6	789.2
1550	RED OXIDE	361.0	722.0	1501	LANDAU BLACK	427.7	855.4
1501	LANDAU BLACK	413.8	827.6				
5569	DARK PARCHMENT	Ford Motor	BJ/5A	5585	Med. Dk. Pewter II	General Motors	WA184D
1559	YELLOW OXIDE	143.7	287.5	1559	YELLOW OXIDE	127.8	255.7
1302	LOW LUSTER CLEAR	229.3	458.7	1554	TINTING WHITE	228.1	456.3
1501	LANDAU BLACK	301.5	603.1	1501	LANDAU BLACK	308.4	616.8
1554	TINTING WHITE	363.1	726.2	1302	LOW LUSTER CLEAR	393.4	786.8
1550	RED OXIDE	412.7	825.4	1550	RED OXIDE	425.0	850.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 150

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5597	Grayish Blue	Toyota	814B	5606	SAGE	Toyota	611B
1553	FAST BLUE	244.9	489.8	1554	TINTING WHITE	191.1	382.3
1302	LOW LUSTER CLEAR	343.1	686.2	1559	YELLOW OXIDE	283.4	566.8
1501	LANDAU BLACK	382.9	765.9	1302	LOW LUSTER CLEAR	365.8	731.5
1551	FAST YELLOW	408.6	817.1	1501	LANDAU BLACK	407.0	814.0
1554	TINTING WHITE	412.6	825.3	1550	RED OXIDE	420.5	840.9
5600	KHAKI	Toyota	601B	5607	SLATE GREEN	Toyota	612B
1559	YELLOW OXIDE	158.4	316.7	1559	YELLOW OXIDE	117.5	235.0
1501	LANDAU BLACK	279.5	559.0	1501	LANDAU BLACK	218.7	437.4
1302	LOW LUSTER CLEAR	372.7	745.4	1554	TINTING WHITE	312.6	625.1
1554	TINTING WHITE	391.6	783.2	1302	LOW LUSTER CLEAR	384.8	769.5
1550	RED OXIDE	409.0	818.0	1553	FAST BLUE	413.4	826.9
5601	LT KHAKI	Toyota	602B	5608	LT GREEN	Toyota	613B
1559	YELLOW OXIDE	136.7	273.4	1554	TINTING WHITE	233.2	466.5
1554	TINTING WHITE	254.5	509.0	1302	LOW LUSTER CLEAR	314.2	628.3
1302	LOW LUSTER CLEAR	348.7	697.5	1559	YELLOW OXIDE	375.7	751.5
1501	LANDAU BLACK	394.9	789.8	1501	LANDAU BLACK	421.0	842.1
1550	RED OXIDE	416.0	832.0	1556	FAST GREEN	422.7	845.3
5602	DARK SPRUCE	Toyota	603B	5609	MIST GREEN	Toyota	615B
1501	LANDAU BLACK	160.5	320.9	1554	TINTING WHITE	185.9	371.8
1554	TINTING WHITE	254.8	509.6	1559	YELLOW OXIDE	279.9	559.7
1302	LOW LUSTER CLEAR	337.5	675.1	1302	LOW LUSTER CLEAR	363.8	727.5
1551	FAST YELLOW	393.8	787.6	1501	LANDAU BLACK	414.4	828.8
1553	FAST BLUE	411.0	821.9	1553	FAST BLUE	419.8	839.6
5603	SPRUCE	Toyota	604B	5610	DARK AGATE	Toyota	607B
1554	TINTING WHITE	210.4	420.9	1501	LANDAU BLACK	159.8	319.6
1302	LOW LUSTER CLEAR	301.3	602.7	1559	YELLOW OXIDE	273.5	547.0
1559	YELLOW OXIDE	362.6	725.2	1302	LOW LUSTER CLEAR	365.7	731.3
1501	LANDAU BLACK	415.9	831.8	1554	TINTING WHITE	404.0	808.1
1553	FAST BLUE	420.9	841.7	1553	FAST BLUE	409.3	818.5
5604	JADE	Toyota	606B	5611	AGATE	Toyota	608B
1501	LANDAU BLACK	156.8	313.7	1559	YELLOW OXIDE	131.1	262.2
1559	YELLOW OXIDE	287.0	574.0	1302	LOW LUSTER CLEAR	229.4	458.9
1302	LOW LUSTER CLEAR	370.4	740.8	1550	RED OXIDE	303.1	606.3
1553	FAST BLUE	400.8	801.6	1554	TINTING WHITE	368.7	737.4
1554	TINTING WHITE	407.2	814.3	1553	FAST BLUE	413.0	825.9
5605	DARK SAGE	Toyota	610B	5612	TAN	Toyota	424B
1559	YELLOW OXIDE	131.3	262.6	1559	YELLOW OXIDE	211.9	423.7
1501	LANDAU BLACK	239.8	479.6	1302	LOW LUSTER CLEAR	314.6	629.3
1554	TINTING WHITE	313.1	626.2	1554	TINTING WHITE	379.7	759.4
1302	LOW LUSTER CLEAR	384.5	768.9	1550	RED OXIDE	408.5	817.0
1550	RED OXIDE	413.0	825.9	1501	LANDAU BLACK	413.6	827.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 151

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5613	LIGHT GREIGE	Toyota		425B	5621	MED DARK NEUTR	Toyota	439B
1554	TINTING WHITE	169.6	339.2		1559	YELLOW OXIDE	148.9	297.7
1559	YELLOW OXIDE	288.5	577.0		1554	TINTING WHITE	243.4	486.8
1302	LOW LUSTER CLEAR	375.9	751.8		1302	LOW LUSTER CLEAR	329.9	659.9
1550	RED OXIDE	401.1	802.2		1501	LANDAU BLACK	375.0	749.9
1501	LANDAU BLACK	419.6	839.2		1550	RED OXIDE	415.2	830.3
5614	JADE	Toyota		606B	5622	MED NEUTRAL	Toyota	440B
1554	TINTING WHITE	180.7	361.4		1554	TINTING WHITE	141.6	283.1
1559	YELLOW OXIDE	321.3	642.6		1559	YELLOW OXIDE	263.8	527.6
1302	LOW LUSTER CLEAR	405.0	810.0		1302	LOW LUSTER CLEAR	351.2	702.4
1550	RED OXIDE	418.7	837.3		1550	RED OXIDE	387.9	775.8
1501	LANDAU BLACK	420.7	841.3		1501	LANDAU BLACK	417.9	835.8
5615	CHOCOLATE BRO	Toyota		429B	5623	ORCHID BROWN	Toyota	441B
1551	FAST YELLOW	112.5	225.0		1501	LANDAU BLACK	120.1	240.2
1302	LOW LUSTER CLEAR	211.8	423.5		1559	YELLOW OXIDE	230.2	460.4
1501	LANDAU BLACK	304.4	608.8		1302	LOW LUSTER CLEAR	313.6	627.2
1550	RED OXIDE	390.5	780.9		1550	RED OXIDE	363.0	726.0
1554	TINTING WHITE	407.0	814.0		1554	TINTING WHITE	411.1	822.1
5616	ANTELOPE	Toyota		432B	5624	SANDLEWOOD	Toyota	446B
1559	YELLOW OXIDE	125.0	250.0		1559	YELLOW OXIDE	143.4	286.7
1501	LANDAU BLACK	243.8	487.5		1302	LOW LUSTER CLEAR	230.8	461.5
1302	LOW LUSTER CLEAR	322.0	643.9		1554	TINTING WHITE	307.7	615.4
1550	RED OXIDE	372.6	745.2		1501	LANDAU BLACK	361.2	722.4
1554	TINTING WHITE	410.7	821.4		1552	FAST RED	412.6	825.2
5617	LIGHT ANTELOPE	Toyota		433B	5625	FAWN	Toyota	447B
1554	TINTING WHITE	178.0	356.1		1554	TINTING WHITE	163.2	326.4
1302	LOW LUSTER CLEAR	276.1	552.1		1559	YELLOW OXIDE	273.8	547.6
1559	YELLOW OXIDE	351.2	702.4		1302	LOW LUSTER CLEAR	361.6	723.1
1501	LANDAU BLACK	386.8	773.7		1501	LANDAU BLACK	390.7	781.5
1550	RED OXIDE	419.5	839.0		1552	FAST RED	418.5	837.0
5618	OAK	Toyota		434B	5626	DARK GREIGE	Toyota	422B
1559	YELLOW OXIDE	155.2	310.5		1501	LANDAU BLACK	141.6	283.3
1302	LOW LUSTER CLEAR	240.5	481.1		1302	LOW LUSTER CLEAR	231.1	462.3
1501	LANDAU BLACK	298.5	597.0		1554	TINTING WHITE	296.8	593.6
1550	RED OXIDE	356.4	712.9		1551	FAST YELLOW	359.4	718.8
1554	TINTING WHITE	412.7	825.4		1550	RED OXIDE	410.1	820.2
5620	LIGHT OAK	Toyota		436B	5627	QUARTZ	Toyota	431B
1554	TINTING WHITE	200.9	401.9		1554	TINTING WHITE	178.0	356.1
1559	YELLOW OXIDE	292.9	585.8		1302	LOW LUSTER CLEAR	262.8	525.5
1302	LOW LUSTER CLEAR	378.0	756.0		1559	YELLOW OXIDE	337.3	674.7
1550	RED OXIDE	405.6	811.1		1550	RED OXIDE	381.4	762.9
1501	LANDAU BLACK	421.5	843.0		1501	LANDAU BLACK	419.7	839.4

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 152

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5628	ORCHID	Toyota	442B	5635	IVORY	Toyota	007B
1554	TINTING WHITE	139.5	278.9	1554	TINTING WHITE	204.9	409.8
1559	YELLOW OXIDE	230.9	461.9	1559	YELLOW OXIDE	306.0	612.0
1302	LOW LUSTER CLEAR	316.0	631.9	1302	LOW LUSTER CLEAR	391.4	782.8
1501	LANDAU BLACK	372.8	745.6	1550	RED OXIDE	407.8	815.7
1550	RED OXIDE	417.3	834.7	1501	LANDAU BLACK	421.8	843.6
5629	DARK ROSE	Toyota	417B	5636	SABLE	Toyota	407B
1501	LANDAU BLACK	135.9	271.9	1559	YELLOW OXIDE	134.6	269.2
1559	YELLOW OXIDE	241.0	482.0	1501	LANDAU BLACK	236.9	473.9
1302	LOW LUSTER CLEAR	323.1	646.2	1302	LOW LUSTER CLEAR	316.8	633.7
1550	RED OXIDE	405.2	810.4	1550	RED OXIDE	392.0	783.9
1554	TINTING WHITE	408.5	817.0	1554	TINTING WHITE	409.8	819.7
5630	ROSE	Toyota	418B	5637	LIGHT SABLE	Toyota	408B
1559	YELLOW OXIDE	134.0	267.9	1559	YELLOW OXIDE	153.5	307.0
1550	RED OXIDE	224.4	448.8	1302	LOW LUSTER CLEAR	238.8	477.7
1302	LOW LUSTER CLEAR	308.1	616.2	1554	TINTING WHITE	308.8	617.5
1501	LANDAU BLACK	366.7	733.4	1550	RED OXIDE	370.1	740.2
1554	TINTING WHITE	412.2	824.4	1501	LANDAU BLACK	413.8	827.6
5631	LIGHT ROSE	Toyota	427B	5638	BROWN	Toyota	411B
1554	TINTING WHITE	155.2	310.5	1559	YELLOW OXIDE	207.8	415.5
1559	YELLOW OXIDE	251.4	502.7	1302	LOW LUSTER CLEAR	291.6	583.1
1302	LOW LUSTER CLEAR	337.3	674.5	1550	RED OXIDE	362.0	723.9
1550	RED OXIDE	386.0	772.0	1501	LANDAU BLACK	396.8	793.6
1501	LANDAU BLACK	418.6	837.1	1551	FAST YELLOW	409.9	819.9
5632	IVORY	Toyota	002B	5639	LIGHT BROWN	Toyota	412B
1554	TINTING WHITE	198.3	396.5	1559	YELLOW OXIDE	222.0	444.0
1559	YELLOW OXIDE	312.1	624.2	1302	LOW LUSTER CLEAR	308.8	617.5
1302	LOW LUSTER CLEAR	397.6	795.2	1554	TINTING WHITE	357.3	714.6
1550	RED OXIDE	414.7	829.4	1550	RED OXIDE	402.4	804.8
1501	LANDAU BLACK	421.5	843.0	1501	LANDAU BLACK	413.2	826.3
5633	IVORY	Toyota	003B	5640	MED GREIGE	Toyota	416B
1554	TINTING WHITE	191.5	383.0	1559	YELLOW OXIDE	170.3	340.7
1559	YELLOW OXIDE	298.3	596.6	1302	LOW LUSTER CLEAR	257.2	514.3
1302	LOW LUSTER CLEAR	383.0	766.1	1501	LANDAU BLACK	312.3	624.5
1550	RED OXIDE	404.7	809.4	1550	RED OXIDE	362.3	724.7
1501	LANDAU BLACK	420.9	841.9	1554	TINTING WHITE	412.4	824.8
5634	IVORY	Toyota	006B	5641	DK NEUTRAL BONE	Toyota	445B
1554	TINTING WHITE	257.4	514.7	1559	YELLOW OXIDE	161.5	323.0
1302	LOW LUSTER CLEAR	341.0	681.9	1302	LOW LUSTER CLEAR	247.4	494.8
1559	YELLOW OXIDE	404.4	808.8	1554	TINTING WHITE	313.7	627.4
1550	RED OXIDE	416.5	833.0	1501	LANDAU BLACK	368.7	737.4
1501	LANDAU BLACK	424.8	849.7	1550	RED OXIDE	413.3	826.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 153

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5642	MED NEUTRAL BO	Toyota	443B	5649	BLACK	Toyota	201B
1554	TINTING WHITE	173.9	347.9	1552	FAST RED	121.0	242.1
1559	YELLOW OXIDE	284.6	569.2	1556	FAST GREEN	234.7	469.5
1302	LOW LUSTER CLEAR	371.1	742.1	1302	LOW LUSTER CLEAR	326.4	652.8
1550	RED OXIDE	397.4	794.8	1501	LANDAU BLACK	403.5	806.9
1501	LANDAU BLACK	419.9	839.8				
5643	GRAY	Toyota	103B	5650	SHADOW BLUE	Toyota	101B
1501	LANDAU BLACK	131.9	263.7	1501	LANDAU BLACK	246.3	492.7
1554	TINTING WHITE	219.0	438.0	1559	YELLOW OXIDE	329.1	658.2
1559	YELLOW OXIDE	303.5	607.1	1554	TINTING WHITE	392.5	785.1
1302	LOW LUSTER CLEAR	383.3	766.7	1550	RED OXIDE	411.8	823.7
1550	RED OXIDE	413.0	825.9				
5644	DK STONE	Toyota	133B	5651	LIGHT GRAY	Toyota	102B
1501	LANDAU BLACK	116.2	232.4	1554	TINTING WHITE	203.0	406.0
1554	TINTING WHITE	209.6	419.1	1302	LOW LUSTER CLEAR	286.2	572.5
1559	YELLOW OXIDE	296.5	593.0	1559	YELLOW OXIDE	352.8	705.7
1302	LOW LUSTER CLEAR	377.0	753.9	1501	LANDAU BLACK	399.5	799.0
1550	RED OXIDE	413.6	827.3	1550	RED OXIDE	421.1	842.3
5645	STONE	Toyota	134B	5652	SLATE GRAY	Toyota	104B
1554	TINTING WHITE	172.4	344.9	1554	TINTING WHITE	147.7	295.5
1302	LOW LUSTER CLEAR	256.9	513.8	1501	LANDAU BLACK	233.5	467.0
1559	YELLOW OXIDE	333.0	666.0	1302	LOW LUSTER CLEAR	312.9	625.9
1501	LANDAU BLACK	391.1	782.2	1559	YELLOW OXIDE	386.0	772.0
1550	RED OXIDE	419.1	838.3	1550	RED OXIDE	417.4	834.9
5646	NEW MAROON	Toyota	304B	5653	LIGHT GRAY	Toyota	105B
1552	FAST RED	238.0	476.0	1554	TINTING WHITE	260.9	521.7
1550	RED OXIDE	329.9	659.9	1302	LOW LUSTER CLEAR	344.5	688.9
1501	LANDAU BLACK	398.7	797.4	1559	YELLOW OXIDE	393.6	787.2
1554	TINTING WHITE	407.1	814.2	1501	LANDAU BLACK	415.6	831.3
				1550	RED OXIDE	424.7	849.3
5647	MAUVE	Toyota	306B	5654	BLUISH GRAY	Toyota	109B
1552	FAST RED	199.1	398.2	1501	LANDAU BLACK	146.7	293.4
1302	LOW LUSTER CLEAR	300.7	601.4	1554	TINTING WHITE	252.1	504.3
1501	LANDAU BLACK	365.7	731.3	1302	LOW LUSTER CLEAR	328.5	657.0
1550	RED OXIDE	400.2	800.5	1559	YELLOW OXIDE	392.7	785.5
1554	TINTING WHITE	404.7	809.4	1550	RED OXIDE	413.8	827.6
5648	RED	Toyota	303B	5655	LIGHT GRAY	Toyota	110B
1552	FAST RED	272.4	544.7	1554	TINTING WHITE	233.0	466.1
1302	LOW LUSTER CLEAR	359.7	719.3	1302	LOW LUSTER CLEAR	316.9	633.8
1551	FAST YELLOW	387.2	774.4	1559	YELLOW OXIDE	370.6	741.2
1554	TINTING WHITE	398.7	797.4	1501	LANDAU BLACK	407.5	814.9
1501	LANDAU BLACK	404.3	808.6	1550	RED OXIDE	422.8	845.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 154

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5656	BLUE GRAY	Toyota		111B	5663	MED MOONMIST	Toyota	126B
1554	TINTING WHITE	132.0	263.9		1554	TINTING WHITE	135.6	271.1
1501	LANDAU BLACK	263.9	527.8		1501	LANDAU BLACK	258.8	517.6
1302	LOW LUSTER CLEAR	345.3	690.7		1302	LOW LUSTER CLEAR	346.8	693.5
1559	YELLOW OXIDE	415.3	830.7		1550	RED OXIDE	403.1	806.2
					1553	FAST BLUE	415.4	830.9
5657	DARK BLUE GRAY	Toyota		112B	5664	MOONMIST	Toyota	128B
1501	LANDAU BLACK	215.1	430.2		1554	TINTING WHITE	271.9	543.8
1302	LOW LUSTER CLEAR	297.8	595.7		1302	LOW LUSTER CLEAR	354.7	709.5
1554	TINTING WHITE	351.4	702.8		1501	LANDAU BLACK	410.1	820.2
1559	YELLOW OXIDE	404.3	808.6		1550	RED OXIDE	424.4	848.7
1553	FAST BLUE	409.3	818.5		1553	FAST BLUE	424.7	849.3
5658	MEDIUM GRAY	Toyota		113B	5665	MED CHARCOAL	Toyota	128B
1554	TINTING WHITE	155.0	310.1		1554	TINTING WHITE	197.5	395.0
1501	LANDAU BLACK	245.5	491.0		1302	LOW LUSTER CLEAR	281.8	563.5
1302	LOW LUSTER CLEAR	326.2	652.5		1559	YELLOW OXIDE	355.9	711.7
1559	YELLOW OXIDE	394.1	788.1		1501	LANDAU BLACK	392.3	784.5
1550	RED OXIDE	417.6	835.2		1550	RED OXIDE	420.9	841.9
5659	LIGHT BLUISH GRA	Toyota		119B	5666	LIGHT GRAY	Toyota	130B
1554	TINTING WHITE	303.2	606.5		1554	TINTING WHITE	290.0	580.1
1501	LANDAU BLACK	376.0	752.0		1302	LOW LUSTER CLEAR	375.2	750.3
1559	YELLOW OXIDE	402.3	804.7		1501	LANDAU BLACK	404.8	809.6
1550	RED OXIDE	428.6	857.3		1559	YELLOW OXIDE	418.4	836.8
					1550	RED OXIDE	426.2	852.3
5660	DARK BLUE GRAY	Toyota		120B	5667	AMETHYST	Toyota	
1501	LANDAU BLACK	227.2	454.5		1554	TINTING WHITE	107.4	214.7
1302	LOW LUSTER CLEAR	324.6	649.2		1501	LANDAU BLACK	212.5	425.0
1554	TINTING WHITE	377.2	754.5		1302	LOW LUSTER CLEAR	290.3	580.6
1559	YELLOW OXIDE	398.1	796.1		1559	YELLOW OXIDE	355.7	711.4
1550	RED OXIDE	408.8	817.6		1550	RED OXIDE	414.8	829.5
5661	BLUE GRAY	Toyota		121B	5668	LIGHT AMETHYST	Toyota	132B
1554	TINTING WHITE	154.3	308.6		1554	TINTING WHITE	203.4	406.8
1501	LANDAU BLACK	253.9	507.9		1302	LOW LUSTER CLEAR	285.4	570.8
1302	LOW LUSTER CLEAR	334.3	668.6		1559	YELLOW OXIDE	344.5	688.9
1559	YELLOW OXIDE	392.4	784.9		1501	LANDAU BLACK	386.2	772.4
1550	RED OXIDE	417.5	835.1		1550	RED OXIDE	421.3	842.7
5662	DARK CHARCOAL	Toyota		124B	5669	SADDLE GRAY	Toyota	135B
1554	TINTING WHITE	133.3	266.6		1501	LANDAU BLACK	163.5	327.0
1501	LANDAU BLACK	242.2	484.3		1559	YELLOW OXIDE	254.0	508.1
1302	LOW LUSTER CLEAR	321.5	643.0		1302	LOW LUSTER CLEAR	341.6	683.2
1550	RED OXIDE	373.8	747.7		1554	TINTING WHITE	376.7	753.4
1551	FAST YELLOW	415.1	830.1		1550	RED OXIDE	409.4	818.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 155

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5670	MED RED	Ford Motor	WA4899/2-520	5677	LT SATIN SILVER M	Ford Motor	2PBE
1552	FAST RED	269.9	539.8	1554	TINTING WHITE	199.6	399.2
1551	FAST YELLOW	370.7	741.4	1508	SILVER	328.8	657.6
1554	TINTING WHITE	388.2	776.3	1559	YELLOW OXIDE	351.1	702.2
1302	LOW LUSTER CLEAR	403.0	806.0	1501	LANDAU BLACK	362.0	723.9
1550	RED OXIDE	405.2	810.4	1550	RED OXIDE	367.1	734.2
5671	MED BERYL MET.	Ford Motor	MKCC/2-251	5678	MD SATIN NICKEL	Ford Motor	2P3C
1556	FAST GREEN	147.8	295.6	1508	SILVER	279.4	558.8
1553	FAST BLUE	293.4	586.7	1300	HIGH GLOSS CLEAR	359.7	719.3
1508	SILVER	357.7	715.4	1552	FAST RED	379.0	757.9
1501	LANDAU BLACK	404.3	808.6	1551	FAST YELLOW	397.3	794.6
				1501	LANDAU BLACK	406.9	813.8
5672	MED BERYL MET.	Ford Motor	MKMC/2-685	5679	LT SATIN SILVER M	Ford Motor	2PBC
1508	SILVER	201.6	403.2	1554	TINTING WHITE	183.3	366.5
1553	FAST BLUE	359.0	718.0	1508	SILVER	362.9	725.8
1551	FAST YELLOW	405.7	811.5	1559	YELLOW OXIDE	395.2	790.4
				1501	LANDAU BLACK	412.5	825.0
				1550	RED OXIDE	421.1	842.3
5673	INSPIRATION YELL	Ford Motor	1FDA	5680	COLORADO RED	Ford Motor	NDDA
1554	TINTING WHITE	286.4	572.9	1552	FAST RED	216.0	432.1
1302	LOW LUSTER CLEAR	368.7	737.4	1551	FAST YELLOW	340.2	680.4
1551	FAST YELLOW	424.7	849.3	1302	LOW LUSTER CLEAR	376.2	752.4
1556	FAST GREEN	425.3	850.6	1554	TINTING WHITE	403.2	806.4
				1550	RED OXIDE	405.8	811.7
5674	DK MIDNIGHT BLK	Ford Motor	ZU8C	5681	SEAMIST GREEN	Chrysler Motors	ZP7
1501	LANDAU BLACK	225.9	451.8	1302	LOW LUSTER CLEAR	108.8	217.6
1300	HIGH GLOSS CLEAR	306.6	613.1	1551	FAST YELLOW	205.7	411.4
1552	FAST RED	354.6	709.3	1501	LANDAU BLACK	301.8	603.6
1508	SILVER	394.3	788.7	1553	FAST BLUE	383.5	767.0
1551	FAST YELLOW	404.7	809.4	1554	TINTING WHITE	404.7	809.4
5675	T-BIRD BLUE	Ford Motor	KSEA	5681	Seamist Green	Chrysler Motors	ZP7
1554	TINTING WHITE	243.9	487.7	1553	FAST BLUE	156.8	313.7
1302	LOW LUSTER CLEAR	322.5	645.1	1302	LOW LUSTER CLEAR	275.1	550.2
1559	YELLOW OXIDE	376.7	753.4	1551	FAST YELLOW	343.8	687.6
1553	FAST BLUE	406.2	812.4	1501	LANDAU BLACK	400.9	801.7
1556	FAST GREEN	423.2	846.5	1554	TINTING WHITE	413.6	827.2
5676	CHARCOAL GRAY	Ford Motor	ZJDC	5682	DK GRAY	Toyota	137B
1508	SILVER	262.3	524.6	1501	LANDAU BLACK	129.4	258.8
1300	HIGH GLOSS CLEAR	331.4	662.7	1559	YELLOW OXIDE	224.2	448.4
1501	LANDAU BLACK	384.8	769.7	1554	TINTING WHITE	305.9	611.8
1552	FAST RED	395.9	791.7	1302	LOW LUSTER CLEAR	387.6	775.2
1551	FAST YELLOW	406.9	813.8	1550	RED OXIDE	412.8	825.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 156

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5683	LT WARM GREY	General Motors		11	5690	BLACK INK	Ford Motor	2B5A
1559	YELLOW OXIDE	146.4	292.8		1501	LANDAU BLACK	197.3	394.6
1302	LOW LUSTER CLEAR	227.9	455.8		1553	FAST BLUE	270.1	540.2
1554	TINTING WHITE	299.6	599.3		1552	FAST RED	335.6	671.3
1501	LANDAU BLACK	360.2	720.5		1302	LOW LUSTER CLEAR	398.5	797.1
1552	FAST RED	412.4	824.8		1554	TINTING WHITE	404.2	808.5
5684	THOMAS GREY				5691	LOW GLOSS BLAC	Chrysler Motors	X4
1554	TINTING WHITE	234.7	469.3		1501	LANDAU BLACK	248.3	496.7
1501	LANDAU BLACK	329.7	659.3		1302	LOW LUSTER CLEAR	403.6	807.1
1559	YELLOW OXIDE	417.4	834.9					
1550	RED OXIDE	424.2	848.4					
MUST BE TOP COATED WITH 1300								
5685	THOMAS GREEN				5692	DK GRAY	General Motors	176E
1501	LANDAU BLACK	166.3	332.7		1554	TINTING WHITE	109.2	218.3
1551	FAST YELLOW	279.0	558.0		1559	YELLOW OXIDE	204.5	409.1
1554	TINTING WHITE	368.2	736.4		1501	LANDAU BLACK	293.2	586.3
1553	FAST BLUE	411.1	822.1		1302	LOW LUSTER CLEAR	373.4	746.9
					1550	RED OXIDE	415.2	830.3
MUST BE TOP COATED WITH 1300								
5686	BLUE BIRD GREEN				5693	MED GRAY	General Motors	604F
1551	FAST YELLOW	172.8	345.6		1559	YELLOW OXIDE	106.8	213.6
1553	FAST BLUE	272.5	544.9		1554	TINTING WHITE	212.2	424.5
1554	TINTING WHITE	351.0	702.1		1501	LANDAU BLACK	310.3	620.5
1501	LANDAU BLACK	409.6	819.3		1302	LOW LUSTER CLEAR	391.4	782.8
					1550	RED OXIDE	414.8	829.5
MUST BE TOP COATED WITH 1300								
5687	BLUE BIRD BROWN				5694	MED FLINT	Ford Motor	2NCA
1559	YELLOW OXIDE	189.3	378.7		1554	TINTING WHITE	158.3	316.5
1300	HIGH GLOSS CLEAR	269.8	539.6		1559	YELLOW OXIDE	248.0	495.9
1550	RED OXIDE	340.0	680.0		1302	LOW LUSTER CLEAR	329.2	658.4
1501	LANDAU BLACK	379.6	759.2		1501	LANDAU BLACK	398.7	797.4
1554	TINTING WHITE	412.1	824.2		1550	RED OXIDE	418.2	836.4
5688	SILVER MET	Chrysler Motors		BA2	5695	DK FLINT	Ford Motor	2N5A
1508	SILVER	405.7	811.3		1559	YELLOW OXIDE	126.0	251.9
1554	TINTING WHITE	407.7	815.5		1501	LANDAU BLACK	251.2	502.4
1551	FAST YELLOW	409.0	818.0		1302	LOW LUSTER CLEAR	333.4	666.7
					1554	TINTING WHITE	379.9	759.8
					1550	RED OXIDE	410.9	821.8
5689	BLACK	Ford Motor		JA6A	5696	MED TITANIUM ME	Ford Motor	M6432G
1501	LANDAU BLACK	213.3	426.6		1508	SILVER	225.5	451.1
1302	LOW LUSTER CLEAR	299.1	598.1		1501	LANDAU BLACK	341.4	682.9
1551	FAST YELLOW	348.6	697.1		1552	FAST RED	383.0	766.1
1554	TINTING WHITE	393.5	787.0		1551	FAST YELLOW	407.0	814.0
1550	RED OXIDE	407.7	815.5					

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 157

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5697	MED DARK MAPLE	General Motors	77CN	5709	SALSA RED	General Motors	WA723H
1552	FAST RED	183.7	367.5	1552	FAST RED	184.5	369.0
1559	YELLOW OXIDE	363.5	726.9	1551	FAST YELLOW	289.3	578.6
1554	TINTING WHITE	398.6	797.2	1302	LOW LUSTER CLEAR	368.6	737.2
1553	FAST BLUE	404.4	808.8	1554	TINTING WHITE	401.0	802.0
1501	LANDAU BLACK	410.6	821.2	1550	RED OXIDE	406.0	812.1
5698	LIGHT KHAKI	Chrysler Motors	JK1	5710	RIDGE CHARCOAL	General Motors	634H
1554	TINTING WHITE	162.6	325.3	1559	YELLOW OXIDE	154.4	308.8
1302	LOW LUSTER CLEAR	269.0	538.1	1501	LANDAU BLACK	269.9	539.8
1559	YELLOW OXIDE	374.2	748.4	1302	LOW LUSTER CLEAR	339.8	679.6
1501	LANDAU BLACK	400.3	800.7	1554	TINTING WHITE	379.2	758.5
1550	RED OXIDE	418.6	837.1	1550	RED OXIDE	411.2	822.3
5699	VERY DK KHAKI	Chrysler Motors	ZJV	5711	RIDGE CHARCOAL	General Motors	635H
1559	YELLOW OXIDE	136.7	273.4	1551	FAST YELLOW	122.2	244.3
1501	LANDAU BLACK	258.0	516.0	1501	LANDAU BLACK	208.5	417.1
1302	LOW LUSTER CLEAR	349.0	698.1	1302	LOW LUSTER CLEAR	284.3	568.7
1554	TINTING WHITE	385.4	770.8	1554	TINTING WHITE	347.4	694.8
1550	RED OXIDE	410.1	820.2	1550	RED OXIDE	410.1	820.2
5705	NATURAL TAN	Chrysler Motors	BU4	5712	HANGLIDE RED	General Motors	141 WCK
1559	YELLOW OXIDE	180.5	361.0	1552	FAST RED	233.1	466.3
1550	RED OXIDE	300.6	601.2	1551	FAST YELLOW	356.2	712.3
1302	LOW LUSTER CLEAR	392.8	785.7	1302	LOW LUSTER CLEAR	403.3	806.6
1501	LANDAU BLACK	406.0	812.1	1501	LANDAU BLACK	403.7	807.3
1554	TINTING WHITE	410.7	821.4				
5706	LIGHT SILVERFER	Chrysler Motors	RJJ	5713	TWILIGHT BLUE		UCV2-1277
1554	TINTING WHITE	217.1	434.2	1501	LANDAU BLACK	164.8	329.7
1559	YELLOW OXIDE	309.7	619.4	1554	TINTING WHITE	303.2	606.5
1302	LOW LUSTER CLEAR	390.1	780.1	1559	YELLOW OXIDE	377.2	754.5
1501	LANDAU BLACK	415.8	831.6	1553	FAST BLUE	416.5	833.0
1550	RED OXIDE	422.3	844.6				
5707	DK SILVERFERN	Chrysler Motors	JL/RJL	5714	MINERAL GRAY	Ford Motor	ZSTAFUG
1559	YELLOW OXIDE	142.4	284.8	1501	LANDAU BLACK	101.6	203.1
1554	TINTING WHITE	233.1	466.3	1554	TINTING WHITE	194.2	388.4
1501	LANDAU BLACK	322.5	645.1	1302	LOW LUSTER CLEAR	273.2	546.4
1302	LOW LUSTER CLEAR	405.4	810.7	1551	FAST YELLOW	350.7	701.5
1550	RED OXIDE	414.0	828.0	1552	FAST RED	410.8	821.6
5708	CEDAR GREEN	General Motors	WA722H	5715	ASH 2	Ford Motor	3NCA
1559	YELLOW OXIDE	219.1	438.1	1554	TINTING WHITE	219.1	438.1
1302	LOW LUSTER CLEAR	299.5	599.1	1559	YELLOW OXIDE	302.5	605.0
1552	FAST RED	356.2	712.3	1302	LOW LUSTER CLEAR	384.3	768.6
1553	FAST BLUE	395.4	790.8	1501	LANDAU BLACK	419.6	839.2
1554	TINTING WHITE	409.3	818.5	1550	RED OXIDE	422.3	844.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 158

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5716	ASH 6	Ford Motor	3N5A	5722	Dk Stone	Ford Motor	1T5A
1559	YELLOW OXIDE	127.2	254.4	1559	YELLOW OXIDE	142.6	285.1
1554	TINTING WHITE	222.9	445.7	1302	LOW LUSTER CLEAR	246.8	493.5
1302	LOW LUSTER CLEAR	314.0	628.0	1501	LANDAU BLACK	329.3	658.7
1501	LANDAU BLACK	395.7	791.4	1554	TINTING WHITE	385.0	770.1
1550	RED OXIDE	414.2	828.4	1550	RED OXIDE	421.8	843.7
5717	ESPRESSO	Ford Motor	2T5A	5723	ADOBE RED	Chrysler Motors	AEJ
1552	FAST RED	100.0	200.1	1550	RED OXIDE	260.2	520.4
1302	LOW LUSTER CLEAR	216.3	432.6	1302	LOW LUSTER CLEAR	342.3	684.6
1501	LANDAU BLACK	307.0	614.1	1553	FAST BLUE	375.1	750.1
1551	FAST YELLOW	373.4	746.7	1552	FAST RED	400.3	800.7
1554	TINTING WHITE	405.9	811.9	1554	TINTING WHITE	410.5	821.0
5718	PEBBLE	Ford Motor	3TCA	5724	NEW SLATE	Chrysler Motors	BD5
1559	YELLOW OXIDE	147.2	294.3	1554	TINTING WHITE	125.2	250.4
1554	TINTING WHITE	283.9	567.7	1559	YELLOW OXIDE	225.2	450.5
1302	LOW LUSTER CLEAR	365.6	731.1	1302	LOW LUSTER CLEAR	308.0	616.0
1550	RED OXIDE	392.7	785.5	1501	LANDAU BLACK	398.1	796.1
1501	LANDAU BLACK	417.9	835.8	1550	RED OXIDE	415.9	831.8
5719	LIGHT FLINT	Ford Motor	2NBA	5725	LT GREYSTONE	Chrysler Motors	BD1
1554	TINTING WHITE	259.3	518.5	1554	TINTING WHITE	215.4	430.7
1302	LOW LUSTER CLEAR	340.8	681.5	1302	LOW LUSTER CLEAR	330.2	660.4
1559	YELLOW OXIDE	389.3	778.6	1559	YELLOW OXIDE	389.4	778.8
1501	LANDAU BLACK	416.0	832.0	1501	LANDAU BLACK	409.8	819.7
1550	RED OXIDE	424.5	848.9	1550	RED OXIDE	421.3	842.7
5720	MED DARK FLINT	Ford Motor	2N4A	5728	ANTHRACITE	Ford Motor	ZKEA
1559	YELLOW OXIDE	111.1	222.1	1501	LANDAU BLACK	257.8	515.7
1501	LANDAU BLACK	218.7	437.4	1559	YELLOW OXIDE	354.3	708.5
1554	TINTING WHITE	312.9	625.9	1554	TINTING WHITE	386.7	773.5
1302	LOW LUSTER CLEAR	390.7	781.5	1550	RED OXIDE	409.9	819.9
1550	RED OXIDE	414.1	828.2				
5721	MED LT STONE	Ford Motor	1T3A	5729	WARM STEEL MET	Ford Motor	3Q4C
1554	TINTING WHITE	199.8	399.5	1508	SILVER	191.0	381.9
1559	YELLOW OXIDE	289.9	579.9	1501	LANDAU BLACK	316.7	633.5
1302	LOW LUSTER CLEAR	374.2	748.4	1559	YELLOW OXIDE	398.3	796.7
1501	LANDAU BLACK	398.9	797.7	1550	RED OXIDE	408.7	817.4
1550	RED OXIDE	421.3	842.6				
5722	DARK STONE	Ford Motor	1T5A	5730	MED GRAY MET	Ford Motor	ZRDC
1559	YELLOW OXIDE	149.1	298.1	1508	SILVER	229.6	459.2
1501	LANDAU BLACK	231.3	462.7	1501	LANDAU BLACK	375.4	750.9
1302	LOW LUSTER CLEAR	309.8	619.6	1559	YELLOW OXIDE	397.3	794.6
1554	TINTING WHITE	371.0	742.0	1550	RED OXIDE	407.8	815.7
1550	RED OXIDE	412.7	825.4				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 159

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5731	SATIN CREAM	Ford Motor	3LCC
1508	SILVER	357.7	715.4
1551	FAST YELLOW	385.8	771.6
1552	FAST RED	408.2	816.4

5738	MED STONE	Ford Motor	1TCA
1554	TINTING WHITE	207.7	415.3
1559	YELLOW OXIDE	341.7	683.4
1501	LANDAU BLACK	386.4	772.7
1550	RED OXIDE	423.8	847.6

MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR

5732	SATIN ALUMINUM	Ford Motor	UA2C
1508	SILVER	405.2	810.4
1559	YELLOW OXIDE	408.0	816.1
1552	FAST RED	408.9	817.8

5739	KING RANCH TAN	Ford Motor	1U5A
1559	YELLOW OXIDE	179.3	358.5
1550	RED OXIDE	283.5	567.0
1302	LOW LUSTER CLEAR	364.4	728.8
1501	LANDAU BLACK	406.5	813.0
1554	TINTING WHITE	409.7	819.5
1551	FAST YELLOW	410.4	820.8

5733	DARK GREY MET	Ford Motor	YJEC
1501	LANDAU BLACK	180.3	360.6
1559	YELLOW OXIDE	275.4	550.8
1302	LOW LUSTER CLEAR	353.7	707.4
1550	RED OXIDE	382.0	764.0
1508	SILVER	407.0	814.0

5740	PEBBLE 5	Ford Motor	3T5A
1559	YELLOW OXIDE	189.6	379.2
1302	LOW LUSTER CLEAR	266.1	532.2
1554	TINTING WHITE	327.3	654.6
1501	LANDAU BLACK	374.7	749.4
1550	RED OXIDE	413.5	827.1

5734	DARK GRAY MET	Ford Motor	3MEC
1501	LANDAU BLACK	181.5	362.9
1508	SILVER	280.7	561.5
1302	LOW LUSTER CLEAR	342.8	685.5
1559	YELLOW OXIDE	380.0	760.0
1550	RED OXIDE	406.7	813.4

5741	PEBBLE 4	Ford Motor	3T4A
1559	YELLOW OXIDE	170.5	341.1
1554	TINTING WHITE	259.0	517.9
1302	LOW LUSTER CLEAR	337.9	675.8
1501	LANDAU BLACK	377.1	754.1
1550	RED OXIDE	415.0	829.9

5735	DARK TITANIUM M	Ford Motor	8P6C
1501	LANDAU BLACK	151.0	301.9
1508	SILVER	234.7	469.3
1302	LOW LUSTER CLEAR	309.7	619.4
1559	YELLOW OXIDE	370.0	740.1
1550	RED OXIDE	407.3	814.5

5742	DARK PARCHMENT	Ford Motor	BJ5A
1559	YELLOW OXIDE	160.1	320.2
1302	LOW LUSTER CLEAR	237.2	474.4
1501	LANDAU BLACK	310.3	620.5
1554	TINTING WHITE	366.4	732.8
1550	RED OXIDE	412.7	825.4

5736	RED	Ford Motor	EBDA
1552	FAST RED	231.9	463.8
1551	FAST YELLOW	359.9	719.7
1554	TINTING WHITE	406.3	812.6
1550	RED OXIDE	407.6	815.1

5743	SADDLE 6	Ford Motor	3U6A
1559	YELLOW OXIDE	169.8	339.5
1550	RED OXIDE	311.3	622.6
1302	LOW LUSTER CLEAR	387.1	774.3
1554	TINTING WHITE	403.2	806.4
1556	FAST GREEN	412.0	824.0

MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR

5737	MED SILVER MET	Ford Motor	EBDA
1508	SILVER	406.4	812.8
1559	YELLOW OXIDE	407.3	814.5
1552	FAST RED	408.1	816.2
1551	FAST YELLOW	409.0	818.0

5744	SLATE MET	General Motors	WA759J
1501	LANDAU BLACK	187.2	374.3
1508	SILVER	279.7	559.4
1559	YELLOW OXIDE	368.8	737.6
1550	RED OXIDE	408.5	817.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 160

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5745	MED MOCHA	Ford Motor	M6643C
1559	YELLOW OXIDE	177.8	355.7
1550	RED OXIDE	277.6	555.2
1554	TINTING WHITE	362.3	724.7
1501	LANDAU BLACK	417.1	834.1

5752	PEBBLE 1	Ford Motor	3T3A
1554	TINTING WHITE	194.6	389.1
1559	YELLOW OXIDE	303.6	607.2
1302	LOW LUSTER CLEAR	385.8	771.6
1550	RED OXIDE	405.6	811.1
1501	LANDAU BLACK	421.3	842.7

MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR

5746	DARK BLUE MET	General Motors	
1553	FAST BLUE	219.9	439.9
1302	LOW LUSTER CLEAR	324.0	647.9
1559	YELLOW OXIDE	383.4	766.8
1508	SILVER	400.0	800.1
1501	LANDAU BLACK	403.9	807.9

5753	MED LT FLINT	Ford Motor	2N3A
1554	TINTING WHITE	202.9	405.8
1302	LOW LUSTER CLEAR	285.2	570.4
1559	YELLOW OXIDE	358.2	716.5
1501	LANDAU BLACK	405.9	811.9
1550	RED OXIDE	421.0	842.1

5747	DARK GRAYSTONE	Chrysler Motors	TW
1559	YELLOW OXIDE	120.6	241.1
1501	LANDAU BLACK	235.7	471.4
1302	LOW LUSTER CLEAR	326.2	652.5
1550	RED OXIDE	386.3	772.5
1554	TINTING WHITE	409.5	819.1

5754	MEDIUM KHAKI	Chrysler Motors	ZJ3
1559	YELLOW OXIDE	140.9	281.8
1554	TINTING WHITE	243.2	486.4
1302	LOW LUSTER CLEAR	333.7	667.5
1501	LANDAU BLACK	385.0	770.1
1550	RED OXIDE	415.2	830.5

5748	MED DK CASHMER	General Motors	WA832K
1559	YELLOW OXIDE	156.8	313.5
1302	LOW LUSTER CLEAR	248.4	496.9
1554	TINTING WHITE	329.7	659.5
1550	RED OXIDE	378.3	756.6
1501	LANDAU BLACK	414.4	828.8

5755	MEDIUM TAUPE	Chrysler Motors	WL5
1554	TINTING WHITE	120.5	240.9
1559	YELLOW OXIDE	236.3	472.5
1302	LOW LUSTER CLEAR	328.9	657.8
1501	LANDAU BLACK	377.1	754.1
1550	RED OXIDE	416.3	832.6

5749	MED CASHMERE	General Motors	WA831K
1559	YELLOW OXIDE	151.8	303.6
1554	TINTING WHITE	261.2	522.3
1302	LOW LUSTER CLEAR	354.1	708.1
1550	RED OXIDE	391.9	783.8
1501	LANDAU BLACK	416.0	832.0

5756	DEEP SEAMIST GR	Chrysler Motors	ZP7
1501	LANDAU BLACK	175.6	351.1
1556	FAST GREEN	276.0	552.0
1302	LOW LUSTER CLEAR	357.0	714.0
1551	FAST YELLOW	386.8	773.7
1554	TINTING WHITE	405.3	810.5

5750	LIGHT CASHMERE	General Motors	WA830K
1554	TINTING WHITE	179.4	358.7
1559	YELLOW OXIDE	298.5	597.0
1302	LOW LUSTER CLEAR	386.1	772.2
1550	RED OXIDE	407.8	815.7
1501	LANDAU BLACK	420.5	840.9

5757	NAVY BLUE	Chrysler Motors	YQL
1553	FAST BLUE	125.6	251.2
1302	LOW LUSTER CLEAR	220.1	440.2
1556	FAST GREEN	305.1	610.3
1501	LANDAU BLACK	390.2	780.3
1554	TINTING WHITE	404.0	808.1

5751	YELLOW		
1551	FAST YELLOW	309.7	619.4
1554	TINTING WHITE	411.4	822.9
1553	FAST BLUE	411.7	823.5

5758	DEEP SEAMIST	Chrysler Motors	ZP7
1556	FAST GREEN	177.1	354.2
1501	LANDAU BLACK	268.9	537.9
1302	LOW LUSTER CLEAR	355.1	710.2
1550	RED OXIDE	394.0	787.9
1554	TINTING WHITE	405.5	810.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 161

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5759	LIGHT STEEL GRE	General Motors	WA922L	5769	SAND BEIGE	Kia	78
1554	TINTING WHITE	248.1	496.3	1554	TINTING WHITE	170.1	340.1
1302	LOW LUSTER CLEAR	330.9	661.8	1559	YELLOW OXIDE	305.4	610.9
1501	LANDAU BLACK	380.9	761.7	1302	LOW LUSTER CLEAR	385.6	771.2
1559	YELLOW OXIDE	417.0	833.9	1550	RED OXIDE	407.1	814.2
1550	RED OXIDE	423.6	847.2	1501	LANDAU BLACK	419.9	839.8
5760	DOVE GREY	Ford Motor	4N1A	5771	GRAY	Kia	96
1554	TINTING WHITE	272.5	544.9	1501	LANDAU BLACK	113.7	227.4
1302	LOW LUSTER CLEAR	356.7	713.5	1559	YELLOW OXIDE	221.5	443.1
1559	YELLOW OXIDE	388.7	777.5	1302	LOW LUSTER CLEAR	309.4	618.8
1501	LANDAU BLACK	418.1	836.2	1554	TINTING WHITE	384.4	768.7
1550	RED OXIDE	425.2	850.4	1550	RED OXIDE	412.5	825.0
5761	SHALE	Ford Motor	4N5A	5775	OAK BEIGE	Kia	BT
1554	TINTING WHITE	130.5	261.1	1559	YELLOW OXIDE	160.8	321.7
1501	LANDAU BLACK	240.6	481.3	1554	TINTING WHITE	261.0	521.9
1302	LOW LUSTER CLEAR	319.3	638.6	1300	HIGH GLOSS CLEAR	341.7	683.4
1559	YELLOW OXIDE	392.3	784.5	1550	RED OXIDE	378.9	757.7
1550	RED OXIDE	415.8	831.6	1501	LANDAU BLACK	415.7	831.4
5762	ASH 3	Ford Motor	3N3A	5781	SLATE GRAY	Kia	GJ
1554	TINTING WHITE	186.6	373.2	1501	LANDAU BLACK	261.1	522.1
1302	LOW LUSTER CLEAR	294.5	589.0	1302	LOW LUSTER CLEAR	328.9	657.8
1559	YELLOW OXIDE	374.4	748.8	1554	TINTING WHITE	370.4	740.8
1501	LANDAU BLACK	415.7	831.4	1553	FAST BLUE	392.9	785.8
1550	RED OXIDE	419.4	838.9	1550	RED OXIDE	407.6	815.1
5763	LIGHT OAK	Ford Motor	4U1A	5786	BEIGE	Kia	75
1554	TINTING WHITE	183.0	365.9	1554	TINTING WHITE	180.1	360.2
1559	YELLOW OXIDE	296.9	593.8	1559	YELLOW OXIDE	301.9	603.8
1302	LOW LUSTER CLEAR	394.5	789.1	1302	LOW LUSTER CLEAR	383.8	767.6
1550	RED OXIDE	413.1	826.1	1550	RED OXIDE	402.8	805.6
1501	LANDAU BLACK	420.2	840.4	1501	LANDAU BLACK	420.5	840.9
5764	LIGHT GRAY	Kia	05	5791	MEDIUM SLATE	Chrysler Motors	D5
1554	TINTING WHITE	237.6	475.2	1554	TINTING WHITE	134.2	268.5
1302	LOW LUSTER CLEAR	333.2	666.3	1559	YELLOW OXIDE	227.6	455.2
1559	YELLOW OXIDE	385.0	770.1	1501	LANDAU BLACK	316.1	632.1
1501	LANDAU BLACK	409.6	819.3	1302	LOW LUSTER CLEAR	399.2	798.4
1550	RED OXIDE	423.0	846.1	1550	RED OXIDE	416.5	833.0
5766	DARK GRAY	Kia	08	5792	CHARCOAL	Ford Motor	3PDA
1501	LANDAU BLACK	148.6	297.2	1501	LANDAU BLACK	168.4	336.9
1552	FAST RED	268.4	536.8	1559	YELLOW OXIDE	288.5	577.0
1302	LOW LUSTER CLEAR	352.3	704.5	1554	TINTING WHITE	391.5	783.0
1554	TINTING WHITE	382.0	764.0	1550	RED OXIDE	415.5	831.1
1553	FAST BLUE	405.9	811.9				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 162

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5793	PASTEL PEBBLE BE	Chrysler Motors	KA	5799	TARRAGON	Ford Motor	4MBC
1554	TINTING WHITE	181.6	363.3	1508	SILVER	271.9	543.8
1559	YELLOW OXIDE	296.5	593.0	1300	HIGH GLOSS CLEAR	383.9	767.8
1302	LOW LUSTER CLEAR	381.0	761.9	1551	FAST YELLOW	406.6	813.2
1550	RED OXIDE	402.2	804.5				
1501	LANDAU BLACK	420.5	840.9				
5793	PASTEL PEBBLE BE	Chrysler Motors	DK4	5800	MEDIUM STEEL GR	General Motors	923L
1554	TINTING WHITE	181.6	363.3	1554	TINTING WHITE	183.0	365.9
1559	YELLOW OXIDE	296.5	593.0	1501	LANDAU BLACK	276.3	552.5
1302	LOW LUSTER CLEAR	381.0	761.9	1302	LOW LUSTER CLEAR	367.7	735.5
1550	RED OXIDE	402.2	804.5	1559	YELLOW OXIDE	417.7	835.4
1501	LANDAU BLACK	420.5	840.9	1553	FAST BLUE	418.7	837.3
5794	PEARL	Chrysler Motors	DWI	5801	DARK STEEL GRAY	General Motors	924L
1554	TINTING WHITE	317.4	634.8	1501	LANDAU BLACK	142.5	285.0
1302	LOW LUSTER CLEAR	401.9	803.7	1554	TINTING WHITE	256.5	513.0
1559	YELLOW OXIDE	421.4	842.8	1302	LOW LUSTER CLEAR	349.4	698.8
1501	LANDAU BLACK	426.5	852.9	1559	YELLOW OXIDE	413.8	827.6
1550	RED OXIDE	428.2	856.3				
5795	BRONZE MET	Ford Motor	4TCCXXH	5802	VERY DARK STEEL	General Motors	925L
1300	HIGH GLOSS CLEAR	119.1	238.3	1501	LANDAU BLACK	184.2	368.4
1508	SILVER	235.7	471.4	1302	LOW LUSTER CLEAR	271.8	543.6
1559	YELLOW OXIDE	333.6	667.3	1554	TINTING WHITE	344.2	688.4
1501	LANDAU BLACK	377.9	755.8	1559	YELLOW OXIDE	407.3	814.5
1552	FAST RED	407.1	814.2	1553	FAST BLUE	410.8	821.6
5796	MEDIUM LIGHT AL	Ford Motor	4M3CXXH	5803	DARK GRAY	Kia	B1
1508	SILVER	185.0	369.9	1554	TINTING WHITE	144.4	288.8
1300	HIGH GLOSS CLEAR	290.4	580.8	1302	LOW LUSTER CLEAR	226.5	453.0
1559	YELLOW OXIDE	361.2	722.4	1501	LANDAU BLACK	307.5	615.0
1501	LANDAU BLACK	407.3	814.5	1559	YELLOW OXIDE	373.8	747.7
				1550	RED OXIDE	417.1	834.3
5797	PEBBLE 3.5	Ford Motor	3TDA	5804	SAND BEIGE	Kia	B3
1559	YELLOW OXIDE	168.6	337.3	1554	TINTING WHITE	155.8	311.6
1554	TINTING WHITE	272.8	545.7	1559	YELLOW OXIDE	298.0	596.0
1302	LOW LUSTER CLEAR	357.2	714.4	1302	LOW LUSTER CLEAR	378.9	757.7
1501	LANDAU BLACK	387.6	775.2	1550	RED OXIDE	407.3	814.5
1550	RED OXIDE	415.9	831.8	1501	LANDAU BLACK	419.2	838.5
5798	SATIN STEEL	Ford Motor	5Q4C	5805	BEIGE	Kia	A4
1508	SILVER	185.3	370.5	1559	YELLOW OXIDE	177.7	355.5
1300	HIGH GLOSS CLEAR	309.7	619.4	1554	TINTING WHITE	271.5	543.0
1501	LANDAU BLACK	381.9	763.8	1302	LOW LUSTER CLEAR	352.4	704.7
1559	YELLOW OXIDE	405.4	810.7	1501	LANDAU BLACK	385.0	770.1
1552	FAST RED	406.2	812.4	1550	RED OXIDE	415.4	830.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 163

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
5806	DARK GRAY	Kia		A7	5814	LIGHT GRAY	BOSE	
1501	LANDAU BLACK	174.4	348.8		1554	TINTING WHITE	335.1 670.1	
1554	TINTING WHITE	302.1	604.2		1559	YELLOW OXIDE	393.8 787.6	
1302	LOW LUSTER CLEAR	378.1	756.2		1501	LANDAU BLACK	426.5 852.9	
1551	FAST YELLOW	402.4	804.8		1550	RED OXIDE	431.0 862.0	
1550	RED OXIDE	414.0	828.0					
5807	BEIGE	Kia		C2	5815	BLACK	BOSE	
1554	TINTING WHITE	99.8	199.7		1501	LANDAU BLACK	202.8 405.7	
1551	FAST YELLOW	196.7	393.5		1559	YELLOW OXIDE	317.7 635.4	
1302	LOW LUSTER CLEAR	284.9	569.8		1554	TINTING WHITE	399.3 798.6	
1501	LANDAU BLACK	349.8	699.6		1550	RED OXIDE	413.6 827.3	
1550	RED OXIDE	412.7	825.4					
5809	GRAY	Kia		C3	5816	DARK GRAY	BOSE	
1554	TINTING WHITE	123.7	247.4		1501	LANDAU BLACK	154.9 309.9	
1501	LANDAU BLACK	228.3	456.6		1559	YELLOW OXIDE	276.7 553.5	
1559	YELLOW OXIDE	307.5	615.0		1302	LOW LUSTER CLEAR	339.8 679.6	
1302	LOW LUSTER CLEAR	386.7	773.5		1554	TINTING WHITE	397.6 795.2	
1550	RED OXIDE	415.6	831.3		1550	RED OXIDE	411.4 822.9	
5810	CASHMERE	Toyota		009B	5817	GRANITE	Ford Motor	4N7A
1554	TINTING WHITE	194.4	388.7		1501	LANDAU BLACK	139.9 279.9	
1302	LOW LUSTER CLEAR	312.2	624.3		1559	YELLOW OXIDE	257.1 514.1	
1559	YELLOW OXIDE	402.6	805.2		1302	LOW LUSTER CLEAR	339.3 678.7	
1550	RED OXIDE	412.6	825.2		1554	TINTING WHITE	396.2 792.5	
1501	LANDAU BLACK	420.3	840.6		1550	RED OXIDE	411.1 822.1	
5811	ASH	Toyota		140B	5818	LT. CHARCOAL	General Motors	WA500F
1554	TINTING WHITE	204.3	408.7		1559	YELLOW OXIDE	138.5 277.0	
1302	LOW LUSTER CLEAR	322.8	645.6		1501	LANDAU BLACK	269.3 538.7	
1559	YELLOW OXIDE	367.3	734.5		1554	TINTING WHITE	386.3 772.5	
1501	LANDAU BLACK	403.4	806.7		1550	RED OXIDE	417.1 834.1	
1550	RED OXIDE	420.3	840.6					
5812	VERY DARK CASH	General Motors		WA935L	5819	DK GREY MET.	General Motors	WA5LI-643H
1559	YELLOW OXIDE	176.5	353.0		1501	LANDAU BLACK	178.8 357.6	
1302	LOW LUSTER CLEAR	255.3	510.5		1508	SILVER	261.4 522.9	
1501	LANDAU BLACK	317.7	635.4		1302	LOW LUSTER CLEAR	328.5 657.0	
1550	RED OXIDE	371.3	742.5		1552	FAST RED	370.7 741.4	
1554	TINTING WHITE	411.9	823.8		1551	FAST YELLOW	405.1 810.2	
5813	BLACK VINYL	BOSE			5820	GREY METALLIC	General Motors	WZ15MP-945
1501	LANDAU BLACK	214.9	429.8		1501	LANDAU BLACK	164.4 328.9	
1554	TINTING WHITE	322.1	644.3		1508	SILVER	288.5 577.0	
1551	FAST YELLOW	393.8	787.6		1302	LOW LUSTER CLEAR	369.9 739.9	
1550	RED OXIDE	413.3	826.5		1551	FAST YELLOW	392.1 784.1	
					1552	FAST RED	405.5 810.9	

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 164

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5821	COBALT RED	General Motors	WA217M	5829	MED STEEL BLUE	Ford Motor	5D6
1552	FAST RED	246.7	493.4	1501	LANDAU BLACK	142.4	284.8
1302	LOW LUSTER CLEAR	337.8	675.6	1554	TINTING WHITE	267.0	533.9
1551	FAST YELLOW	397.5	795.0	1302	LOW LUSTER CLEAR	369.1	738.2
1554	TINTING WHITE	403.4	806.7	1553	FAST BLUE	403.6	807.1
1501	LANDAU BLACK	403.8	807.7	1559	YELLOW OXIDE	413.3	826.5
5823	LT PEBBLE BEIGE	Chrysler Motors		5830	MED DOVE GRAY	Ford Motor	4N3
1559	YELLOW OXIDE	132.9	265.8	1554	TINTING WHITE	201.3	402.6
1302	LOW LUSTER CLEAR	254.9	509.8	1302	LOW LUSTER CLEAR	284.1	568.1
1554	TINTING WHITE	359.8	719.5	1559	YELLOW OXIDE	353.6	707.2
1550	RED OXIDE	387.8	775.6	1501	LANDAU BLACK	409.5	819.1
1501	LANDAU BLACK	415.0	829.9	1550	RED OXIDE	420.8	841.5
5824	DK PEBBLE BEIGE	Chrysler Motors	K7	5831	CHARCOAL BLACK	Ford Motor	5B8A
1559	YELLOW OXIDE	151.1	302.1	1501	LANDAU BLACK	184.6	369.2
1302	LOW LUSTER CLEAR	292.7	585.4	1302	LOW LUSTER CLEAR	286.6	573.2
1501	LANDAU BLACK	337.8	675.6	1559	YELLOW OXIDE	356.6	713.3
1554	TINTING WHITE	375.6	751.3	1554	TINTING WHITE	383.1	766.3
1550	RED OXIDE	410.3	820.6	1550	RED OXIDE	407.9	815.9
5825	MED CHARCOAL	Chrysler Motors	BDL	5832	CAMEL	Ford Motor	4T1A
1554	TINTING WHITE	155.5	311.0	1554	TINTING WHITE	187.2	374.5
1501	LANDAU BLACK	289.9	579.9	1559	YELLOW OXIDE	297.4	594.9
1559	YELLOW OXIDE	388.4	776.7	1302	LOW LUSTER CLEAR	393.3	786.6
1550	RED OXIDE	419.1	838.3	1550	RED OXIDE	409.0	818.0
				1501	LANDAU BLACK	420.5	840.9
5826	MERLOT	Ford Motor	3KW	5833	LIGHT OAK	Ford Motor	4U1
1552	FAST RED	289.8	579.7	1559	YELLOW OXIDE	173.7	347.3
1302	LOW LUSTER CLEAR	360.0	719.9	1554	TINTING WHITE	309.9	619.8
1551	FAST YELLOW	385.2	770.5	1302	LOW LUSTER CLEAR	389.8	779.6
1553	FAST BLUE	395.8	791.5	1550	RED OXIDE	410.6	821.2
1554	TINTING WHITE	404.2	808.5	1501	LANDAU BLACK	418.3	836.6
5827	VICTORY RED	General Motors	WA341M	5834	MOROCCO	General Motors	WA260M
1552	FAST RED	184.9	369.7	1559	YELLOW OXIDE	200.8	401.7
1302	LOW LUSTER CLEAR	303.7	607.4	1550	RED OXIDE	313.3	626.6
1551	FAST YELLOW	382.9	765.9	1302	LOW LUSTER CLEAR	391.2	782.4
1554	TINTING WHITE	398.8	797.6	1501	LANDAU BLACK	405.9	811.9
1550	RED OXIDE	404.6	809.2	1554	TINTING WHITE	411.2	822.3
5828	RALLY CHARCOAL	General Motors	WA9606	5835	COOL VANILLA	Chrysler Motors	BWN
1559	YELLOW OXIDE	139.3	278.5	1554	TINTING WHITE	412.2	824.4
1501	LANDAU BLACK	268.2	536.4	1559	YELLOW OXIDE	433.9	867.7
1554	TINTING WHITE	333.0	666.0	1501	LANDAU BLACK	436.0	871.9
1550	RED OXIDE	378.9	757.7				
1302	LOW LUSTER CLEAR	413.3	826.7				

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 165

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5836	LIGHT SHALE	Chrysler Motors	ES3	5840	CEDAR RED	Chrysler Motors	RK
1554	TINTING WHITE	266.5	533.0	1550	RED OXIDE	219.2	438.3
1302	LOW LUSTER CLEAR	351.3	702.6	1559	YELLOW OXIDE	311.3	622.6
1559	YELLOW OXIDE	397.9	795.7	1302	LOW LUSTER CLEAR	393.6	787.2
1501	LANDAU BLACK	416.9	833.7	1554	TINTING WHITE	412.3	824.6
1550	RED OXIDE	425.0	850.1				
5836	LIGHT SHALE	Chrysler Motors	S3	5841	CASHMERE	Ford Motor	5VOA
1554	TINTING WHITE	266.5	533.0	1554	TINTING WHITE	322.7	645.4
1302	LOW LUSTER CLEAR	351.3	702.6	1302	LOW LUSTER CLEAR	405.9	811.9
1559	YELLOW OXIDE	397.9	795.7	1559	YELLOW OXIDE	423.9	847.8
1501	LANDAU BLACK	416.9	833.7	1501	LANDAU BLACK	426.9	853.9
1550	RED OXIDE	425.0	850.1	1550	RED OXIDE	428.6	857.3
5837	PASTEL SLATE GR	Chrysler Motors	DA	5842	SATIN BLACK	Ford Motor	YYWA
1554	TINTING WHITE	255.8	511.7	1501	LANDAU BLACK	269.1	538.3
1302	LOW LUSTER CLEAR	348.3	696.5	1302	LOW LUSTER CLEAR	378.3	756.6
1559	YELLOW OXIDE	388.6	777.3	1556	FAST GREEN	394.3	788.7
1501	LANDAU BLACK	415.4	830.9	1554	TINTING WHITE	401.1	802.2
1550	RED OXIDE	424.1	848.2	1551	FAST YELLOW	404.5	809.0
5838	MED PEBBLE BEIG	Chrysler Motors	DK5	5843	DARK SMOKE GRE	General Motors	WA501F
1559	YELLOW OXIDE	159.9	319.8	1300	HIGH GLOSS CLEAR	152.7	305.3
1554	TINTING WHITE	257.0	514.0	1501	LANDAU BLACK	285.0	570.0
1302	LOW LUSTER CLEAR	337.1	674.1	1559	YELLOW OXIDE	362.3	724.7
1501	LANDAU BLACK	377.4	754.9	1550	RED OXIDE	386.9	773.9
1550	RED OXIDE	415.5	831.1	1554	TINTING WHITE	407.3	814.5
5838	MED PEBBLE BEIG	Chrysler Motors	K5	5844	GRAPHITE	Toyota	138B
1559	YELLOW OXIDE	159.9	319.8	1554	TINTING WHITE	171.6	343.1
1554	TINTING WHITE	257.0	514.0	1302	LOW LUSTER CLEAR	260.3	520.6
1302	LOW LUSTER CLEAR	337.1	674.1	1501	LANDAU BLACK	333.4	666.7
1501	LANDAU BLACK	377.4	754.9	1559	YELLOW OXIDE	400.0	799.9
1550	RED OXIDE	415.5	831.1	1550	RED OXIDE	418.6	837.1
5839	LIGHT PEARL	Chrysler Motors	W1	5845	BLACK	General Motors	WA658E
1554	TINTING WHITE	297.4	594.9	1501	LANDAU BLACK	375.7	751.5
1302	LOW LUSTER CLEAR	403.7	807.3	1559	YELLOW OXIDE	400.8	801.6
1559	YELLOW OXIDE	420.7	841.3	1550	RED OXIDE	403.3	806.6
1501	LANDAU BLACK	425.2	850.4	1554	TINTING WHITE	405.7	811.5
1550	RED OXIDE	426.5	852.9				
5839	LIGHT PEARL	Chrysler Motors	DW1	5846	CRIMSON RED	Ford Motor	5R7A
1554	TINTING WHITE	297.4	594.9	1552	FAST RED	232.6	465.1
1302	LOW LUSTER CLEAR	403.7	807.3	1302	LOW LUSTER CLEAR	331.5	662.9
1559	YELLOW OXIDE	420.7	841.3	1551	FAST YELLOW	383.4	766.8
1501	LANDAU BLACK	425.2	850.4	1554	TINTING WHITE	404.0	808.1
1550	RED OXIDE	426.5	852.9	1501	LANDAU BLACK	404.9	809.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 166

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5847	GRAYSTONE	Ford Motor	6T7A	5854	LIGHT TITANIUM	General Motors	WA311N/D862
1559	YELLOW OXIDE	124.8	249.7	1554	TINTING WHITE	249.4	498.8
1501	LANDAU BLACK	233.7	467.4	1302	LOW LUSTER CLEAR	328.1	656.3
1302	LOW LUSTER CLEAR	307.5	615.0	1559	YELLOW OXIDE	383.2	766.5
1554	TINTING WHITE	369.5	738.9	1501	LANDAU BLACK	411.0	821.9
1550	RED OXIDE	412.3	824.6	1550	RED OXIDE	424.2	848.4
5848	SAND	Ford Motor	6X0A	5855	MED. TITANIUM	General Motors	WA312N
1554	TINTING WHITE	289.2	578.4	1554	TINTING WHITE	169.3	338.6
1302	LOW LUSTER CLEAR	368.6	737.2	1559	YELLOW OXIDE	264.1	528.2
1559	YELLOW OXIDE	416.3	832.6	1302	LOW LUSTER CLEAR	343.0	686.1
1550	RED OXIDE	421.7	843.4	1501	LANDAU BLACK	396.7	793.4
1501	LANDAU BLACK	426.8	853.7	1550	RED OXIDE	419.1	838.3
5849	LIGHT CAMEL	Ford Motor	4T0A	5856	DARK TITANIUM	General Motors	WA313N
1554	TINTING WHITE	248.6	497.2	1554	TINTING WHITE	116.9	233.9
1302	LOW LUSTER CLEAR	329.7	659.5	1559	YELLOW OXIDE	225.3	450.7
1559	YELLOW OXIDE	407.3	814.5	1302	LOW LUSTER CLEAR	307.5	615.0
1552	FAST RED	416.0	832.0	1501	LANDAU BLACK	389.0	778.1
1501	LANDAU BLACK	424.1	848.2	1550	RED OXIDE	415.6	831.3
5850	MED. CAMEL	Ford Motor	4T3A	5857	TAN	Acura	
1559	YELLOW OXIDE	152.4	304.8	1554	TINTING WHITE	178.3	356.6
1554	TINTING WHITE	284.3	568.7	1559	YELLOW OXIDE	313.3	626.6
1302	LOW LUSTER CLEAR	365.4	730.7	1302	LOW LUSTER CLEAR	399.9	799.7
1550	RED OXIDE	393.6	787.2	1550	RED OXIDE	413.1	826.1
1501	LANDAU BLACK	417.6	835.2	1501	LANDAU BLACK	420.4	840.8
5851	LIGHT STONE	Ford Motor	1TBA	5858	CREAMY IVORY	Acura	
1554	TINTING WHITE	244.1	488.1	1554	TINTING WHITE	188.2	376.4
1302	LOW LUSTER CLEAR	325.4	650.8	1559	YELLOW OXIDE	314.8	629.7
1559	YELLOW OXIDE	393.7	787.4	1302	LOW LUSTER CLEAR	400.4	800.9
1501	LANDAU BLACK	409.9	819.9	1550	RED OXIDE	414.1	828.2
1550	RED OXIDE	423.9	847.8	1501	LANDAU BLACK	420.9	841.9
5852	LIGHT GRAY	Ford Motor		5859	CHARCOAL	Acura	
1501	LANDAU BLACK	122.3	244.5	1554	TINTING WHITE	112.6	225.2
1508	SILVER	242.1	484.1	1559	YELLOW OXIDE	218.4	436.8
1552	FAST RED	309.8	619.6	1501	LANDAU BLACK	315.6	631.2
1302	LOW LUSTER CLEAR	361.9	723.7	1302	LOW LUSTER CLEAR	395.8	791.5
1553	FAST BLUE	398.3	796.7	1550	RED OXIDE	415.1	830.1
1551	FAST YELLOW	405.3	810.5				
5853	DK. GRAY	Ford Motor		5860	MED. NEUTRAL	BMW	
1501	LANDAU BLACK	224.9	449.7	1559	YELLOW OXIDE	143.0	286.0
1559	YELLOW OXIDE	310.6	621.1	1554	TINTING WHITE	256.6	513.2
1302	LOW LUSTER CLEAR	350.7	701.5	1302	LOW LUSTER CLEAR	338.2	676.4
1554	TINTING WHITE	382.6	765.1	1550	RED OXIDE	382.9	765.9
1550	RED OXIDE	409.4	818.7	1501	LANDAU BLACK	416.6	833.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 167

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5861	Silver Gray	BMW		5868	CARAVAN GRAY G	Chrysler Motors	
1554	TINTING WHITE	230.5	461.1	1559	YELLOW OXIDE	153.6	307.2
1302	LOW LUSTER CLEAR	357.1	714.1	1501	LANDAU BLACK	289.5	578.9
1559	YELLOW OXIDE	396.3	792.7	1302	LOW LUSTER CLEAR	363.5	726.9
1550	RED OXIDE	418.6	837.3	1554	TINTING WHITE	405.2	810.4
1553	FAST BLUE	432.4	864.8	1553	FAST BLUE	410.5	821.0
5862	CLASSY GRAY	Honda		5869	EXPLORER DARK G	Ford Motor	
1501	LANDAU BLACK	190.4	380.8	1501	LANDAU BLACK	153.6	307.2
1559	YELLOW OXIDE	290.8	581.6	1559	YELLOW OXIDE	275.4	550.8
1302	LOW LUSTER CLEAR	369.2	738.3	1302	LOW LUSTER CLEAR	345.9	691.8
1554	TINTING WHITE	405.3	810.5	1554	TINTING WHITE	383.7	767.4
1550	RED OXIDE	409.1	818.1	1550	RED OXIDE	410.2	820.4
5863	MILD BEIGE	Honda		5870	SPORT TRAC GRAY	Ford Motor	
1554	TINTING WHITE	142.3	284.6	1554	TINTING WHITE	151.6	303.2
1559	YELLOW OXIDE	272.8	545.7	1501	LANDAU BLACK	247.7	495.3
1302	LOW LUSTER CLEAR	356.5	713.1	1302	LOW LUSTER CLEAR	323.2	646.4
1550	RED OXIDE	393.4	786.8	1551	FAST YELLOW	373.4	746.7
1501	LANDAU BLACK	418.2	836.4	1550	RED OXIDE	416.6	833.2
5864	OAK	Toyota		5871	CHEROKEE DRIFT	Chrysler Motors	
1554	TINTING WHITE	139.4	278.7	1559	YELLOW OXIDE	114.8	229.5
1559	YELLOW OXIDE	264.0	528.0	1554	TINTING WHITE	217.3	434.5
1302	LOW LUSTER CLEAR	343.9	687.8	1501	LANDAU BLACK	303.3	606.7
1550	RED OXIDE	388.6	777.3	1302	LOW LUSTER CLEAR	383.9	767.8
1501	LANDAU BLACK	418.1	836.2	1550	RED OXIDE	414.9	829.7
5865	IVORY	Toyota		5872	CHEROKEE GRAY	Chrysler Motors	
1554	TINTING WHITE	185.7	371.5	1501	LANDAU BLACK	217.6	435.1
1559	YELLOW OXIDE	299.5	599.1	1302	LOW LUSTER CLEAR	280.3	560.5
1302	LOW LUSTER CLEAR	383.2	766.5	1559	YELLOW OXIDE	327.7	655.3
1550	RED OXIDE	402.6	805.2	1554	TINTING WHITE	369.0	738.0
1501	LANDAU BLACK	420.7	841.3	1550	RED OXIDE	409.4	818.7
5866	BLUE GRAY	Toyota		5873	CHEROKEE BLACK	Chrysler Motors	
1554	TINTING WHITE	156.3	312.6	1501	LANDAU BLACK	227.2	454.5
1501	LANDAU BLACK	242.7	485.5	1559	YELLOW OXIDE	305.8	611.6
1302	LOW LUSTER CLEAR	325.9	651.7	1302	LOW LUSTER CLEAR	367.0	734.0
1559	YELLOW OXIDE	394.1	788.1	1554	TINTING WHITE	401.5	802.9
1550	RED OXIDE	417.7	835.4	1550	RED OXIDE	408.6	817.2
5867	CARAVAN GRAY	Chrysler Motors		5874	FRONTIER GRAY	Nissan	
1501	LANDAU BLACK	141.3	282.5	1501	LANDAU BLACK	139.3	278.5
1559	YELLOW OXIDE	222.6	445.2	1559	YELLOW OXIDE	267.3	534.7
1302	LOW LUSTER CLEAR	296.5	593.0	1302	LOW LUSTER CLEAR	343.0	686.1
1554	TINTING WHITE	369.8	739.7	1554	TINTING WHITE	394.8	789.6
1550	RED OXIDE	412.4	824.8	1550	RED OXIDE	411.2	822.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 168

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5875	PREVIA GRAY	Toyota		5882	MOSS	Ford Motor	
1501	LANDAU BLACK	146.9	293.7	1559	YELLOW OXIDE	153.0	306.1
1559	YELLOW OXIDE	237.4	474.8	1554	TINTING WHITE	241.4	482.8
1554	TINTING WHITE	322.7	645.4	1302	LOW LUSTER CLEAR	323.2	646.4
1302	LOW LUSTER CLEAR	399.7	799.3	1501	LANDAU BLACK	385.3	770.6
1550	RED OXIDE	412.6	825.2	1550	RED OXIDE	414.4	828.8
5876	BLACK	Chrysler Motors		JX8	5883	MED. DK. STONE	Ford Motor
1501	LANDAU BLACK	247.1	494.2	1559	YELLOW OXIDE	136.8	273.6
1302	LOW LUSTER CLEAR	337.0	673.9	1554	TINTING WHITE	242.5	485.1
1551	FAST YELLOW	375.0	749.9	1302	LOW LUSTER CLEAR	322.6	645.2
1553	FAST BLUE	392.9	785.8	1501	LANDAU BLACK	378.4	756.8
1554	TINTING WHITE	404.9	809.8	1550	RED OXIDE	415.5	831.1
5877	GRENADE GREEN	General Motors		WA-209	5884	GHIN RIME	Ford Motor
1559	YELLOW OXIDE	222.9	445.7	1508	SILVER	254.6	509.2
1501	LANDAU BLACK	303.9	607.8	1302	LOW LUSTER CLEAR	337.8	675.6
1556	FAST GREEN	371.2	742.3	1559	YELLOW OXIDE	379.4	758.9
1508	SILVER	409.5	819.1	1501	LANDAU BLACK	396.1	792.1
				1550	RED OXIDE	407.7	815.5
5878	DK. GRAY MET.	General Motors		WA610F	5885	MED. LT. ALLOY	Ford Motor
1501	LANDAU BLACK	242.9	485.8	1508	SILVER	276.5	552.9
1508	SILVER	352.1	704.1	1559	YELLOW OXIDE	344.0	688.0
1550	RED OXIDE	379.3	758.7	1501	LANDAU BLACK	396.6	793.3
1551	FAST YELLOW	406.6	813.2	1550	RED OXIDE	409.3	818.5
5879	SATIN NICKEL MET	General Motors		WA733J	5886	STAINLESS SILVER	Ford Motor
1508	SILVER	381.0	761.9	1508	SILVER	355.5	711.0
1551	FAST YELLOW	395.4	790.8	1559	YELLOW OXIDE	389.8	779.6
1552	FAST RED	406.4	812.8	1501	LANDAU BLACK	406.9	813.8
1501	LANDAU BLACK	408.5	817.0	1550	RED OXIDE	409.1	818.1
5880	MED. BISCUIT	C9646GJ		5887	PEBBLE BEIGE	Chrysler Motors	
1554	TINTING WHITE	168.2	336.5	1554	TINTING WHITE	162.3	324.5
1559	YELLOW OXIDE	290.5	581.0	1559	YELLOW OXIDE	274.4	548.7
1302	LOW LUSTER CLEAR	373.8	747.7	1302	LOW LUSTER CLEAR	376.3	752.6
1550	RED OXIDE	402.1	804.3	1550	RED OXIDE	398.0	795.9
1501	LANDAU BLACK	419.8	839.6	1501	LANDAU BLACK	418.9	837.7
5881	YELLOW	YS223J		5888	VERY LT. CASHME	General Motors	
1554	TINTING WHITE	197.5	395.0	1554	TINTING WHITE	264.5	529.0
1559	YELLOW OXIDE	317.6	635.2	1302	LOW LUSTER CLEAR	347.5	695.0
1302	LOW LUSTER CLEAR	396.0	791.9	1559	YELLOW OXIDE	413.9	827.8
1550	RED OXIDE	416.7	833.3	1550	RED OXIDE	420.9	841.7
1501	LANDAU BLACK	421.7	843.4	1501	LANDAU BLACK	425.1	850.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 169

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5889	BRICK	General Motors	WA422P
1550	RED OXIDE	174.5	349.0
1559	YELLOW OXIDE	311.3	622.6
1302	LOW LUSTER CLEAR	390.5	780.9
1501	LANDAU BLACK	404.7	809.4
1554	TINTING WHITE	411.4	822.7

5896	DARK BROWN		
1501	LANDAU BLACK	132.8	265.6
1554	TINTING WHITE	262.4	524.8
1559	YELLOW OXIDE	387.6	775.2
1550	RED OXIDE	417.7	835.4

5890	COCOA	General Motors	WA413P
1501	LANDAU BLACK	135.0	270.0
1559	YELLOW OXIDE	244.9	489.8
1302	LOW LUSTER CLEAR	326.4	652.8
1550	RED OXIDE	389.7	779.4
1554	TINTING WHITE	409.3	818.5

5897	DK. ARGENT MET	General Motors	WA6246
1501	LANDAU BLACK	250.8	501.6
1508	SILVER	378.3	756.6
1552	FAST RED	394.5	789.1
1551	FAST YELLOW	406.1	812.3

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5891	BEIGE		
1554	TINTING WHITE	165.4	330.8
1559	YELLOW OXIDE	276.5	553.1
1302	LOW LUSTER CLEAR	362.8	725.6
1501	LANDAU BLACK	398.3	796.7
1550	RED OXIDE	419.0	838.1

5898	DK. GRAY MET.	General Motors	W30A-8489
1508	SILVER	239.8	479.6
1501	LANDAU BLACK	377.0	753.9
1552	FAST RED	393.3	786.6
1551	FAST YELLOW	407.2	814.3

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5892	LT. GRAY		
1554	TINTING WHITE	257.2	514.3
1302	LOW LUSTER CLEAR	340.7	681.3
1501	LANDAU BLACK	396.2	792.3
1551	FAST YELLOW	414.2	828.4
1550	RED OXIDE	423.5	847.0

5899	NOVA SILVER	General Motors	WA324N
1508	SILVER	343.0	686.1
1552	FAST RED	384.6	769.1
1556	FAST GREEN	396.5	793.1
1551	FAST YELLOW	408.1	816.2

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5893	DARK BEIGE		
1554	TINTING WHITE	181.1	362.1
1559	YELLOW OXIDE	319.3	638.6
1501	LANDAU BLACK	383.2	766.5
1550	RED OXIDE	422.0	844.0

5900	TITANIUM	General Motors	W5A912K
1508	SILVER	255.3	510.5
1501	LANDAU BLACK	368.0	736.1
1551	FAST YELLOW	387.7	775.4
1552	FAST RED	407.4	814.7

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5894	BROWN		
1554	TINTING WHITE	163.5	327.0
1559	YELLOW OXIDE	276.8	553.7
1501	LANDAU BLACK	367.5	734.9
1550	RED OXIDE	420.5	840.9

5901	VY. DK. SILVER GR	General Motors	WA-739J
1501	LANDAU BLACK	211.6	423.1
1508	SILVER	399.9	799.7
1551	FAST YELLOW	404.5	809.0
1552	FAST RED	406.8	813.6

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5895	MEDIUM BROWN		
1559	YELLOW OXIDE	128.6	257.3
1554	TINTING WHITE	236.9	473.9
1501	LANDAU BLACK	315.8	631.6
1302	LOW LUSTER CLEAR	383.5	767.0
1550	RED OXIDE	415.6	831.3

5902	DK. SATIN NICKEL	General Motor	WA20WR-731J
1508	SILVER	257.4	514.7
1501	LANDAU BLACK	359.0	718.0
1552	FAST RED	384.8	769.5
1551	FAST YELLOW	407.3	814.5

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 170

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5903	MED. DK. GRAY	General Motors	WA8247
1554	TINTING WHITE	172.0	343.9
1501	LANDAU BLACK	272.1	544.2
1302	LOW LUSTER CLEAR	354.4	708.9
1559	YELLOW OXIDE	412.8	825.6
1553	FAST BLUE	418.0	836.0

5910	BROWN		KW 900
1554	TINTING WHITE	166.3	332.7
1501	LANDAU BLACK	252.7	505.4
1302	LOW LUSTER CLEAR	332.0	664.1
1551	FAST YELLOW	374.9	749.7
1552	FAST RED	416.5	833.0

5904	PIANO BLACK	General Motors	WA424P
1501	LANDAU BLACK	237.6	475.2
1553	FAST BLUE	403.9	807.9

5911	DK. BROWN		KW 900
1501	LANDAU BLACK	116.4	232.8
1302	LOW LUSTER CLEAR	193.3	386.7
1554	TINTING WHITE	267.8	535.6
1552	FAST RED	341.1	682.1
1551	FAST YELLOW	409.4	818.7

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

5905	Gray		
1554	TINTING WHITE	282.2	564.3
1302	LOW LUSTER CLEAR	353.0	706.0
1501	LANDAU BLACK	398.8	797.7
1551	FAST YELLOW	418.4	836.9
1557	MAGENTA	425.2	850.3

5912	ARGENTANIUM	General Motors	WA226M
1508	SILVER	255.0	510.0
1300	HIGH GLOSS CLEAR	332.7	665.4
1501	LANDAU BLACK	376.2	752.4
1552	FAST RED	392.4	784.7
1551	FAST YELLOW	406.7	813.4

5906	Gray		
1554	TINTING WHITE	268.7	537.5
1302	LOW LUSTER CLEAR	353.5	707.1
1501	LANDAU BLACK	394.7	789.5
1551	FAST YELLOW	413.3	826.6
1557	MAGENTA	424.0	848.0

5913	MED. SILVER MET.	General Motors	WA25LA-744J
1508	SILVER	235.3	470.6
1300	HIGH GLOSS CLEAR	344.8	689.5
1501	LANDAU BLACK	385.8	771.6
1552	FAST RED	398.3	796.7
1551	FAST YELLOW	406.3	812.6

5907	Taupe		
1554	TINTING WHITE	238.8	477.6
1302	LOW LUSTER CLEAR	321.4	642.7
1501	LANDAU BLACK	380.6	761.1
1551	FAST YELLOW	401.5	802.9
1552	FAST RED	421.8	843.6

5914	SILVER MET.	General Motors	WA5WR-2779
1508	SILVER	403.1	806.2
1552	FAST RED	406.3	812.6
1551	FAST YELLOW	408.7	817.4

5908	Taupe		Pete379
1554	TINTING WHITE	222.3	444.7
1501	LANDAU BLACK	293.5	587.1
1302	LOW LUSTER CLEAR	363.6	727.3
1551	FAST YELLOW	394.3	788.7
1557	MAGENTA	420.6	841.3

5915	DARK FOUNDRY	Ford Motor	7NEC
1501	LANDAU BLACK	199.9	399.8
1508	SILVER	369.3	738.5
1552	FAST RED	388.6	777.1
1551	FAST YELLOW	406.5	813.0

5909	DK. TAUPE		PETE379
1554	TINTING WHITE	222.6	445.2
1302	LOW LUSTER CLEAR	304.6	609.1
1501	LANDAU BLACK	376.0	752.0
1551	FAST YELLOW	401.6	803.1
1552	FAST RED	420.6	841.1

5916	MANDARIN BLACK	Ford Motor	6AEAWWA
1501	LANDAU BLACK	230.9	461.7
1553	FAST BLUE	403.9	807.9

MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 171

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5917	DK. WARM STEEL	Ford Motor	7N8CXXH	5926	CLUSTER WHITE	Ford Motor	3VBA
1501	LANDAU BLACK	154.6	309.1	1554	TINTING WHITE	339.8	679.6
1508	SILVER	284.3	568.7	1302	LOW LUSTER CLEAR	424.4	848.7
1300	HIGH GLOSS CLEAR	361.6	723.1	1559	YELLOW OXIDE	426.7	853.5
1552	FAST RED	387.2	774.4	1501	LANDAU BLACK	428.7	857.5
1551	FAST YELLOW	405.5	810.9	1553	FAST BLUE	429.4	858.8
5918	MAZDA SILVER ME	Ford Motor	3QCCXXE	5927	Dark Rust	Ford Motor	7R7A
1508	SILVER	375.6	751.3	1550	RED OXIDE	120.4	240.8
1501	LANDAU BLACK	394.6	789.3	1559	YELLOW OXIDE	236.8	473.6
1552	FAST RED	402.9	805.8	1302	LOW LUSTER CLEAR	322.3	644.6
1551	FAST YELLOW	408.4	816.8	1501	LANDAU BLACK	398.5	797.0
				1554	TINTING WHITE	410.0	820.1
5919	LT. WARM STEEL	Ford Motor	7NCC	5928	DUSK GRAY	Ford Motor	7Y7A
1508	SILVER	271.9	543.8	1501	LANDAU BLACK	117.4	234.8
1300	HIGH GLOSS CLEAR	356.8	713.6	1302	LOW LUSTER CLEAR	229.2	458.5
1501	LANDAU BLACK	393.5	787.0	1559	YELLOW OXIDE	325.4	650.8
1551	FAST YELLOW	400.3	800.7	1550	RED OXIDE	376.0	752.0
1552	FAST RED	406.8	813.6	1554	TINTING WHITE	409.5	819.1
5921	MERCURY RED	Ford Motor	JDKAXXJ	5929	MED. DARK CAMEL	Ford Motor	4T4A
1552	FAST RED	200.4	400.7	1559	YELLOW OXIDE	150.3	300.6
1551	FAST YELLOW	327.8	655.7	1302	LOW LUSTER CLEAR	266.8	533.5
1302	LOW LUSTER CLEAR	373.4	746.7	1554	TINTING WHITE	354.2	708.3
1554	TINTING WHITE	406.1	812.3	1550	RED OXIDE	390.0	780.0
				1501	LANDAU BLACK	414.1	828.2
5922	Very Lt. Linen	General Motors	WA521Q	5930	EBONY	General Motors	D794
1554	TINTING WHITE	245.1	490.3	1501	LANDAU BLACK	196.1	392.2
1302	LOW LUSTER CLEAR	366.0	732.0	1302	LOW LUSTER CLEAR	295.4	590.7
1559	YELLOW OXIDE	413.7	827.4	1559	YELLOW OXIDE	369.8	739.7
1501	LANDAU BLACK	420.9	841.7	1550	RED OXIDE	390.9	781.9
1550	RED OXIDE	423.0	846.0	1554	TINTING WHITE	407.3	814.5
5923	Very Lt. Titanium	Ford Motor	WA310N	5933	BRIGHT BLUE	Chrysler Motors	BN
1554	TINTING WHITE	261.5	523.1	1553	FAST BLUE	240.7	481.5
1302	LOW LUSTER CLEAR	380.3	760.6	1302	LOW LUSTER CLEAR	356.0	711.9
1559	YELLOW OXIDE	406.3	812.6	1554	TINTING WHITE	398.6	797.2
1501	LANDAU BLACK	416.9	833.8	1501	LANDAU BLACK	404.4	808.8
1550	RED OXIDE	423.9	847.9	1552	FAST RED	405.6	811.1
5924	MULBERRY	General Motors	WA524Q	5934	LIGHT LINEN	General Motors	WA513Q
1552	FAST RED	274.1	548.2	1554	TINTING WHITE	274.3	548.5
1302	LOW LUSTER CLEAR	373.4	746.9	1302	LOW LUSTER CLEAR	345.5	691.0
1553	FAST BLUE	396.3	792.7	1551	FAST YELLOW	384.7	769.3
1554	TINTING WHITE	400.8	801.6	1501	LANDAU BLACK	406.7	813.4
1551	FAST YELLOW	403.6	807.1	1550	RED OXIDE	424.8	849.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 172

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5935	Royale	Chrysler Motors		R1	5944	Camel	
1558	BRITE RED	310.8	621.7	1559	YELLOW OXIDE	257.9	515.8
1302	LOW LUSTER CLEAR	406.0	812.0	1302	LOW LUSTER CLEAR	340.3	680.5
1554	TINTING WHITE	413.6	827.3	1554	TINTING WHITE	376.4	752.9
1556	FAST GREEN	413.8	827.7	1557	MAGENTA	402.6	805.1
				1501	LANDAU BLACK	411.9	823.8
5936	CREAM	Ford Motor		3LAA	5946	Teal	
1554	TINTING WHITE	286.1	572.3	1554	TINTING WHITE	156.9	313.7
1302	LOW LUSTER CLEAR	416.3	832.6	1556	FAST GREEN	313.0	626.0
1551	FAST YELLOW	422.5	844.9	1553	FAST BLUE	370.8	741.7
1501	LANDAU BLACK	424.1	848.2	1501	LANDAU BLACK	415.8	831.7
1557	MAGENTA	424.9	849.9				
5937	Greige	Toyota		454B	5947	Aqua P1	
1554	TINTING WHITE	203.1	406.3	1554	TINTING WHITE	176.5	353.1
1559	YELLOW OXIDE	307.9	615.7	1556	FAST GREEN	263.2	526.3
1302	LOW LUSTER CLEAR	373.1	746.1	1553	FAST BLUE	342.1	684.3
1550	RED OXIDE	401.2	802.3	1551	FAST YELLOW	417.1	834.3
1501	LANDAU BLACK	414.5	829.0				
1553	FAST BLUE	422.1	844.1				
5940	RED ROCK	Toyota		5948	Titan Gray		General Motors
1559	YELLOW OXIDE	172.3	344.5	1554	TINTING WHITE	258.6	517.3
1302	LOW LUSTER CLEAR	266.2	532.4	1501	LANDAU BLACK	370.1	740.1
1557	MAGENTA	356.2	712.4	1550	RED OXIDE	413.8	827.7
1551	FAST YELLOW	396.8	793.7	1551	FAST YELLOW	425.1	850.2
1556	FAST GREEN	407.0	814.1				
5941	Sand Beige	Toyota		5949	Aqua P2		Oldsmobile
1559	YELLOW OXIDE	147.7	295.5	1300	HIGH GLOSS CLEAR	390.5	781.0
1554	TINTING WHITE	272.6	545.2	3520	PLATINUM PEARL	403.0	806.0
1302	LOW LUSTER CLEAR	368.8	737.6	3524	GREEN PEARL	406.1	812.2
1550	RED OXIDE	393.1	786.2				
1501	LANDAU BLACK	416.8	833.6				
5942	Bone	Toyota		5950	Thunderbird Red		Ford Motor
1554	TINTING WHITE	174.1	348.2	1558	BRITE RED	167.3	334.5
1559	YELLOW OXIDE	277.4	554.7	1552	FAST RED	327.9	655.8
1302	LOW LUSTER CLEAR	374.2	748.3	1302	LOW LUSTER CLEAR	395.3	790.5
1501	LANDAU BLACK	397.8	795.6	1554	TINTING WHITE	402.3	804.6
1550	RED OXIDE	419.5	839.0	1556	FAST GREEN	404.1	808.1
						0.0	0.0
5943	Oak	Toyota		5950	Thunderbird Red		Ford Motor
1554	TINTING WHITE	171.5	342.9	1558	BRITE RED	176.1	352.1
1559	YELLOW OXIDE	270.4	540.8	1552	FAST RED	345.2	690.4
1302	LOW LUSTER CLEAR	359.8	719.5	1302	LOW LUSTER CLEAR	416.1	832.2
1501	LANDAU BLACK	392.3	784.6	1554	TINTING WHITE	423.4	846.9
1550	RED OXIDE	419.4	838.8	1556	FAST GREEN	425.3	850.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 173

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5951	Pearl White	Buick		5964	Dark Chocolate	Ford Motor	7T8A
1554	TINTING WHITE	395.5	790.9	1501	LANDAU BLACK	147.6	295.1
1559	YELLOW OXIDE	432.7	865.5	1550	RED OXIDE	238.8	477.5
1556	FAST GREEN	433.9	867.7	1302	LOW LUSTER CLEAR	306.7	613.4
1501	LANDAU BLACK	435.0	870.0	1551	FAST YELLOW	373.2	746.5
				1554	TINTING WHITE	408.9	817.8
Yes							
5952	Pearl White Topcoat	Buick		5966	Light Pebble Beige	Chrysler Motors	K2
1300	HIGH GLOSS CLEAR	385.1	770.2	1554	TINTING WHITE	168.8	337.5
3520	PLATINUM PEARL	408.2	816.4	1302	LOW LUSTER CLEAR	277.0	554.0
				1551	FAST YELLOW	331.8	663.6
				1550	RED OXIDE	379.6	759.2
				1501	LANDAU BLACK	417.4	834.8
Topcoat for 5951							
5953	Inferno Orange	General Motors	WA736S	5966	Light Pebble Beige	Chrysler Motors	DK2
1558	BRITE RED	135.3	270.5	1554	TINTING WHITE	168.8	337.5
1302	LOW LUSTER CLEAR	240.3	480.7	1302	LOW LUSTER CLEAR	277.0	554.0
1559	YELLOW OXIDE	321.0	642.1	1551	FAST YELLOW	331.8	663.6
1551	FAST YELLOW	396.8	793.6	1550	RED OXIDE	379.6	759.2
1550	RED OXIDE	405.3	810.5	1501	LANDAU BLACK	417.4	834.8
5954	Jet Black	General Motors	WA600R	5967	Bark Brown	Chrysler Motors	GTV
1302	LOW LUSTER CLEAR	201.6	403.2	1501	LANDAU BLACK	162.6	325.2
1501	LANDAU BLACK	366.6	733.3	1550	RED OXIDE	278.7	557.5
1558	BRITE RED	397.8	795.5	1551	FAST YELLOW	362.4	724.8
1551	FAST YELLOW	401.5	803.0	1303	FLATTENER	400.4	800.9
1554	TINTING WHITE	403.2	806.4	1554	TINTING WHITE	418.1	836.2
5955	Sterling Gray	Ford Motor	8N7A	5968	Corvette Red	General Motors	
1501	LANDAU BLACK	174.8	349.6	1558	BRITE RED	220.2	440.5
1554	TINTING WHITE	285.3	570.7	1559	YELLOW OXIDE	387.5	775.0
1302	LOW LUSTER CLEAR	367.8	735.6	1554	TINTING WHITE	409.4	818.7
1551	FAST YELLOW	398.5	797.0				
1557	MAGENTA	412.3	824.6				
5956	Alloy Metallic	Ford Motor	8N8C	5968	Corvette Red	General Motors	
1501	LANDAU BLACK	185.6	371.2	1558	BRITE RED	220.2	440.5
1302	LOW LUSTER CLEAR	266.5	533.0	1559	YELLOW OXIDE	387.5	775.0
1552	FAST RED	329.5	659.0	1554	TINTING WHITE	409.4	818.7
1508	SILVER	373.1	746.3			0.0	0.0
1556	FAST GREEN	404.4	808.9			0.0	0.0
						0.0	0.0
5957	Medium Greystone	Chrysler Motors	D3	5973	Blue	General Motors	
1554	TINTING WHITE	193.6	387.2	1553	FAST BLUE	177.7	355.4
1302	LOW LUSTER CLEAR	302.1	604.1	1501	LANDAU BLACK	284.0	567.9
1501	LANDAU BLACK	351.5	703.1	1554	TINTING WHITE	369.9	739.8
1551	FAST YELLOW	388.8	777.7	1556	FAST GREEN	410.1	820.2
1550	RED OXIDE	418.9	837.8				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 174

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5973	Blue	General Motors		5980	Canyon	Ford Motor	AU5A
1553	FAST BLUE	177.7	355.4	1302	LOW LUSTER CLEAR	197.4	394.8
1501	LANDAU BLACK	284.0	567.9	1559	YELLOW OXIDE	381.8	763.6
1554	TINTING WHITE	369.9	739.8	1550	RED OXIDE	411.2	822.4
1556	FAST GREEN	410.1	820.2	1554	TINTING WHITE	422.2	844.5
		410.1	820.2	1501	LANDAU BLACK	429.6	859.2
5974	Burnt Orange	Porsche		5981	Latte	General Motors	WA408N
1559	YELLOW OXIDE	161.1	322.2	1302	LOW LUSTER CLEAR	171.6	343.2
1557	MAGENTA	268.2	536.4	1554	TINTING WHITE	280.6	561.2
1303	FLATTENER	349.6	699.1	1559	YELLOW OXIDE	376.4	752.9
1551	FAST YELLOW	398.4	796.8	1550	RED OXIDE	421.5	842.9
1556	FAST GREEN	406.9	813.7	1553	FAST BLUE	435.6	871.2
5976	Colbert Beige	Pontiac		5982	Steel Gray	Ford Motor	9MCA
1554	TINTING WHITE	245.6	491.1	1554	TINTING WHITE	165.8	331.6
1559	YELLOW OXIDE	426.6	853.2	1302	LOW LUSTER CLEAR	312.5	625.0
1501	LANDAU BLACK	445.8	891.5	1501	LANDAU BLACK	406.9	813.7
1557	MAGENTA	448.1	896.1	1551	FAST YELLOW	427.0	854.0
		0.0	0.0	1552	FAST RED	437.2	874.3
		0.0	0.0				
5976	Colbert Beige	Pontiac		5983	Agate	Ford Motor	9M7A
1554	TINTING WHITE	245.6	491.1	1302	LOW LUSTER CLEAR	143.5	286.9
1559	YELLOW OXIDE	426.6	853.2	1501	LANDAU BLACK	271.5	542.9
1501	LANDAU BLACK	445.8	891.5	1554	TINTING WHITE	353.3	706.6
1557	MAGENTA	448.1	896.1	1551	FAST YELLOW	400.2	800.5
		0.0	0.0	1550	RED OXIDE	431.6	863.3
		0.0	0.0				
5977	BLUE RACER SOHO	Ford Motor	AD6A	5984	Brownstone	General Motors	WA702S
1302	LOW LUSTER CLEAR	198.4	396.9	1559	YELLOW OXIDE	126.9	253.8
1553	FAST BLUE	395.7	791.5	1501	LANDAU BLACK	232.3	464.6
1554	TINTING WHITE	414.7	829.4	1302	LOW LUSTER CLEAR	328.9	657.7
1551	FAST YELLOW	424.2	848.4	1550	RED OXIDE	418.4	836.9
1557	MAGENTA	424.6	849.1				
5978	CHERRY RED SOH	Ford Motor	3R7A	5985	Ferrari Beige	Ferrari	
1302	LOW LUSTER CLEAR	280.6	561.1	1554	TINTING WHITE	188.4	376.8
1557	MAGENTA	399.3	798.6	1559	YELLOW OXIDE	373.2	746.3
1551	FAST YELLOW	422.4	844.7	1550	RED OXIDE	425.6	851.3
1553	FAST BLUE	423.0	845.9	1553	FAST BLUE	434.0	868.0
1501	LANDAU BLACK	423.2	846.4				
5979	Tinted Topcoat for 46			5986	Bumper Medium Dark	Honda	NH633M
1300	HIGH GLOSS CLEAR	416.9	833.9	1501	LANDAU BLACK	230.9	461.8
3520	PLATINUM PEARL	425.3	850.5	1508	SILVER	352.9	705.7
		425.3	850.5	1551	FAST YELLOW	384.7	769.3
				1557	MAGENTA	415.8	831.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 175

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
5987		Honda	NH365L	5994	KI Ivory	Honda	YR-239L
1501	LANDAU BLACK	256.1	512.3	1554	TINTING WHITE	269.6	539.2
1557	MAGENTA	338.4	676.7	1550	RED OXIDE	319.4	638.8
1551	FAST YELLOW	414.5	829.0	1551	FAST YELLOW	368.9	737.9
				1303	FLATTENER	415.6	831.3
				1501	LANDAU BLACK	435.9	871.7
Yes 5988							
5988	Topcoat for 5987			5995	Dark Atlas Gray	Honda	NH-597L
1301	SATIN GLOSS CLEAR	396.1	792.2	1501	LANDAU BLACK	206.5	412.9
1508	SILVER	413.5	827.1	1554	TINTING WHITE	273.0	546.0
				1550	RED OXIDE	323.7	647.4
				1551	FAST YELLOW	372.1	744.2
				1303	FLATTENER	420.5	841.0
5989	Medium Graye	Honda	NH-557L	5996	TU Light Beige	Honda	YR309L
1302	LOW LUSTER CLEAR	174.1	348.2	1554	TINTING WHITE	193.0	386.1
1554	TINTING WHITE	293.0	586.1	1559	YELLOW OXIDE	334.6	669.2
1501	LANDAU BLACK	354.1	708.1	1303	FLATTENER	384.4	768.7
1551	FAST YELLOW	392.6	785.2	1550	RED OXIDE	409.4	818.9
1550	RED OXIDE	422.9	845.7	1501	LANDAU BLACK	432.5	865.0
5990	Light Titanium	Honda	YR-244L	5997	Classy Gray	Honda	NH-264L
1554	TINTING WHITE	193.4	386.9	1501	LANDAU BLACK	240.6	481.2
1302	LOW LUSTER CLEAR	369.8	739.6	1554	TINTING WHITE	295.6	591.1
1501	LANDAU BLACK	395.3	790.5	1557	MAGENTA	342.0	684.0
1551	FAST YELLOW	413.9	827.7	1551	FAST YELLOW	380.6	761.3
1550	RED OXIDE	428.2	856.4	1303	FLATTENER	418.5	837.1
5991	Graphite Black	Honda	NH-167L	5998	Light Cream Ivory	Honda	YR240L
1501	LANDAU BLACK	225.4	450.8	1554	TINTING WHITE	213.4	426.9
1302	LOW LUSTER CLEAR	354.3	708.6	1559	YELLOW OXIDE	349.1	698.2
1559	YELLOW OXIDE	406.1	812.3	1303	FLATTENER	399.0	798.0
1554	TINTING WHITE	413.6	827.2	1550	RED OXIDE	428.7	857.5
1556	FAST GREEN	415.4	830.8	1553	FAST BLUE	434.0	868.0
5992	TU New Beige	Honda	YR308L	5999	QP Light Warm Gray	Honda	NH-686L
1559	YELLOW OXIDE	191.0	382.0	1554	TINTING WHITE	200.8	401.5
1554	TINTING WHITE	288.3	576.6	1559	YELLOW OXIDE	309.8	619.7
1303	FLATTENER	343.9	687.9	1303	FLATTENER	366.2	732.3
1550	RED OXIDE	387.4	774.9	1501	LANDAU BLACK	410.6	821.2
1501	LANDAU BLACK	426.6	853.2	1557	MAGENTA	431.8	863.6
5993	Premium Ivory	Honda	YR-372L	6000	TU Warm Gray	Honda	NH574L
1554	TINTING WHITE	244.4	488.7	1501	LANDAU BLACK	128.5	257.0
1559	YELLOW OXIDE	351.5	702.9	1554	TINTING WHITE	244.6	489.3
1303	FLATTENER	408.3	816.6	1551	FAST YELLOW	313.4	626.7
1550	RED OXIDE	429.9	859.8	1550	RED OXIDE	375.6	751.2
1553	FAST BLUE	435.5	871.1	1303	FLATTENER	424.4	848.8

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 176

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6001	Premium Black	Honda	NH-690L	6008	Umber Tan	Honda	YR-386L
1501	LANDAU BLACK	208.2	416.4	1559	YELLOW OXIDE	187.7	375.4
1557	MAGENTA	314.3	628.6	1558	BRITE RED	315.0	629.9
1303	FLATTENER	368.3	736.6	1303	FLATTENER	369.4	738.8
1551	FAST YELLOW	404.8	809.7	1551	FAST YELLOW	404.5	809.0
1553	FAST BLUE	413.9	827.8	1501	LANDAU BLACK	417.8	835.7
6002	Moon Lake Gray	Honda	NH-528L	6009	Sienna Beige	Honda	YR-400L
1554	TINTING WHITE	187.9	375.9	1554	TINTING WHITE	185.7	371.4
1559	YELLOW OXIDE	283.7	567.3	1559	YELLOW OXIDE	315.1	630.3
1501	LANDAU BLACK	368.2	736.4	1303	FLATTENER	368.2	736.3
1303	FLATTENER	410.9	821.8	1501	LANDAU BLACK	401.1	802.1
1557	MAGENTA	430.7	861.4	1550	RED OXIDE	431.8	863.6
6003	TU Light Green	Honda	G66L	6010	TU Green	Honda	G65L
1554	TINTING WHITE	234.7	469.4	1550	RED OXIDE	163.0	326.0
1559	YELLOW OXIDE	342.3	684.6	1554	TINTING WHITE	285.9	571.7
1303	FLATTENER	392.3	784.6	1556	FAST GREEN	347.0	693.9
1501	LANDAU BLACK	423.0	846.1	1303	FLATTENER	402.6	805.3
1558	BRITE RED	434.5	868.9	1551	FAST YELLOW	426.8	853.7
6004	Light Tan	Honda	YR167L	6011	Olive	Honda	G64L
1559	YELLOW OXIDE	232.8	465.7	1554	TINTING WHITE	210.4	420.8
1554	TINTING WHITE	351.2	702.4	1559	YELLOW OXIDE	331.4	662.9
1303	FLATTENER	390.2	780.4	1303	FLATTENER	384.6	769.2
1550	RED OXIDE	421.4	842.7	1501	LANDAU BLACK	429.4	858.8
1501	LANDAU BLACK	428.9	857.9	1557	MAGENTA	432.9	865.8
6005	CF Gray	Honda	NH-361L	6012	Clear Gray	Honda	NH-220L
1501	LANDAU BLACK	130.9	261.7	1554	TINTING WHITE	329.5	659.0
1559	YELLOW OXIDE	244.2	488.5	1303	FLATTENER	380.1	760.2
1554	TINTING WHITE	357.1	714.2	1501	LANDAU BLACK	414.6	829.2
1303	FLATTENER	406.0	812.1	1551	FAST YELLOW	430.3	860.5
1557	MAGENTA	425.3	850.6	1557	MAGENTA	439.4	878.9
6006	Porpoise Gray	Honda	NH-425L	6013	Truffle	Honda	NH-767L
1554	TINTING WHITE	263.1	526.2	1554	TINTING WHITE	132.9	265.8
1501	LANDAU BLACK	343.2	686.4	1501	LANDAU BLACK	252.0	504.0
1303	FLATTENER	382.7	765.3	1550	RED OXIDE	331.3	662.7
1551	FAST YELLOW	411.3	822.5	1551	FAST YELLOW	380.5	760.9
1557	MAGENTA	434.4	868.8	1303	FLATTENER	426.1	852.2
6007	Bumper Dark Gray	Honda	NH-533	6014	Pure Blue	Honda	B-135L
1501	LANDAU BLACK	299.1	598.2	1553	FAST BLUE	166.4	332.9
1551	FAST YELLOW	333.8	667.7	1501	LANDAU BLACK	244.6	489.1
1554	TINTING WHITE	366.0	731.9	1557	MAGENTA	321.6	643.1
1557	MAGENTA	397.2	794.4	1554	TINTING WHITE	379.6	759.3
1303	FLATTENER	417.1	834.1	1303	FLATTENER	417.6	835.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 177

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6015	Baltic Blue	Honda	B-167L	6022	Dark Titanium	Honda	YR-232L
1501	LANDAU BLACK	244.0	488.0	1554	TINTING WHITE	144.8	289.7
1554	TINTING WHITE	298.9	597.7	1501	LANDAU BLACK	261.1	522.1
1303	FLATTENER	343.7	687.4	1550	RED OXIDE	323.8	647.6
1556	FAST GREEN	384.0	767.9	1551	FAST YELLOW	384.4	768.8
1553	FAST BLUE	418.4	836.8	1303	FLATTENER	426.7	853.4
6016	Bumper Medium Dark	Honda	NH-590	6023	Titanium	Honda	YR-233L
1550	RED OXIDE	104.1	208.2	1554	TINTING WHITE	189.9	379.7
1556	FAST GREEN	202.7	405.4	1559	YELLOW OXIDE	312.9	625.7
1501	LANDAU BLACK	300.6	601.2	1303	FLATTENER	362.5	725.1
1554	TINTING WHITE	346.8	693.6	1501	LANDAU BLACK	406.6	813.2
1302	LOW LUSTER CLEAR	419.7	839.3	1550	RED OXIDE	431.9	863.8
6017	Atlas Gray	Honda	NH-598L	6024	TU Dark Gray	Honda	NH-607L
1554	TINTING WHITE	142.3	284.6	1501	LANDAU BLACK	250.1	500.1
1559	YELLOW OXIDE	247.0	494.0	1303	FLATTENER	298.1	596.3
1501	LANDAU BLACK	330.9	661.8	1554	TINTING WHITE	345.7	691.4
1303	FLATTENER	383.5	767.0	1551	FAST YELLOW	382.1	764.2
1550	RED OXIDE	428.3	856.6	1557	MAGENTA	417.9	835.9
6018	Pearl Ivory	Honda	YR-327L	6025	Seagull Gray	Honda	NH-293L
1554	TINTING WHITE	267.3	534.6	1554	TINTING WHITE	139.2	278.4
1551	FAST YELLOW	334.1	668.2	1559	YELLOW OXIDE	259.1	518.1
1303	FLATTENER	390.8	781.5	1501	LANDAU BLACK	362.4	724.7
1557	MAGENTA	412.8	825.6	1303	FLATTENER	408.2	816.3
1501	LANDAU BLACK	434.5	868.9	1557	MAGENTA	427.5	854.9
6019	Grayge	Honda	NH-556L	6026	Light Quartz Gray	Honda	NH-284L
1554	TINTING WHITE	314.2	628.4	1554	TINTING WHITE	231.0	462.0
1303	FLATTENER	368.1	736.1	1501	LANDAU BLACK	308.8	617.6
1501	LANDAU BLACK	396.1	792.2	1550	RED OXIDE	369.6	739.2
1550	RED OXIDE	420.8	841.7	1303	FLATTENER	409.0	817.9
1551	FAST YELLOW	438.8	877.5	1551	FAST YELLOW	433.3	866.6
6020	Pale Quartz	Honda	NH-302L	6027	Quartz Gray	Honda	NH-283L
1554	TINTING WHITE	328.4	656.8	1501	LANDAU BLACK	171.6	343.1
1303	FLATTENER	375.6	751.1	1554	TINTING WHITE	279.8	559.6
1550	RED OXIDE	403.4	806.8	1550	RED OXIDE	350.6	701.3
1501	LANDAU BLACK	429.7	859.3	1303	FLATTENER	399.4	798.8
1551	FAST YELLOW	440.0	880.0	1551	FAST YELLOW	424.1	848.2
6021	Bright Ivory	Honda	YR-412L	6028	Dark Saddle	Honda	YR202L
1554	TINTING WHITE	247.1	494.2	1550	RED OXIDE	111.1	222.1
1559	YELLOW OXIDE	377.6	755.2	1551	FAST YELLOW	213.1	426.1
1303	FLATTENER	424.3	848.6	1501	LANDAU BLACK	294.9	589.9
1501	LANDAU BLACK	431.9	863.7	1554	TINTING WHITE	373.9	747.8
1557	MAGENTA	435.9	871.8	1303	FLATTENER	422.5	845.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 178

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6029	Saddle	Honda	YR203L	6034	Dk. Frost Beige	Chrysler Motors	HL9
1554	TINTING WHITE	159.9	319.8	1557	MAGENTA	135.1	270.3
1550	RED OXIDE	257.9	515.8	1302	LOW LUSTER CLEAR	253.3	506.5
1551	FAST YELLOW	339.4	678.8	1551	FAST YELLOW	338.8	677.5
1303	FLATTENER	388.7	777.4	1556	FAST GREEN	378.6	757.2
1501	LANDAU BLACK	428.4	856.8	1559	YELLOW OXIDE	413.7	827.4
6030	Light Saddle	Honda	YR204L	6035	Adobe	Ford Motor	AT7A
1559	YELLOW OXIDE	163.2	326.4	1554	TINTING WHITE	159.1	318.3
1554	TINTING WHITE	317.8	635.6	1559	YELLOW OXIDE	302.9	605.7
1303	FLATTENER	367.3	734.6	1302	LOW LUSTER CLEAR	388.8	777.6
1550	RED OXIDE	409.0	818.0	1550	RED OXIDE	416.6	833.3
1501	LANDAU BLACK	430.4	860.8	1501	LANDAU BLACK	429.7	859.4
6031	Beige	Volkswagon		6036	Sienna	Ford Motor	8U8A
1554	TINTING WHITE	229.5	459.0	1302	LOW LUSTER CLEAR	156.6	313.2
1302	LOW LUSTER CLEAR	353.1	706.1	1559	YELLOW OXIDE	247.2	494.4
1559	YELLOW OXIDE	408.5	817.1	1501	LANDAU BLACK	335.1	670.2
1550	RED OXIDE	421.3	842.6	1550	RED OXIDE	407.9	815.7
1501	LANDAU BLACK	432.6	865.2	1554	TINTING WHITE	417.5	835.1
6031	Beige	Volkswagon		6038	Dark Slate Gray Meta	Ford Motor	AM6E
1554	TINTING WHITE	229.5	459.0	1300	HIGH GLOSS CLEAR	138.4	276.9
1302	LOW LUSTER CLEAR	353.1	706.2	1501	LANDAU BLACK	248.2	496.4
1559	YELLOW OXIDE	408.5	817.0	1508	SILVER	324.0	647.9
1550	RED OXIDE	421.3	842.6	1559	YELLOW OXIDE	371.3	742.5
1501	LANDAU BLACK	432.6	865.2	1552	FAST RED	403.6	807.3
				1553	FAST BLUE	415.3	830.6
6032	Rust Red	Volkswagon		6040	Turquoise	Pontiac	
1550	RED OXIDE	222.2	444.4	1508	SILVER	183.4	366.8
1302	LOW LUSTER CLEAR	352.5	705.0	1556	FAST GREEN	286.4	572.7
1559	YELLOW OXIDE	411.3	822.5	1553	FAST BLUE	385.7	771.5
1554	TINTING WHITE	416.0	832.1	1501	LANDAU BLACK	415.6	831.1
1501	LANDAU BLACK	419.8	839.6				
6032	Rust Red	Volkswagon		6040	Turquoise	Pontiac	
1550	RED OXIDE	222.2	444.4	1508	SILVER	183.4	366.8
1302	LOW LUSTER CLEAR	352.5	705.0	1556	FAST GREEN	286.4	572.8
1559	YELLOW OXIDE	411.3	822.5	1553	FAST BLUE	385.7	771.4
1554	TINTING WHITE	416.0	832.1	1501	LANDAU BLACK	415.6	831.2
1501	LANDAU BLACK	419.8	839.6				
6033	Light Grey	Nissan	W	6041	Dune	General Motors	WA514Q
1554	TINTING WHITE	290.4	580.8	1302	LOW LUSTER CLEAR	158.9	317.8
1559	YELLOW OXIDE	385.4	770.9	1554	TINTING WHITE	285.7	571.4
1501	LANDAU BLACK	414.8	829.7	1551	FAST YELLOW	334.8	669.5
1550	RED OXIDE	439.4	878.9	1501	LANDAU BLACK	381.5	763.0
				1550	RED OXIDE	423.8	847.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 179

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
6043	Dark Gray	Nissan		G	6061	Walnut Extended Kan	BMW	PASY
1501	LANDAU BLACK	169.8	339.6		1559	YELLOW OXIDE	210.1	420.2
1559	YELLOW OXIDE	316.1	632.2		1302	LOW LUSTER CLEAR	382.3	764.6
1554	TINTING WHITE	354.5	708.9		1550	RED OXIDE	413.5	826.9
1302	LOW LUSTER CLEAR	392.8	785.5		1551	FAST YELLOW	416.8	833.6
1550	RED OXIDE	421.1	842.2		1553	FAST BLUE	418.2	836.4
6044	Medium Frost Beige	Chrysler Motors		HL5	6062	Beige Extended Kansa	BMW	PACY
1302	LOW LUSTER CLEAR	158.1	316.1		1302	LOW LUSTER CLEAR	176.2	352.5
1559	YELLOW OXIDE	291.8	583.5		1554	TINTING WHITE	350.7	701.4
1554	TINTING WHITE	351.4	702.8		1559	YELLOW OXIDE	408.9	817.7
1550	RED OXIDE	388.1	776.3		1550	RED OXIDE	424.6	849.2
1501	LANDAU BLACK	421.4	842.9		1553	FAST BLUE	428.0	856.0
6046	Caramel	Ford Motor			6063	Beige Dakota Leather	BMW	LCC4
1559	YELLOW OXIDE	281.4	562.9		1302	LOW LUSTER CLEAR	174.7	349.5
1302	LOW LUSTER CLEAR	365.7	731.4		1559	YELLOW OXIDE	286.2	572.4
1550	RED OXIDE	409.0	818.1		1554	TINTING WHITE	397.6	795.2
1554	TINTING WHITE	416.5	833.0		1550	RED OXIDE	415.3	830.7
1501	LANDAU BLACK	421.3	842.6		1501	LANDAU BLACK	424.4	848.8
6057	Taupe Leatherette	BMW		KAAS	6064	Chestnut Brown Dako	BMW	LCC2
1554	TINTING WHITE	151.8	303.7		1302	LOW LUSTER CLEAR	170.7	341.4
1302	LOW LUSTER CLEAR	294.3	588.5		1551	FAST YELLOW	260.2	520.4
1559	YELLOW OXIDE	374.3	748.6		1550	RED OXIDE	343.8	687.5
1501	LANDAU BLACK	401.5	802.9		1557	MAGENTA	409.6	819.1
1550	RED OXIDE	427.3	854.6		1556	FAST GREEN	414.5	829.1
6058	Coral Red Extended K	BMW		PAD1	6065	Black Extended Kansa	BMW	PASW
1558	BRITE RED	195.3	390.5		1501	LANDAU BLACK	243.2	486.3
1302	LOW LUSTER CLEAR	350.1	700.2		1302	LOW LUSTER CLEAR	413.4	826.8
1552	FAST RED	382.3	764.7					
1551	FAST YELLOW	409.8	819.7					
1501	LANDAU BLACK	412.8	825.7					
6059	Oyster and Black	BMW		LCCX	6080	Blue Standard	General Motors	715
1302	LOW LUSTER CLEAR	176.1	352.2		1553	FAST BLUE	132.8	265.6
1554	TINTING WHITE	345.8	691.6		1300	HIGH GLOSS CLEAR	229.1	458.2
1559	YELLOW OXIDE	398.1	796.3		1501	LANDAU BLACK	315.8	631.6
1550	RED OXIDE	421.2	842.4		1554	TINTING WHITE	370.8	741.6
1553	FAST BLUE	427.7	855.3		1556	FAST GREEN	417.4	834.8
6060	Walnut Kansas Leath	BMW		LYSY	6081	Light Blue Metallic	General Motors	M12
1559	YELLOW OXIDE	210.1	420.2		1300	HIGH GLOSS CLEAR	223.7	447.3
1302	LOW LUSTER CLEAR	382.3	764.6		1554	TINTING WHITE	300.3	600.6
1550	RED OXIDE	413.5	826.9		1553	FAST BLUE	353.3	706.6
1551	FAST YELLOW	416.8	833.6		3520	PLATINUM PEARL	398.0	796.0
1553	FAST BLUE	418.2	836.4		1501	LANDAU BLACK	423.6	847.2
					1551	FAST YELLOW	431.6	863.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 180

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

6086	Tan	Chrysler Motors	GT5
1302	LOW LUSTER CLEAR	158.6	317.3
1559	YELLOW OXIDE	316.9	633.9
1554	TINTING WHITE	394.6	789.3
1550	RED OXIDE	416.8	833.6
1501	LANDAU BLACK	423.0	846.0
No			

6129	Pastel Greystone	Chrysler Motors	HDA
1554	TINTING WHITE	316.8	633.6
1303	FLATTENER	374.1	748.2
1559	YELLOW OXIDE	420.3	840.7
1501	LANDAU BLACK	432.1	864.1
1550	RED OXIDE	439.6	879.1
No			

6087	Lt Frost Beige	Chrysler Motors	HL1
1554	TINTING WHITE	194.5	389.0
1302	LOW LUSTER CLEAR	355.3	710.5
1551	FAST YELLOW	385.9	771.7
1550	RED OXIDE	410.4	820.9
1501	LANDAU BLACK	428.6	857.3
No			

6131	Ivory	Chrysler Motors	JW4
1554	TINTING WHITE	233.9	467.9
1302	LOW LUSTER CLEAR	387.2	774.4
1559	YELLOW OXIDE	422.2	844.5
1501	LANDAU BLACK	428.0	855.9
1552	FAST RED	432.0	863.9
No			

6087	Lt Frost	Chrysler Motors	HL1
1554	TINTING WHITE	194.5	389.0
1302	LOW LUSTER CLEAR	355.3	710.5
1551	FAST YELLOW	385.9	771.7
1550	RED OXIDE	410.4	820.9
1501	LANDAU BLACK	428.6	857.3
No			

6132	Chestnut	Chrysler Motors	JTL
1559	YELLOW OXIDE	176.2	352.3
1302	LOW LUSTER CLEAR	348.3	696.6
1550	RED OXIDE	405.6	811.3
1501	LANDAU BLACK	414.7	829.4
1551	FAST YELLOW	418.1	836.1
No			

6109	Moss Green	General Motors	721
1559	YELLOW OXIDE	315.0	630.0
1554	TINTING WHITE	365.4	730.8
1556	FAST GREEN	386.4	772.8
1508	SILVER	407.4	814.8
1501	LANDAU BLACK	425.3	850.6
MUST TOPCOAT WITH 6110			

6134	Meteorite Black	Ford Motor	BA9E
1501	LANDAU BLACK	151.7	303.4
1552	FAST RED	248.6	497.2
1302	LOW LUSTER CLEAR	344.1	688.2
1556	FAST GREEN	394.2	788.5
1508	SILVER	413.9	827.7
No			

6110	Topcoat For 6109	General Motors	721
1302	LOW LUSTER CLEAR	404.2	808.4
3520	PLATINUM PEARL	409.8	819.6
3522	GOLD PEARL	413.0	826.0
No			

6135	Enhanced Alloy Metal	Ford Motor	9N9C
1501	LANDAU BLACK	241.8	483.6
1508	SILVER	321.3	642.6
1552	FAST RED	381.3	762.6
1556	FAST GREEN	415.4	830.8
No			

6127	Radar Red	Chrysler Motors	RR
1552	FAST RED	155.4	310.8
1302	LOW LUSTER CLEAR	310.3	620.7
1558	BRITE RED	405.1	810.1
1554	TINTING WHITE	409.7	819.5
1501	LANDAU BLACK	413.2	826.4
No			

6136	Torque Grey	Ford Motor	5MW
1501	LANDAU BLACK	160.2	320.4
1302	LOW LUSTER CLEAR	290.5	581.1
1554	TINTING WHITE	369.8	739.5
1551	FAST YELLOW	403.8	807.7
1550	RED OXIDE	420.0	840.0
No			

6128	Dark Saddle	Chrysler Motors	T9
1559	YELLOW OXIDE	299.9	599.8
1303	FLATTENER	354.8	709.7
1557	MAGENTA	393.5	787.0
1501	LANDAU BLACK	412.8	825.6
1554	TINTING WHITE	421.0	842.0
No			

6137	Dark Pewter	Ford Motor	6DEA
1302	LOW LUSTER CLEAR	176.4	352.8
1550	RED OXIDE	287.8	575.7
1553	FAST BLUE	340.7	681.3
1556	FAST GREEN	387.4	774.8
1554	TINTING WHITE	417.3	834.7
No			

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 181

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6139	Grabber Blue	Ford Motor	ADCA	6146	DH Oyster	BMW	NADH
1553	FAST BLUE	179.4	358.7	1302	LOW LUSTER CLEAR	176.1	352.2
1302	LOW LUSTER CLEAR	350.8	701.6	1554	TINTING WHITE	345.8	691.5
1554	TINTING WHITE	407.2	814.3	1559	YELLOW OXIDE	399.0	798.1
1551	FAST YELLOW	416.4	832.8	1550	RED OXIDE	421.8	843.6
				1553	FAST BLUE	427.7	855.3
No				No			
6140	Ginger	Ford Motor	BK6	6147	Cloud Gray	Cessna	
1559	YELLOW OXIDE	178.7	357.5	1554	TINTING WHITE	344.7	689.4
1302	LOW LUSTER CLEAR	343.6	687.1	1303	FLATTENER	384.8	769.5
1550	RED OXIDE	413.1	826.2	1551	FAST YELLOW	409.5	819.1
1551	FAST YELLOW	416.4	832.8	1501	LANDAU BLACK	425.3	850.6
1501	LANDAU BLACK	418.4	836.8	1550	RED OXIDE	441.0	882.0
No				No			
6141	Umber	Ford Motor	AJ4A	6148	Medium Red	Pontiac	214
1302	LOW LUSTER CLEAR	164.7	329.3	1552	FAST RED	303.7	607.4
1559	YELLOW OXIDE	320.4	640.8	1559	YELLOW OXIDE	400.0	799.9
1550	RED OXIDE	394.2	788.4	1554	TINTING WHITE	414.8	829.6
1551	FAST YELLOW	407.2	814.5	1553	FAST BLUE	417.2	834.5
1501	LANDAU BLACK	418.0	836.0				
No				No			
6142	Pecan	Ford Motor	BT6	6149	Chrome Green	Chrysler Motors	G27
1302	LOW LUSTER CLEAR	177.6	355.2	1508	SILVER	285.8	571.5
1551	FAST YELLOW	322.3	644.6	1556	FAST GREEN	390.5	781.1
1550	RED OXIDE	394.2	788.4	1501	LANDAU BLACK	404.3	808.5
1501	LANDAU BLACK	414.4	828.7	1553	FAST BLUE	417.0	834.0
No				Yes(6150)			
6143	Fire Orange	Ford Motor	ARCX	6150	Chrome Green Topco	Chrysler Motors	G27
1551	FAST YELLOW	225.0	450.1	1300	HIGH GLOSS CLEAR	408.8	817.5
1557	MAGENTA	411.3	822.5	3520	PLATINUM PEARL	412.8	825.7
1501	LANDAU BLACK	413.7	827.3				
Yes(1302 Low Luster Clear)				No			
6144	Bisque	Mercedes Benz	8N84	6151	Blue Metallic	Chrysler Motors	
1302	LOW LUSTER CLEAR	174.9	349.9	1553	FAST BLUE	183.0	366.0
1554	TINTING WHITE	296.7	593.4	1501	LANDAU BLACK	306.2	612.4
1559	YELLOW OXIDE	390.4	780.8	1508	SILVER	414.7	829.3
1550	RED OXIDE	408.8	817.5				
1501	LANDAU BLACK	424.8	849.6				
No				No			
6145	Saddle	BMW	LCD3	6152	Can Can Red	Porsche	
1302	LOW LUSTER CLEAR	173.3	346.5	1557	MAGENTA	186.0	372.0
1559	YELLOW OXIDE	321.7	643.5	1551	FAST YELLOW	293.6	587.3
1554	TINTING WHITE	369.6	739.2	1303	FLATTENER	347.7	695.4
1550	RED OXIDE	413.9	827.8	1559	YELLOW OXIDE	400.9	801.8
1553	FAST BLUE	420.8	841.6	1558	BRITE RED	414.5	829.0
No				No			

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 182

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6153	Red	Ford Motor		23	6162	Dk. Rose	
1557	MAGENTA	310.2	620.5		1552	FAST RED	249.0 497.9
1551	FAST YELLOW	358.3	716.6		1508	SILVER	347.8 695.6
1303	FLATTENER	395.9	791.8		1551	FAST YELLOW	381.0 762.0
1559	YELLOW OXIDE	409.4	818.9		1553	FAST BLUE	409.6 819.2
1501	LANDAU BLACK	413.5	827.1		1501	LANDAU BLACK	414.9 829.7
No							
6155	Parchment	General Motors		6163	LT. Rose	Ford Motor	
1554	TINTING WHITE	411.8	823.6	1508	SILVER	250.9	501.8
1559	YELLOW OXIDE	445.7	891.4	1550	RED OXIDE	355.9	711.8
1553	FAST BLUE	446.4	892.8	1552	FAST RED	411.0	822.0
1557	MAGENTA	446.9	893.8	1551	FAST YELLOW	430.8	861.6
Yes(6156)							
				MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR			
6156	Parchment Topcoat	General Motors		6164	BF Red	Ford Motor	BF
1300	HIGH GLOSS CLEAR	409.9	819.7	1552	FAST RED	250.5	501.0
3521	RED PEARL	412.3	824.7	1551	FAST YELLOW	339.6	679.2
				1302	LOW LUSTER CLEAR	409.2	818.4
				1554	TINTING WHITE	426.2	852.4
No							
6158	Peterbilt Platinum Int	Peterbilt	PPI 932583	6165	Chantilly Beige	Ford Motor	
1302	LOW LUSTER CLEAR	140.0	280.0	1508	SILVER	215.0	430.0
1554	TINTING WHITE	244.6	489.2	1559	YELLOW OXIDE	381.0	762.0
1559	YELLOW OXIDE	321.9	643.8	1550	RED OXIDE	418.5	837.0
1501	LANDAU BLACK	393.2	786.3	1501	LANDAU BLACK	432.5	865.0
1550	RED OXIDE	423.8	847.5				
No							
				MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR			
6159	Peterbilt Platinum Int	Peterbilt	PPI 932581	6166	Blue	General Motors	
1554	TINTING WHITE	168.7	337.5	1554	TINTING WHITE	183.7	367.4
1302	LOW LUSTER CLEAR	311.4	622.9	1553	FAST BLUE	301.6	603.2
1559	YELLOW OXIDE	383.6	767.2	1559	YELLOW OXIDE	385.6	771.1
1501	LANDAU BLACK	419.1	838.3	1501	LANDAU BLACK	429.8	859.7
1550	RED OXIDE	428.1	856.1				
No							
6160	Peterbilt Platinum Int	Peterbilt	PPI 932582	6167	Saddle	Pontiac	
1554	TINTING WHITE	153.1	306.2	1559	YELLOW OXIDE	236.1	472.2
1302	LOW LUSTER CLEAR	295.2	590.5	1302	LOW LUSTER CLEAR	318.8	637.5
1559	YELLOW OXIDE	356.1	712.1	1550	RED OXIDE	378.3	756.5
1501	LANDAU BLACK	413.0	826.0	1554	TINTING WHITE	401.4	802.8
1557	MAGENTA	426.4	852.9	1501	LANDAU BLACK	421.9	843.9
No							
6161	Butterscotch	Datson		6169	Dark Blue	Pontiac	201
1559	YELLOW OXIDE	289.3	578.6	1553	FAST BLUE	148.4	296.7
1302	LOW LUSTER CLEAR	373.5	747.0	1302	LOW LUSTER CLEAR	286.6	573.2
1550	RED OXIDE	415.2	830.5	1556	FAST GREEN	343.7	687.4
1554	TINTING WHITE	421.0	841.9	1501	LANDAU BLACK	380.8	761.6
1501	LANDAU BLACK	421.3	842.6	1554	TINTING WHITE	415.1	830.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 183

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6170	Turquoise	Ford Motor	7X	6180	Steam	Chrysler Motors	LW9
1554	TINTING WHITE	256.3	512.5	1554	TINTING WHITE	387.0	774.0
1556	FAST GREEN	397.4	794.9	1303	FLATTENER	427.4	854.8
1550	RED OXIDE	428.6	857.2	1559	YELLOW OXIDE	441.3	882.7
1553	FAST BLUE	434.6	869.3	1501	LANDAU BLACK	443.6	887.2
		434.6	869.3	1557	MAGENTA	444.2	888.5
6172	Dark Camel	Pontiac	62	6181	Wine	Chrysler Motors	KC9
1559	YELLOW OXIDE	278.4	556.8	1552	FAST RED	360.3	720.6
1302	LOW LUSTER CLEAR	362.5	725.0	1303	FLATTENER	397.1	794.3
1557	MAGENTA	399.8	799.6	1557	MAGENTA	406.0	811.9
1501	LANDAU BLACK	410.3	820.6	1553	FAST BLUE	411.2	822.5
1554	TINTING WHITE	420.4	840.9	1554	TINTING WHITE	413.8	827.6
6173	Green	Cessna	Aerospace	6182	Diesel Gray	Chrysler Motors	A8
1559	YELLOW OXIDE	179.1	358.2	1501	LANDAU BLACK	129.9	259.8
1553	FAST BLUE	299.0	598.0	1559	YELLOW OXIDE	249.4	498.8
1302	LOW LUSTER CLEAR	368.8	737.6	1554	TINTING WHITE	328.7	657.4
1501	LANDAU BLACK	396.8	793.6	1303	FLATTENER	399.1	798.3
1554	TINTING WHITE	418.8	837.6	1557	MAGENTA	422.7	845.3
6174	Champagne Metallic	Fiat	512F	6183	Brown	Chrysler Motors	KUH
1554	TINTING WHITE	145.5	291.1	1551	FAST YELLOW	161.6	323.3
1302	LOW LUSTER CLEAR	278.2	556.5	1557	MAGENTA	297.9	595.8
1559	YELLOW OXIDE	405.9	811.7	1303	FLATTENER	352.0	703.9
1550	RED OXIDE	418.1	836.2	1559	YELLOW OXIDE	404.6	809.1
1501	LANDAU BLACK	427.6	855.2	1556	FAST GREEN	414.5	829.1
6175	Blue	Ford Motor	M6	6184	Jeep Brown	Chrysler Motors	LU5
1554	TINTING WHITE	190.0	379.9	1558	BRITE RED	185.3	370.6
1302	LOW LUSTER CLEAR	300.9	601.8	1501	LANDAU BLACK	355.3	710.7
1501	LANDAU BLACK	366.3	732.6	1303	FLATTENER	414.0	827.9
1553	FAST BLUE	427.1	854.2				
1551	FAST YELLOW	427.9	855.9				
6178	Black	Chrysler Motors	JXW	6185	Ruby Red	Chrysler Motors	LR5
1501	LANDAU BLACK	360.4	720.9	1558	BRITE RED	257.1	514.3
1303	FLATTENER	414.5	829.0	1557	MAGENTA	332.5	665.0
				1303	FLATTENER	386.3	772.5
				1559	YELLOW OXIDE	409.5	819.0
				1501	LANDAU BLACK	414.0	827.9
6179	Gucci White	Chrysler Motors	KW2	6186	Black Berry	General Motors	246V
1554	TINTING WHITE	402.2	804.4	1557	MAGENTA	121.3	242.5
1303	FLATTENER	442.6	885.3	1550	RED OXIDE	220.4	440.9
1559	YELLOW OXIDE	444.9	889.7	1553	FAST BLUE	297.1	594.2
1553	FAST BLUE	445.0	890.1	1559	YELLOW OXIDE	362.4	724.8
1552	FAST RED	445.2	890.3	1303	FLATTENER	416.8	833.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 184

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6187	Kalahari	General Motors	119X	6194	Dark Grey	Toyota	
1559	YELLOW OXIDE	243.8	487.6	1559	YELLOW OXIDE	138.9	277.9
1550	RED OXIDE	333.5	666.9	1501	LANDAU BLACK	274.0	548.1
1303	FLATTENER	388.4	776.8	1554	TINTING WHITE	343.0	686.0
1551	FAST YELLOW	413.7	827.5	1303	FLATTENER	398.2	796.4
1501	LANDAU BLACK	421.1	842.3	1550	RED OXIDE	423.0	846.0
6188	Redline	General Motors	124X	6195	Dark Charcoal	Toyota	
1558	BRITE RED	187.0	374.0	1501	LANDAU BLACK	351.8	703.6
1559	YELLOW OXIDE	299.3	598.6	1303	FLATTENER	406.0	811.9
1557	MAGENTA	360.0	720.1	1554	TINTING WHITE	415.2	830.4
1303	FLATTENER	414.3	828.6				
1556	FAST GREEN	416.0	832.0				
6189	Sangria	General Motors	173X	6196	Cream Beige	Mercedes Benz	8412
1552	FAST RED	194.5	389.1	1559	YELLOW OXIDE	153.4	306.8
1559	YELLOW OXIDE	268.1	536.3	1554	TINTING WHITE	279.6	559.2
1557	MAGENTA	335.3	670.5	1302	LOW LUSTER CLEAR	401.5	803.1
1303	FLATTENER	389.4	778.8	1550	RED OXIDE	421.1	842.2
1553	FAST BLUE	415.0	830.0	1553	FAST BLUE	426.9	853.7
6190	Med Ash Gray	General Motors	9883	6197	Choccachino	General Motors	WA923T
1554	TINTING WHITE	275.1	550.3	1559	YELLOW OXIDE	296.2	592.4
1501	LANDAU BLACK	335.4	670.8	1303	FLATTENER	351.2	702.4
1303	FLATTENER	392.2	784.4	1557	MAGENTA	391.6	783.1
1550	RED OXIDE	417.5	835.0	1554	TINTING WHITE	412.3	824.5
1551	FAST YELLOW	435.8	871.6	1553	FAST BLUE	421.8	843.6
6191	Dk Atmosphere	General Motors	303X	6198	Spice Red	General Motors	WA771S
1554	TINTING WHITE	130.5	261.1	1557	MAGENTA	155.3	310.5
1501	LANDAU BLACK	242.4	484.8	1550	RED OXIDE	303.0	606.0
1550	RED OXIDE	311.7	623.5	1303	FLATTENER	357.5	715.0
1551	FAST YELLOW	370.1	740.2	1559	YELLOW OXIDE	405.3	810.5
1303	FLATTENER	425.6	851.2	1501	LANDAU BLACK	417.8	835.6
6192	Grey Leather	Toyota		6199	New Saddle	Chrysler Motors	TL
1554	TINTING WHITE	198.8	397.6	1559	YELLOW OXIDE	251.3	502.7
1559	YELLOW OXIDE	279.1	558.3	1552	FAST RED	362.5	725.0
1501	LANDAU BLACK	356.9	713.8	1303	FLATTENER	400.6	801.2
1303	FLATTENER	413.2	826.4	1551	FAST YELLOW	410.0	820.0
1550	RED OXIDE	431.5	863.1	1556	FAST GREEN	419.4	838.7
6193	Bisque	Toyota		6199	Chestnut	Chrysler Motors	TL
1554	TINTING WHITE	311.8	623.6	1559	YELLOW OXIDE	251.3	502.7
1303	FLATTENER	358.8	717.6	1552	FAST RED	362.5	725.0
1551	FAST YELLOW	388.6	777.3	1303	FLATTENER	400.6	801.2
1501	LANDAU BLACK	416.7	833.4	1551	FAST YELLOW	410.0	820.0
1550	RED OXIDE	438.6	877.1	1556	FAST GREEN	419.4	838.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 185

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6200	Turquoise	Ford Motor	XM	6207	Sandstorm	Chrysler Motors	LTU
1554	TINTING WHITE	264.8	529.5	1302	LOW LUSTER CLEAR	186.7	373.4
1556	FAST GREEN	351.4	702.8	1559	YELLOW OXIDE	290.4	580.8
1553	FAST BLUE	417.7	835.3	1554	TINTING WHITE	388.4	776.7
1501	LANDAU BLACK	434.0	868.0	1550	RED OXIDE	409.7	819.4
1551	FAST YELLOW	434.4	868.8	1501	LANDAU BLACK	423.2	846.3
6201	Radiant Turquoise	Ford Motor	34	6208	Russet Red	Chrysler Motors	JER
1508	SILVER	278.0	556.0	1302	LOW LUSTER CLEAR	163.6	327.3
1556	FAST GREEN	400.1	800.3	1551	FAST YELLOW	287.5	575.0
1553	FAST BLUE	416.8	833.7	1550	RED OXIDE	403.0	806.1
				1556	FAST GREEN	415.4	830.8
6202	White	Mastercraft	693078	6209	Mink	General Motors	WA210V
1554	TINTING WHITE	444.7	889.5	1550	RED OXIDE	192.6	385.2
1501	LANDAU BLACK	446.7	893.4	1559	YELLOW OXIDE	316.8	633.6
1551	FAST YELLOW	448.0	896.0	1553	FAST BLUE	376.7	753.3
1550	RED OXIDE	448.7	897.5	1303	FLATTENER	414.9	829.8
				1556	FAST GREEN	420.6	841.2
6203	Dove	Mastercraft	693081	6210	Carmel	Chrysler Motors	LK5
1554	TINTING WHITE	431.7	863.3	1559	YELLOW OXIDE	304.0	608.1
1550	RED OXIDE	438.8	877.6	1303	FLATTENER	374.1	748.2
1501	LANDAU BLACK	444.9	889.7	1552	FAST RED	417.7	835.4
1551	FAST YELLOW	447.9	895.7	1553	FAST BLUE	420.3	840.7
6204	Flint	Mastercraft	693084	6211	Onyx	General Motors	WA355N
1554	TINTING WHITE	353.3	706.5	1501	LANDAU BLACK	274.6	549.2
1501	LANDAU BLACK	403.9	807.7	1303	FLATTENER	343.9	687.9
1550	RED OXIDE	428.0	856.0	1559	YELLOW OXIDE	405.1	810.3
1551	FAST YELLOW	442.2	884.5	1550	RED OXIDE	411.5	823.0
				1554	TINTING WHITE	416.1	832.1
6205	Tinted Topcoat(SEM#)	Mastercraft		6212	Cognac	Chrysler Motors	KT9
1300	HIGH GLOSS CLEAR	405.9	811.8	1550	RED OXIDE	198.0	395.9
3520	PLATINUM PEARL	414.0	828.1	1551	FAST YELLOW	340.1	680.2
				1303	FLATTENER	394.6	789.3
				1501	LANDAU BLACK	418.1	836.2
						418.1	836.2
6206	Sepia	Chrysler Motors	LV5	6213	Steam	Chrysler Motors	LW9
1302	LOW LUSTER CLEAR	185.1	370.3	1554	TINTING WHITE	379.5	758.9
1559	YELLOW OXIDE	307.0	614.1	1303	FLATTENER	437.3	874.5
1551	FAST YELLOW	360.1	720.3	1551	FAST YELLOW	440.1	880.2
1550	RED OXIDE	411.6	823.2	1501	LANDAU BLACK	442.1	884.2
1501	LANDAU BLACK	416.6	833.2	1550	RED OXIDE	443.2	886.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 186

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6214	Camel	Acura	D	6221	Silververtex Champagne	Bentley	V2704400
1559	YELLOW OXIDE	252.3	504.7	1559	YELLOW OXIDE	204.3	408.6
1554	TINTING WHITE	347.2	694.4	1554	TINTING WHITE	401.1	802.2
1303	FLATTENER	386.1	772.1	1550	RED OXIDE	428.8	857.7
1550	RED OXIDE	419.0	838.0	1553	FAST BLUE	434.6	869.1
1501	LANDAU BLACK	427.6	855.1				
6215	Dk Ash Gray	General Motors	WA999K	TOPCOAT WITH 6222			
1554	TINTING WHITE	162.1	324.3	6222	Topcoat for 6221	Bentley	
1559	YELLOW OXIDE	267.0	534.0	1302	LOW LUSTER CLEAR	405.2	810.5
1501	LANDAU BLACK	361.0	722.0	3520	PLATINUM PEARL	413.5	827.0
1303	FLATTENER	400.0	800.1				
1550	RED OXIDE	429.6	859.3				
6216	Twilight Blue	General Motors	WA712U	6223	Brilliant White Pegasu	Bentley	V2706500
1501	LANDAU BLACK	140.1	280.2	1554	TINTING WHITE	264.5	529.0
1552	FAST RED	245.5	491.0	1302	LOW LUSTER CLEAR	427.1	854.2
1553	FAST BLUE	323.1	646.3	1559	YELLOW OXIDE	432.1	864.2
1554	TINTING WHITE	380.2	760.3	1550	RED OXIDE	433.2	866.3
1303	FLATTENER	418.2	836.3	1553	FAST BLUE	433.6	867.2
6217	Saddle Up	General Motors	WA859T	6224	Ultimate Mystic White	Bentley	V2706600
1550	RED OXIDE	183.4	366.9	1554	TINTING WHITE	268.7	537.5
1551	FAST YELLOW	298.4	596.7	1302	LOW LUSTER CLEAR	431.4	862.9
1554	TINTING WHITE	355.1	710.1	1559	YELLOW OXIDE	433.4	866.8
1303	FLATTENER	393.5	786.9	1552	FAST RED	433.7	867.5
1501	LANDAU BLACK	422.3	844.7	1553	FAST BLUE	433.9	867.7
6218	Fig	General Motors	WA193V	6225	Prodigy Cream	Bentley	V2575500
1552	FAST RED	254.4	508.7	1554	TINTING WHITE	238.5	477.0
1559	YELLOW OXIDE	311.1	622.2	1559	YELLOW OXIDE	362.7	725.4
1303	FLATTENER	365.2	730.3	1303	FLATTENER	402.3	804.6
1553	FAST BLUE	407.9	815.7	1550	RED OXIDE	429.1	858.2
1551	FAST YELLOW	414.6	829.3	1556	FAST GREEN	435.7	871.5
6219	Mojave	General Motors	WA955T	6227	Honey Beige	General Motors	448
1559	YELLOW OXIDE	267.7	535.4	1554	TINTING WHITE	424.1	848.2
1303	FLATTENER	323.0	646.1	1559	YELLOW OXIDE	444.9	889.8
1550	RED OXIDE	376.0	751.9	1551	FAST YELLOW	447.4	894.7
1554	TINTING WHITE	422.2	844.3	1553	FAST BLUE	447.6	895.1
1553	FAST BLUE	424.4	848.8				
6220	Orion Gray	Mercedes Benz	268	TOPCOAT WITH 1300 CLEAR			
1554	TINTING WHITE	265.7	531.4	6228	Light Ash Gray	General Motors	WA9874
1501	LANDAU BLACK	351.0	702.1	1554	TINTING WHITE	264.4	528.7
1303	FLATTENER	390.5	781.1	1550	RED OXIDE	360.9	721.8
1551	FAST YELLOW	420.0	840.0	1303	FLATTENER	400.6	801.1
1557	MAGENTA	434.6	869.3	1556	FAST GREEN	435.4	870.8
				1551	FAST YELLOW	436.5	873.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 187

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6229	Medium Urban	General Motors	WA845T	6239	Earth Taupe	Honda	YR-325L
1554	TINTING WHITE	210.7	421.4	1551	FAST YELLOW	112.7	225.4
1559	YELLOW OXIDE	339.8	679.5	1554	TINTING WHITE	206.5	413.0
1303	FLATTENER	379.2	758.4	1501	LANDAU BLACK	297.0	594.1
1501	LANDAU BLACK	415.6	831.3	1550	RED OXIDE	367.6	735.2
1550	RED OXIDE	433.6	867.1	1303	FLATTENER	422.7	845.4
6230	Vy Lt Platinum	General Motors	WA834T	6240	Surf Blue	Honda	B137L
1554	TINTING WHITE	356.6	713.1	1554	TINTING WHITE	122.5	244.9
1303	FLATTENER	396.7	793.5	1501	LANDAU BLACK	243.7	487.4
1501	LANDAU BLACK	413.8	827.5	1553	FAST BLUE	357.1	714.3
1551	FAST YELLOW	430.1	860.2	1303	FLATTENER	395.6	791.2
1550	RED OXIDE	441.9	883.7	1557	MAGENTA	423.0	846.1
6231	Dk Urban	General Motors	WA844T	6241	Oasis Blue	Honda	B-138L
1554	TINTING WHITE	194.5	389.0	1554	TINTING WHITE	358.2	716.4
1501	LANDAU BLACK	282.7	565.5	1303	FLATTENER	398.4	796.7
1551	FAST YELLOW	347.1	694.3	1501	LANDAU BLACK	434.3	868.5
1550	RED OXIDE	391.0	782.0	1550	RED OXIDE	438.3	876.6
1303	FLATTENER	430.1	860.2	1551	FAST YELLOW	441.9	883.7
6232		General Motors	77	6242	KI Taupe	Honda	YR-248L
1559	YELLOW OXIDE	173.6	347.2	1551	FAST YELLOW	106.5	212.9
1302	LOW LUSTER CLEAR	338.0	675.9	1501	LANDAU BLACK	208.9	417.7
1554	TINTING WHITE	394.2	788.4	1550	RED OXIDE	290.8	581.6
1550	RED OXIDE	415.1	830.2	1554	TINTING WHITE	366.6	733.2
1501	LANDAU BLACK	421.6	843.2	1303	FLATTENER	421.6	843.2
6233	Lt Aqua	Ford Motor	87	6243	Burgandy Brown	Honda	YR-351L
1302	LOW LUSTER CLEAR	166.7	333.4	1559	YELLOW OXIDE	177.6	355.2
1554	TINTING WHITE	275.8	551.6	1557	MAGENTA	268.8	537.6
1559	YELLOW OXIDE	361.4	722.7	1501	LANDAU BLACK	329.5	659.1
1553	FAST BLUE	401.9	803.8	1303	FLATTENER	384.1	768.2
1501	LANDAU BLACK	423.1	846.3	1550	RED OXIDE	418.4	836.8
6237	Light Brown	Mercedes Benz	274A	6244	Dark Lapis	Honda	B-94L
1559	YELLOW OXIDE	290.8	581.6	1501	LANDAU BLACK	254.6	509.2
1554	TINTING WHITE	352.2	704.4	1554	TINTING WHITE	331.7	663.5
1303	FLATTENER	390.8	781.7	1303	FLATTENER	386.6	773.1
1557	MAGENTA	419.0	838.1	1553	FAST BLUE	408.1	816.3
1553	FAST BLUE	425.0	850.0	1551	FAST YELLOW	420.2	840.3
6238	Lt. Nugget Gold	Ford Motor	6Y	6245	Jewel Blue	Honda	B-139L
1508	SILVER	150.5	301.0	1501	LANDAU BLACK	153.7	307.5
1302	LOW LUSTER CLEAR	288.7	577.4	1553	FAST BLUE	249.9	499.8
1551	FAST YELLOW	348.4	696.8	1550	RED OXIDE	322.5	645.0
1558	BRITE RED	406.0	811.9	1303	FLATTENER	377.1	754.2
1556	FAST GREEN	414.6	829.2	1554	TINTING WHITE	418.4	836.9

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 188

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
6246	Metallic Blue	General Motors		12	6253	Pale Moss Green		Honda	G-69L
1508	SILVER	225.3	450.6		1554	TINTING WHITE	228.1	456.3	
1553	FAST BLUE	373.2	746.4		1559	YELLOW OXIDE	340.2	680.5	
1556	FAST GREEN	415.7	831.5		1303	FLATTENER	396.8	793.7	
					1501	LANDAU BLACK	431.5	863.0	
					1557	MAGENTA	434.0	868.0	

TOPCOAT WITH FORMULA 6247

6247	Topcoat for 6246	General Motors		12	6254	Dark Royal Blue		Honda	B-157L
1301	SATIN GLOSS CLEAR	412.2	824.3		1501	LANDAU BLACK	144.7	289.4	
3520	PLATINUM PEARL	413.8	827.6		1553	FAST BLUE	252.6	505.1	
					1550	RED OXIDE	325.1	650.1	
					1303	FLATTENER	379.6	759.2	
					1554	TINTING WHITE	418.1	836.3	

6248	Turquoise	General Motors		799A	6255	Premium Deep Black		Honda	NH-752L
1554	TINTING WHITE	276.7	553.4		1501	LANDAU BLACK	266.9	533.8	
1556	FAST GREEN	388.1	776.2		1552	FAST RED	327.1	654.2	
1553	FAST BLUE	431.4	862.8		1303	FLATTENER	381.1	762.2	
1501	LANDAU BLACK	435.4	870.8		1553	FAST BLUE	414.1	828.2	

TOPCOAT WITH 1300 CLEAR

6249	Truffle	Rolex Vans			6256	Light Jewel Gray		Honda	NH-802L
1302	LOW LUSTER CLEAR	141.5	283.0		1554	TINTING WHITE	299.2	598.5	
1554	TINTING WHITE	274.9	549.8		1303	FLATTENER	356.2	712.5	
1501	LANDAU BLACK	352.3	704.6		1501	LANDAU BLACK	400.0	800.0	
1550	RED OXIDE	395.7	791.5		1551	FAST YELLOW	424.3	848.7	
1551	FAST YELLOW	424.6	849.1		1557	MAGENTA	437.0	874.1	

6250	Gray	Honda		8142M	6257	Kurdi Black		Chrysler Motors	JXP
1554	TINTING WHITE	152.7	305.5		1302	LOW LUSTER CLEAR	138.2	276.4	
1559	YELLOW OXIDE	246.8	493.6		1501	LANDAU BLACK	273.3	546.6	
1501	LANDAU BLACK	329.5	658.9		1552	FAST RED	324.0	648.0	
1303	FLATTENER	385.4	770.8		1559	YELLOW OXIDE	366.1	732.2	
1550	RED OXIDE	428.8	857.7		1556	FAST GREEN	391.3	782.5	
					1508	SILVER	414.5	829.1	

6251	Beige	Honda		3161M	6258	Cattle Tan		Chrysler Motors	LT5
1554	TINTING WHITE	181.1	362.3		1551	FAST YELLOW	206.1	412.2	
1559	YELLOW OXIDE	342.8	685.7		1550	RED OXIDE	329.5	659.0	
1303	FLATTENER	399.2	798.3		1303	FLATTENER	383.8	767.7	
1550	RED OXIDE	418.1	836.1		1553	FAST BLUE	402.4	804.8	
1501	LANDAU BLACK	431.8	863.7		1559	YELLOW OXIDE	416.6	833.2	

6252	Max Ivory	Honda		YR-416L	6260	Buick		173A
1554	TINTING WHITE	342.8	685.7		1551	FAST YELLOW	147.9	295.8
1303	FLATTENER	400.4	800.8		1554	TINTING WHITE	292.6	585.2
1559	YELLOW OXIDE	434.1	868.3		1550	RED OXIDE	402.1	804.2
1501	LANDAU BLACK	439.0	878.0		1553	FAST BLUE	421.2	842.4
1557	MAGENTA	441.1	882.2		1556	FAST GREEN	427.6	855.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 189

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6261	Blue Metallic	General Motors	191	6276	Morello Red	General Motors	WA747U
1553	FAST BLUE	157.3	314.6	1557	MAGENTA	282.8	565.7
1302	LOW LUSTER CLEAR	275.4	550.7	1551	FAST YELLOW	337.2	674.4
1508	SILVER	339.6	679.2	1303	FLATTENER	391.1	782.3
1501	LANDAU BLACK	392.8	785.6	1559	YELLOW OXIDE	409.8	819.6
1557	MAGENTA	413.3	826.5	1553	FAST BLUE	413.6	827.1
6264	Sea Blue Metallic	Volkswagon	72	6277	Caramel Tan	General Motors	WA706U
1508	SILVER	158.2	316.4	1554	TINTING WHITE	219.8	439.6
1302	LOW LUSTER CLEAR	276.7	553.3	1551	FAST YELLOW	323.7	647.5
1556	FAST GREEN	334.6	669.2	1303	FLATTENER	380.0	760.1
1558	BRITE RED	388.9	777.7	1550	RED OXIDE	418.9	837.8
1559	YELLOW OXIDE	414.6	829.3	1501	LANDAU BLACK	431.6	863.3
1553	FAST BLUE	415.4	830.8				
6269	Brown	Nissan	C	6278	Lt Platinum	General Motors	WA803T
1559	YELLOW OXIDE	284.9	569.7	1554	TINTING WHITE	223.4	446.8
1558	BRITE RED	352.1	704.2	1559	YELLOW OXIDE	323.0	646.0
1303	FLATTENER	390.3	780.6	1303	FLATTENER	379.6	759.1
1501	LANDAU BLACK	420.2	840.4	1501	LANDAU BLACK	415.6	831.1
				1550	RED OXIDE	433.8	867.6
6270	Mushroom	Mercedes Benz		6279	Saffron	General Motors	WA839T
1554	TINTING WHITE	197.2	394.4	1554	TINTING WHITE	189.2	378.3
1559	YELLOW OXIDE	356.9	713.7	1551	FAST YELLOW	330.3	660.6
1303	FLATTENER	396.3	792.5	1303	FLATTENER	386.3	772.5
1550	RED OXIDE	418.3	836.6	1550	RED OXIDE	426.5	853.1
1501	LANDAU BLACK	433.2	866.5	1553	FAST BLUE	429.2	858.5
6273	Razor	General Motors	758S	6280	Gucci Black	Chrysler Motors	KX9
1501	LANDAU BLACK	171.8	343.5	1501	LANDAU BLACK	297.1	594.1
1554	TINTING WHITE	277.7	555.4	1553	FAST BLUE	360.1	720.1
1551	FAST YELLOW	337.6	675.2	1303	FLATTENER	414.1	828.2
1303	FLATTENER	392.8	785.5				
1550	RED OXIDE	423.0	845.9				
6274	Canyon Brown	Chrysler Motors	LU7	6281	Lt Diesel Gray	Chrysler Motors	LA3
1558	BRITE RED	231.7	463.3	1554	TINTING WHITE	322.8	645.7
1553	FAST BLUE	319.9	639.7	1303	FLATTENER	380.1	760.2
1302	LOW LUSTER CLEAR	373.8	747.5	1501	LANDAU BLACK	410.6	821.2
1551	FAST YELLOW	413.2	826.3	1551	FAST YELLOW	429.5	859.1
				1557	MAGENTA	438.8	877.7
6275	Lt Urban	General Motors	331N	6282	Graphite	Toyota	FJ13
1554	TINTING WHITE	304.5	609.0	1501	LANDAU BLACK	264.5	529.1
1303	FLATTENER	361.6	723.3	1554	TINTING WHITE	308.6	617.3
1551	FAST YELLOW	394.2	788.3	1551	FAST YELLOW	349.7	699.4
1550	RED OXIDE	416.0	832.1	1303	FLATTENER	387.8	775.5
1501	LANDAU BLACK	437.9	875.8	1550	RED OXIDE	418.5	837.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 190

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

6283	Lt Beige	Ford Motor	54
1554	TINTING WHITE	423.8	847.7
1551	FAST YELLOW	434.6	869.2
1550	RED OXIDE	444.6	889.2
1501	LANDAU BLACK	447.3	894.6

6291	Hazelnut	Ford Motor	DT7A
1559	YELLOW OXIDE	179.4	358.9
1552	FAST RED	269.5	539.0
1501	LANDAU BLACK	333.8	667.6
1554	TINTING WHITE	383.4	766.9
1303	FLATTENER	421.8	843.6

TOPCOAT WITH FORMULA 6285

6284	Flannel Grey	Volkswagon	GQ
1554	TINTING WHITE	241.6	483.1
1501	LANDAU BLACK	321.0	642.0
1303	FLATTENER	377.5	755.1
1551	FAST YELLOW	406.6	813.1
1550	RED OXIDE	433.2	866.5

6292	Lt Dune	Ford Motor	DN1A
1554	TINTING WHITE	313.8	627.6
1559	YELLOW OXIDE	389.7	779.5
1303	FLATTENER	429.7	859.5
1501	LANDAU BLACK	437.5	875.1
1557	MAGENTA	439.9	879.9

6285	Topcoat for 6283	Ford Motor	54
1300	HIGH GLOSS CLEAR	404.5	809.0
3520	PLATINUM PEARL	414.6	829.2

6293	Mussell(Opal Gray)/	Audi	EC
1559	YELLOW OXIDE	128.1	256.2
1554	TINTING WHITE	235.3	470.6
1501	LANDAU BLACK	333.8	667.7
1550	RED OXIDE	387.9	775.8
1303	FLATTENER	426.4	852.9

6286	Medium Blue Met	Ford Motor	5747
1300	HIGH GLOSS CLEAR	128.4	256.7
1553	FAST BLUE	232.5	465.1
1501	LANDAU BLACK	308.0	615.9
1508	SILVER	371.1	742.2
1557	MAGENTA	399.4	798.8
1552	FAST RED	413.6	827.2

6294	Blue	Nissan	B
1553	FAST BLUE	173.4	346.9
1501	LANDAU BLACK	267.1	534.2
1554	TINTING WHITE	323.3	646.6
1556	FAST GREEN	379.6	759.2
1303	FLATTENER	417.6	835.2

6288	Blond	Nissan	C
1559	YELLOW OXIDE	178.9	357.8
1554	TINTING WHITE	276.8	553.6
1501	LANDAU BLACK	339.1	678.3
1550	RED OXIDE	387.9	775.7
1303	FLATTENER	426.6	853.3

6295	White Elk	General Motors	743
1554	TINTING WHITE	286.6	573.2
1302	LOW LUSTER CLEAR	421.7	843.4
1551	FAST YELLOW	429.6	859.2
1501	LANDAU BLACK	433.0	866.0
1550	RED OXIDE	435.5	870.9

6289	Med Saddle	General Motors	80
1559	YELLOW OXIDE	193.5	386.9
1302	LOW LUSTER CLEAR	291.1	582.2
1554	TINTING WHITE	362.4	724.8
1550	RED OXIDE	408.1	816.2
1501	LANDAU BLACK	424.3	848.6

6296	Formula Boats Red	rossover to M25233
1302	LOW LUSTER CLEAR	103.0 206.0
1552	FAST RED	203.9 407.8
1559	YELLOW OXIDE	303.3 606.6
1557	MAGENTA	377.9 755.9
1558	BRITE RED	411.4 822.9
1551	FAST YELLOW	415.4 830.7

6290	Dune	Ford Motor	DN3A
1554	TINTING WHITE	228.5	457.0
1559	YELLOW OXIDE	368.5	737.1
1303	FLATTENER	408.1	816.1
1501	LANDAU BLACK	422.4	844.8
1552	FAST RED	434.7	869.5

6297	Teal Metallic	Plymouth	WL2
1501	LANDAU BLACK	122.2	244.4
1556	FAST GREEN	241.1	482.3
1508	SILVER	348.5	696.9
1553	FAST BLUE	415.1	830.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 191

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
6299	Bronze	General Motors		761	6306	Ranger Charcoal		rossover to M25173
1552	FAST RED	258.0	516.0		1302	LOW LUSTER CLEAR	139.8	279.6
1551	FAST YELLOW	365.0	729.9		1501	LANDAU BLACK	247.9	495.8
1303	FLATTENER	402.6	805.2		1559	YELLOW OXIDE	353.7	707.5
1501	LANDAU BLACK	413.7	827.3		1554	TINTING WHITE	394.5	789.0
					1550	RED OXIDE	419.4	838.8
6300	Sterling Burgandy	rossover to M25243		6307	Ranger Beige	rossover to M25163		
1557	MAGENTA	186.2	372.4		1559	YELLOW OXIDE	138.0	276.1
1552	FAST RED	340.6	681.3		1302	LOW LUSTER CLEAR	258.9	517.9
1559	YELLOW OXIDE	401.6	803.2		1550	RED OXIDE	328.8	657.6
1551	FAST YELLOW	410.7	821.5		1554	TINTING WHITE	398.6	797.1
1553	FAST BLUE	415.0	830.0		1553	FAST BLUE	423.2	846.3
6301	Stingray Yellow	rossover to M25223		6308	Stingray Taupe	rossover to M25153		
1554	TINTING WHITE	179.8	359.6		1554	TINTING WHITE	291.4	582.7
1551	FAST YELLOW	357.4	714.8		1302	LOW LUSTER CLEAR	364.3	728.6
1559	YELLOW OXIDE	426.0	852.0		1559	YELLOW OXIDE	407.3	814.6
1552	FAST RED	429.5	858.9		1550	RED OXIDE	423.0	846.0
1553	FAST BLUE				1501	LANDAU BLACK	437.6	875.2
6302	Carver Coco	rossover to M25213		6309	Chaparel Beige/Platin	rossover to M25143		
1302	LOW LUSTER CLEAR	138.5	277.0		1554	TINTING WHITE	330.6	661.2
1552	FAST RED	269.2	538.4		1302	LOW LUSTER CLEAR	403.9	807.8
1559	YELLOW OXIDE	387.1	774.2		1559	YELLOW OXIDE	433.0	866.0
1553	FAST BLUE	401.6	803.1		1501	LANDAU BLACK	438.3	876.5
1556	FAST GREEN	415.6	831.1		1557	MAGENTA	439.9	879.9
6303	Formula Boats Grey	rossover to M25203		6310	Carver Light Tan	rossover to M25133		
1554	TINTING WHITE	305.4	610.8		1302	LOW LUSTER CLEAR	142.3	284.6
1559	YELLOW OXIDE	347.7	695.3		1554	TINTING WHITE	281.9	563.7
1303	FLATTENER	387.6	775.2		1559	YELLOW OXIDE	391.6	783.2
1550	RED OXIDE	425.0	850.0		1550	RED OXIDE	411.4	822.8
1553	FAST BLUE	439.3	878.6		1501	LANDAU BLACK	426.8	853.7
6304	Light Grey	rossover to M25193		6311	Carver Dade Bisque	rossover to M25123		
1554	TINTING WHITE	305.9	611.8		1554	TINTING WHITE	342.2	684.5
1300	HIGH GLOSS CLEAR	430.8	861.6		1559	YELLOW OXIDE	405.1	810.3
1501	LANDAU BLACK	435.6	871.1		1550	RED OXIDE	435.3	870.7
1559	YELLOW OXIDE	437.2	874.4		1556	FAST GREEN	442.8	885.6
6305	Ranger Gunmetal Gre	rossover to M25183		6312	Sea Ray Champagne	rossover to M25113		
1554	TINTING WHITE	134.5	269.0		1554	TINTING WHITE	323.9	647.7
1559	YELLOW OXIDE	230.9	461.8		1559	YELLOW OXIDE	393.4	786.9
1501	LANDAU BLACK	325.1	650.1		1303	FLATTENER	433.5	867.0
1302	LOW LUSTER CLEAR	410.3	820.7		1550	RED OXIDE	438.1	876.1
1552	FAST RED	426.3	852.6		1501	LANDAU BLACK	440.7	881.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 192

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6313	Sea Ray Alabaster	ssover to M25103		6320	Ultra Blue	ssover to M25033	
1554	TINTING WHITE	294.0	587.9	1553	FAST BLUE	381.0	761.9
1302	LOW LUSTER CLEAR	418.6	837.3	1554	TINTING WHITE	401.3	802.5
1559	YELLOW OXIDE	434.4	868.9	1556	FAST GREEN	413.9	827.8
1557	MAGENTA	435.5	871.1				
1501	LANDAU BLACK	436.4	872.8				
6314	Sea Ray Mystic White	ssover to M25093		6321	Ranger Orchid Green	ssover to M25023	
1554	TINTING WHITE	336.5	673.0	1559	YELLOW OXIDE	126.1	252.2
1302	LOW LUSTER CLEAR	437.9	875.8	1553	FAST BLUE	201.4	402.8
1559	YELLOW OXIDE	439.5	879.1	1556	FAST GREEN	276.5	552.9
1558	BRITE RED	439.6	879.2	1302	LOW LUSTER CLEAR	345.8	691.6
				1552	FAST RED	400.3	800.6
				1551	FAST YELLOW	416.0	832.0
6315	Carver White	ssover to M25083		6322	Ultra Turquoise	ssover to M25013	
1554	TINTING WHITE	400.5	801.0	1556	FAST GREEN	165.2	330.5
1302	LOW LUSTER CLEAR	441.0	881.9	1554	TINTING WHITE	304.4	608.8
1559	YELLOW OXIDE	442.7	885.4	1302	LOW LUSTER CLEAR	389.3	778.5
1558	BRITE RED	444.3	888.6	1552	FAST RED	420.6	841.3
1556	FAST GREEN	445.0	890.0	1501	LANDAU BLACK	424.0	847.9
				1559	YELLOW OXIDE	424.2	848.5
6316	Ranger Off-White	ssover to M25073		6323	Ultra Purple	ssover to M25003	
1554	TINTING WHITE	353.1	706.1	1557	MAGENTA	161.9	323.8
1302	LOW LUSTER CLEAR	426.6	853.2	1553	FAST BLUE	245.4	490.9
1559	YELLOW OXIDE	440.0	879.9	1302	LOW LUSTER CLEAR	328.6	657.3
1557	MAGENTA	440.8	881.6	1558	BRITE RED	366.6	733.1
1553	FAST BLUE	441.3	882.7	1554	TINTING WHITE	404.3	808.7
				1550	RED OXIDE	416.0	832.0
6317	Ranger White	ssover to M25063		6324	Graphite Grey	Porsche	CY
1554	TINTING WHITE	332.0	663.9	1559	YELLOW OXIDE	141.4	282.9
1302	LOW LUSTER CLEAR	433.3	866.7	1554	TINTING WHITE	272.2	544.4
1559	YELLOW OXIDE	438.7	877.3	1501	LANDAU BLACK	357.7	715.4
1501	LANDAU BLACK	439.3	878.6	1303	FLATTENER	396.6	793.2
				1550	RED OXIDE	428.0	856.1
6318	Ranger Black	ssover to M25053		6325	Orange	Plymouth	H6
1501	LANDAU BLACK	248.7	497.4	1555	FAST ORANGE	287.0	574.0
1552	FAST RED	341.9	683.9	1551	FAST YELLOW	337.6	675.2
1302	LOW LUSTER CLEAR	411.0	821.9	1558	BRITE RED	371.4	742.7
1559	YELLOW OXIDE	412.6	825.2	1303	FLATTENER	405.1	810.2
1553	FAST BLUE	414.1	828.3	1554	TINTING WHITE	418.6	837.1
				1501	LANDAU BLACK	419.7	839.5
6319	Ranger Admiral Blue	ssover to M25043		6350	Palladium Silver	BMW	NCH1
1553	FAST BLUE	162.3	324.5	1554	TINTING WHITE	188.0	376.0
1302	LOW LUSTER CLEAR	317.2	634.4	1559	YELLOW OXIDE	281.0	561.9
1501	LANDAU BLACK	371.7	743.4	1501	LANDAU BLACK	373.3	746.7
1557	MAGENTA	400.8	801.5	1303	FLATTENER	412.5	825.0
1554	TINTING WHITE	413.2	826.5	1553	FAST BLUE	430.6	861.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 193

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6351	Sandlewood	General Motors	715	6357	Med Ash Gray	General Motors	WA9883
1554	TINTING WHITE	250.9	501.8	1554	TINTING WHITE	215.2	430.4
1559	YELLOW OXIDE	350.7	701.3	1302	LOW LUSTER CLEAR	338.2	676.4
1302	LOW LUSTER CLEAR	423.2	846.4	1501	LANDAU BLACK	391.7	783.4
1501	LANDAU BLACK	432.4	864.8	1550	RED OXIDE	412.3	824.7
1557	MAGENTA	435.3	870.7	1551	FAST YELLOW	430.5	861.0
6352	Dk Sandlewood	General Motors	715	6358	Oasis	Ford Motor	E15A
1559	YELLOW OXIDE	205.8	411.6	1302	LOW LUSTER CLEAR	132.1	264.2
1554	TINTING WHITE	301.0	602.0	1559	YELLOW OXIDE	251.1	502.2
1302	LOW LUSTER CLEAR	372.1	744.1	1554	TINTING WHITE	366.1	732.3
1501	LANDAU BLACK	399.9	799.7	1550	RED OXIDE	401.8	803.6
1550	RED OXIDE	426.2	852.4	1501	LANDAU BLACK	425.6	851.2
6353	Dk Beige	General Motors	715	6359	Indigo	Chrysler Motors	LC5
1559	YELLOW OXIDE	212.7	425.5	1501	LANDAU BLACK	228.5	457.1
1302	LOW LUSTER CLEAR	283.4	566.9	1553	FAST BLUE	370.5	741.1
1554	TINTING WHITE	349.6	699.2	1303	FLATTENER	408.2	816.4
1501	LANDAU BLACK	393.2	786.4	1554	TINTING WHITE	414.1	828.3
1550	RED OXIDE	424.3	848.5				
6354	Java	Ford Motor	EL6A	6360	Vecchio	General Motors	WA153X
1557	MAGENTA	140.4	280.9	1551	FAST YELLOW	186.4	372.9
1302	LOW LUSTER CLEAR	236.1	472.2	1552	FAST RED	277.7	555.4
1551	FAST YELLOW	300.5	600.9	1550	RED OXIDE	367.1	734.2
1559	YELLOW OXIDE	359.1	718.3	1303	FLATTENER	404.9	809.8
1501	LANDAU BLACK	414.5	829.1	1553	FAST BLUE	415.6	831.3
6355	Dk Galvanized	General Motors	WA792S	6361	Wagoner Blue	General Motors	WA863S
1501	LANDAU BLACK	162.2	324.3	1553	FAST BLUE	275.1	550.2
1302	LOW LUSTER CLEAR	282.7	565.4	1559	YELLOW OXIDE	327.8	655.5
1554	TINTING WHITE	384.0	767.9	1303	FLATTENER	365.5	730.9
1551	FAST YELLOW	407.0	814.0	1550	RED OXIDE	401.3	802.7
1550	RED OXIDE	421.8	843.6	1501	LANDAU BLACK	414.6	829.1
6356	Deep Mocha	Chrysler Motors	ML8	6362	Black	Chrysler Motors	MX9
1559	YELLOW OXIDE	190.2	380.4	1501	LANDAU BLACK	147.4	294.8
1550	RED OXIDE	303.6	607.2	1300	HIGH GLOSS CLEAR	270.6	541.1
1501	LANDAU BLACK	364.4	728.8	1551	FAST YELLOW	330.7	661.5
1303	FLATTENER	402.7	805.3	1554	TINTING WHITE	386.2	772.3
1551	FAST YELLOW	420.7	841.4	1557	MAGENTA	417.9	835.8
6356	Dark Mocha	Chrysler Motors	LL8	6363	Iceland Gray	Chrysler Motors	LAA
1559	YELLOW OXIDE	190.2	380.4	1554	TINTING WHITE	154.3	308.6
1550	RED OXIDE	303.6	607.2	1559	YELLOW OXIDE	262.6	525.2
1501	LANDAU BLACK	364.4	728.8	1501	LANDAU BLACK	357.7	715.3
1303	FLATTENER	402.7	805.3	1303	FLATTENER	396.7	793.3
1551	FAST YELLOW	420.7	841.4	1550	RED OXIDE	429.2	858.3

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 194

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6365	Ivory Pearl	General Motors	791	6372	Linen	Ford Motor	4X1
1554	TINTING WHITE	392.8	785.6	1554	TINTING WHITE	255.1	510.2
1559	YELLOW OXIDE	445.2	890.3	1302	LOW LUSTER CLEAR	367.7	735.3
1556	FAST GREEN	445.8	891.7	1559	YELLOW OXIDE	407.3	814.6
				1501	LANDAU BLACK	426.6	853.1
				1550	RED OXIDE	434.2	868.4
6366	Topcoat for 6365	General Motors	791	6373	Adrenaline Red	General Motors	336X
1301	SATIN GLOSS CLEAR	399.2	798.4	1558	BRITE RED	367.5	735.0
3520	PLATINUM PEARL	419.2	838.3	1303	FLATTENER	405.1	810.3
				1554	TINTING WHITE	412.6	825.2
				1553	FAST BLUE	414.2	828.4
6367	Oxford White	Ford Motor	Z	6375	White Sands	Ford Motor	ET3A
1554	TINTING WHITE	359.0	718.0	1554	TINTING WHITE	339.7	679.4
1302	LOW LUSTER CLEAR	416.7	833.3	1559	YELLOW OXIDE	393.9	787.8
1559	YELLOW OXIDE	438.0	876.1	1303	FLATTENER	434.0	868.1
1501	LANDAU BLACK	441.5	883.1	1501	LANDAU BLACK	438.9	877.8
1550	RED OXIDE	442.1	884.2	1557	MAGENTA	441.5	882.9
6368	Indian Mauve	General Motors	18	6378	Ambassador Blue	Chrysler Motors	MBB
1554	TINTING WHITE	235.5	471.0	1501	LANDAU BLACK	200.2	400.4
1559	YELLOW OXIDE	305.0	610.0	1553	FAST BLUE	329.4	658.7
1552	FAST RED	371.0	741.9	1554	TINTING WHITE	379.6	759.3
1303	FLATTENER	410.4	820.7	1303	FLATTENER	417.6	835.2
1553	FAST BLUE	433.6	867.1				
6369	Vecchio Sauvage	General Motors	WA154X	6379	Linen	Chrysler Motors	ML2
1558	BRITE RED	147.8	295.6	1554	TINTING WHITE	257.9	515.8
1302	LOW LUSTER CLEAR	266.0	532.1	1302	LOW LUSTER CLEAR	381.9	763.9
1551	FAST YELLOW	361.7	723.3	1559	YELLOW OXIDE	423.4	846.7
1559	YELLOW OXIDE	397.4	794.9	1501	LANDAU BLACK	431.1	862.2
1501	LANDAU BLACK	413.9	827.9	1557	MAGENTA	434.2	868.4
6370	Very Lt Earth Gray	Ford Motor	DY0	6380	Black	Chrysler Motors	LXH
1554	TINTING WHITE	295.6	591.3	1501	LANDAU BLACK	324.4	648.7
1302	LOW LUSTER CLEAR	383.1	766.3	1553	FAST BLUE	376.6	753.3
1559	YELLOW OXIDE	417.1	834.3	1303	FLATTENER	414.3	828.6
1501	LANDAU BLACK	431.0	862.1				
1550	RED OXIDE	437.4	874.8				
6371	Marble	Ford Motor	AM1	6381	Ski Grey	Chrysler Motors	PS4
1554	TINTING WHITE	371.5	742.9	1554	TINTING WHITE	349.5	699.0
1303	FLATTENER	411.8	823.5	1303	FLATTENER	389.6	779.3
1559	YELLOW OXIDE	436.7	873.4	1559	YELLOW OXIDE	422.3	844.5
1501	LANDAU BLACK	442.1	884.1	1501	LANDAU BLACK	439.7	879.4
1557	MAGENTA	443.3	886.6	1557	MAGENTA	441.8	883.5

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 195

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6382	Dark Ruby	Chrysler Motors	LR9	6388	Red Line	Ford Motor	FR5
1550	RED OXIDE	153.0	306.1	1558	BRITE RED	111.5	223.0
1557	MAGENTA	276.9	553.9	1550	RED OXIDE	211.2	422.5
1558	BRITE RED	367.2	734.4	1559	YELLOW OXIDE	309.5	619.1
1303	FLATTENER	405.1	810.2	1557	MAGENTA	380.0	760.1
1553	FAST BLUE	416.9	833.8	1303	FLATTENER	418.0	836.1
6383	Wheat	Chrysler Motors	NC1	6389	Mayan Gray	Ford Motor	DJ6
1554	TINTING WHITE	307.9	615.8	1501	LANDAU BLACK	181.7	363.4
1559	YELLOW OXIDE	372.3	744.6	1559	YELLOW OXIDE	313.4	626.8
1303	FLATTENER	412.3	824.6	1554	TINTING WHITE	384.3	768.5
1550	RED OXIDE	435.6	871.2	1303	FLATTENER	422.7	845.4
1553	FAST BLUE	439.7	879.4				
6384	Brandy	General Motors	WA245V	6391	Mustang King Ranch	Ford Motor	7U7A
1554	TINTING WHITE	159.3	318.5	1552	FAST RED	211.7	423.4
1551	FAST YELLOW	304.1	608.1	1559	YELLOW OXIDE	357.9	715.9
1557	MAGENTA	369.7	739.4	1303	FLATTENER	395.9	791.7
1303	FLATTENER	408.4	816.9	1501	LANDAU BLACK	410.2	820.4
1501	LANDAU BLACK	426.1	852.1	1551	FAST YELLOW	417.0	834.0
6385	Octane Metallic	General Motors	WA123X	6397	Loft Brown	General Motors	704S
1501	LANDAU BLACK	203.5	406.9	1550	RED OXIDE	239.7	479.4
1300	HIGH GLOSS CLEAR	341.6	683.2	1302	LOW LUSTER CLEAR	309.7	619.3
1508	SILVER	379.0	757.9	1556	FAST GREEN	361.7	723.4
1550	RED OXIDE	398.8	797.5	1559	YELLOW OXIDE	402.0	804.0
1553	FAST BLUE	414.5	829.0	1551	FAST YELLOW	419.8	839.6
6386	Oasis	Ford Motor	EX2A	6401	Med Red Metallic	Pontiac	W60A3370
1554	TINTING WHITE	202.2	404.4	1557	MAGENTA	202.3	404.5
1302	LOW LUSTER CLEAR	325.3	650.7	1552	FAST RED	352.1	704.2
1559	YELLOW OXIDE	399.1	798.1	1551	FAST YELLOW	391.3	782.6
1550	RED OXIDE	417.2	834.3	3521	RED PEARL	401.9	803.8
1501	LANDAU BLACK	431.0	862.0	3527	AZTEC GOLD PEARL	411.3	822.5
				1553	FAST BLUE	416.0	831.9
				1301			
6387	Med Soft Oasis	Ford Motor	CN4A	6402	Dk Green	Pontiac	W25A4252
1554	TINTING WHITE	231.2	462.4	1559	YELLOW OXIDE	223.0	446.0
1302	LOW LUSTER CLEAR	365.4	730.8	1552	FAST RED	336.6	673.3
1559	YELLOW OXIDE	414.1	828.1	1556	FAST GREEN	419.0	838.0
1501	LANDAU BLACK	426.4	852.9				
1550	RED OXIDE	432.4	864.7	1300			
6387	Med Soft Ceramic	Ford Motor	CN4A	6403	Dk Jade	Pontiac	W25A4108
1554	TINTING WHITE	231.2	462.4	1550	RED OXIDE	149.6	299.2
1302	LOW LUSTER CLEAR	365.4	730.8	1554	TINTING WHITE	236.2	472.3
1559	YELLOW OXIDE	414.1	828.1	1551	FAST YELLOW	319.9	639.7
1501	LANDAU BLACK	426.4	852.9	1556	FAST GREEN	401.0	802.1
1550	RED OXIDE	432.4	864.7	1553	FAST BLUE	424.0	848.0

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 196

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6404	Dk Blue	Pontiac	W25A4106	6411	Ivory White Napa	BMW	NAEX
1553	FAST BLUE	182.5	364.9	1554	TINTING WHITE	251.5	503.0
1501	LANDAU BLACK	270.7	541.3	1302	LOW LUSTER CLEAR	338.3	676.5
1554	TINTING WHITE	345.5	691.1	1551	FAST YELLOW	373.6	747.2
1556	FAST GREEN	419.3	838.5	1559	YELLOW OXIDE	401.4	802.7
				1558	BRITE RED	422.7	845.3
				1501	LANDAU BLACK	433.7	867.3
1300							
6405	Med Pewter	Pontiac	W25A4103	6412	Alaska Gray	BMW	LEAK
1554	TINTING WHITE	206.2	412.5	1554	TINTING WHITE	220.6	441.3
1559	YELLOW OXIDE	316.2	632.5	1550	RED OXIDE	307.9	615.9
1501	LANDAU BLACK	379.7	759.3	1302	LOW LUSTER CLEAR	394.4	788.9
1551	FAST YELLOW	406.7	813.3	1556	FAST GREEN	418.7	837.5
1553	FAST BLUE	432.6	865.2	1553	FAST BLUE	432.5	865.0
1300							
6406	Med Tan	Pontiac	W25A4256	6415	Cinnamon	General Motors	WA407A
1559	YELLOW OXIDE	376.9	753.8	1559	YELLOW OXIDE	285.5	571.1
1557	MAGENTA	415.8	831.6	1302	LOW LUSTER CLEAR	369.5	739.0
1553	FAST BLUE	421.8	843.5	1557	MAGENTA	416.7	833.4
1501	LANDAU BLACK	422.4	844.8	1501	LANDAU BLACK	419.8	839.5
1300							
6407	Dk Sienna	Pontiac	W25A4134	6416	Dk Olive	Chrysler Motors	JFJ
1559	YELLOW OXIDE	200.6	401.2	1559	YELLOW OXIDE	180.9	361.8
1550	RED OXIDE	400.1	800.2	1501	LANDAU BLACK	279.1	558.2
1501	LANDAU BLACK	421.7	843.4	1551	FAST YELLOW	329.8	659.7
1556	FAST GREEN	423.1	846.1	1552	FAST RED	372.5	744.9
				1303	FLATTENER	410.5	821.0
				1550	RED OXIDE	418.2	836.4
1300							
6408	Ivory	Pontiac	W25A3988	6417	Medium Gold	Pontiac	C-AP5054
1554	TINTING WHITE	427.0	854.0	1559	YELLOW OXIDE	195.0	390.0
1559	YELLOW OXIDE	445.1	890.3	1551	FAST YELLOW	287.7	575.4
1501	LANDAU BLACK	447.3	894.6	1552	FAST RED	335.1	670.2
1553	FAST BLUE	447.7	895.5	1554	TINTING WHITE	366.8	733.5
				1508	SILVER	393.8	787.6
				1501	LANDAU BLACK	415.7	831.5
1300				1300			
6409	Ivory White	Pontiac	W25A4250	6418	Med Gold Metallic	Pontiac	C-AP4886
1554	TINTING WHITE	425.6	851.2	1508	SILVER	199.2	398.5
1559	YELLOW OXIDE	444.7	889.5	1559	YELLOW OXIDE	373.8	747.7
1501	LANDAU BLACK	446.8	893.6	1553	FAST BLUE	395.2	790.5
1552	FAST RED	447.5	895.0	1551	FAST YELLOW	410.7	821.4
1553	FAST BLUE	447.7	895.3	1552	FAST RED	415.5	831.0
				3524	GREEN PEARL	421.7	843.5
1300				1300			
6410	Red Fox	BMW	NCH2	6419	Medium Red	Pontiac	C-AP71276
1557	MAGENTA	144.2	288.4	1557	MAGENTA	122.1	244.3
1559	YELLOW OXIDE	279.9	559.8	1558	BRITE RED	232.9	465.8
1302	LOW LUSTER CLEAR	363.4	726.8	1559	YELLOW OXIDE	318.9	637.9
1550	RED OXIDE	414.2	828.3	1550	RED OXIDE	370.6	741.1
1556	FAST GREEN	417.4	834.7	1552	FAST RED	416.9	833.7

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 197

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6420	Dk Blue Metallic	Pontiac	C-AP5834	6427	Dk Teal Metallic	Pontiac	C-AP4879
1553	FAST BLUE	286.5	572.9	1553	FAST BLUE	184.5	368.9
1501	LANDAU BLACK	347.6	695.2	1552	FAST RED	280.5	561.0
1556	FAST GREEN	393.0	786.0	1508	SILVER	346.7	693.3
1508	SILVER	404.7	809.4	1556	FAST GREEN	406.1	812.3
3523	BLUE PEARL	416.4	832.8	3523	BLUE PEARL	412.9	825.8
1300				3524	GREEN PEARL	417.0	834.0
1300				1300			
6421	Medium Red	Pontiac	C-AP4867	6428	Medium Red	Pontiac	C-AP71827
1558	BRITE RED	196.0	391.9	1558	BRITE RED	171.3	342.6
1557	MAGENTA	298.0	596.1	1557	MAGENTA	321.5	642.9
1559	YELLOW OXIDE	375.7	751.3	1559	YELLOW OXIDE	388.5	777.1
1552	FAST RED	413.1	826.2	1552	FAST RED	413.5	827.0
1501	LANDAU BLACK	415.5	831.1	1501	LANDAU BLACK	415.2	830.5
6422	Parchment	Pontiac	C-AP8360	6429	Dark Brown	Pontiac	C-AP5179
1554	TINTING WHITE	384.7	769.4	1551	FAST YELLOW	153.2	306.4
1559	YELLOW OXIDE	436.9	873.9	1552	FAST RED	274.8	549.7
1501	LANDAU BLACK	442.9	885.8	1554	TINTING WHITE	341.7	683.5
1557	MAGENTA	445.2	890.4	1501	LANDAU BLACK	386.1	772.3
				1557	MAGENTA	419.2	838.4
6423	Dk Turquoise Metallic	Pontiac	C-AP13008	6430	Dark Saddle	Pontiac	C-AP22306
1553	FAST BLUE	178.8	357.7	1559	YELLOW OXIDE	249.7	499.4
1556	FAST GREEN	301.0	602.1	1552	FAST RED	314.1	628.2
1508	SILVER	359.6	719.1	1501	LANDAU BLACK	372.9	745.8
1501	LANDAU BLACK	406.7	813.4	1550	RED OXIDE	420.8	841.7
3524	GREEN PEARL	416.8	833.7				
				1300			
6424	Dk Blue Metallic	Pontiac	C-AP13008	6431	Med Sandalwood(197	Pontiac	C-AP5156
1553	FAST BLUE	298.7	597.5	1554	TINTING WHITE	237.7	475.4
1501	LANDAU BLACK	361.0	722.0	1302	LOW LUSTER CLEAR	349.8	699.6
1508	SILVER	409.0	818.0	1551	FAST YELLOW	380.5	761.1
3523	BLUE PEARL	415.1	830.3	1559	YELLOW OXIDE	406.0	812.0
				1558	BRITE RED	419.8	839.7
1300				1501	LANDAU BLACK	432.3	864.7
6425	Dk Blue Metallic	Pontiac	C-AP5109	6432	Carib Dk Aqua Metall	Pontiac	C-AP12534
1553	FAST BLUE	284.2	568.4	1553	FAST BLUE	140.4	280.8
1501	LANDAU BLACK	368.7	737.3	1300	HIGH GLOSS CLEAR	249.3	498.6
1508	SILVER	408.4	816.9	1556	FAST GREEN	321.1	642.2
3523	BLUE PEARL	414.6	829.2	1508	SILVER	379.9	759.8
3524	GREEN PEARL	415.4	830.8	1501	LANDAU BLACK	407.7	815.4
1300				1554	TINTING WHITE	413.9	827.8
6426	Dk Blue Metallic	Pontiac	C-AP5646	6433	Dk Turquoise Metallic	Pontiac	C-AP5615
1553	FAST BLUE	287.5	575.0	1553	FAST BLUE	168.6	337.1
1501	LANDAU BLACK	351.6	703.2	1556	FAST GREEN	311.4	622.9
1508	SILVER	409.1	818.3	1508	SILVER	380.7	761.3
3523	BLUE PEARL	415.3	830.6	1501	LANDAU BLACK	414.0	828.1
1300				1300			

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 198

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6434	Med Blue Metallic	Pontiac	C-API2531	6441	Med Earth Grey	Ford Motor	DY5A
1508	SILVER	234.0	468.0	1554	TINTING WHITE	175.7	351.3
1553	FAST BLUE	364.9	729.7	1559	YELLOW OXIDE	253.5	506.9
1501	LANDAU BLACK	409.9	819.8	1501	LANDAU BLACK	330.1	660.1
1557	MAGENTA	416.0	832.0	1303	FLATTENER	369.1	738.2
				1557	MAGENTA	401.5	803.0
				1551	FAST YELLOW	429.3	858.6
1300							
6435	Dk Green Metallic	Pontiac	C-AP5130	6441	Medium Earth	Ford Motor	DY5A
1556	FAST GREEN	184.3	368.7	1554	TINTING WHITE	175.7	351.3
1501	LANDAU BLACK	319.3	638.7	1559	YELLOW OXIDE	253.5	506.9
1551	FAST YELLOW	373.9	747.9	1501	LANDAU BLACK	330.1	660.1
1508	SILVER	414.7	829.4	1303	FLATTENER	369.1	738.2
				1557	MAGENTA	401.5	803.0
				1551	FAST YELLOW	429.3	858.6
6436	Med Blue Metallic	Pontiac	C-AP5108	6442	Super Red	General Motors	717R
1553	FAST BLUE	239.9	479.8	1558	BRITE RED	160.3	320.5
1508	SILVER	381.0	762.0	1557	MAGENTA	313.6	627.3
1501	LANDAU BLACK	406.2	812.5	1559	YELLOW OXIDE	368.7	737.4
1557	MAGENTA	414.5	829.0	1303	FLATTENER	406.4	812.9
				1550	RED OXIDE	414.9	829.8
1300							
6437	Mineral Gray Met	General Motors	202X	6443	Black Pearl	Chrysler Motors	MX9
1508	SILVER	164.5	329.1	1552	FAST RED	210.4	420.8
1501	LANDAU BLACK	306.7	613.5	1556	FAST GREEN	312.1	624.1
1559	YELLOW OXIDE	376.2	752.5	1501	LANDAU BLACK	389.1	778.2
1557	MAGENTA	406.9	813.8	1508	SILVER	403.2	806.4
1556	FAST GREEN	417.6	835.2	1553	FAST BLUE	414.2	828.4
6438	Urban	General Motors	330N	6444	Red	Chrysler Motors	XR4
1302	LOW LUSTER CLEAR	138.4	276.7	1552	FAST RED	166.5	333.0
1557	MAGENTA	262.5	524.9	1558	BRITE RED	258.3	516.7
1551	FAST YELLOW	336.6	673.2	1559	YELLOW OXIDE	339.9	679.8
1556	FAST GREEN	385.6	771.2	1302	LOW LUSTER CLEAR	377.9	755.7
1554	TINTING WHITE	415.1	830.2	1554	TINTING WHITE	400.3	800.5
				1550	RED OXIDE	417.6	835.3
6439	Lt Wheat	General Motors	WA503F	6445	Gray	Fiat	JD7
1554	TINTING WHITE	300.2	600.4	1557	MAGENTA	144.5	289.0
1302	LOW LUSTER CLEAR	401.2	802.3	1302	LOW LUSTER CLEAR	213.9	427.7
1559	YELLOW OXIDE	432.8	865.6	1556	FAST GREEN	281.3	562.6
1501	LANDAU BLACK	436.5	872.9	1551	FAST YELLOW	343.9	687.7
1557	MAGENTA	437.4	874.9	1501	LANDAU BLACK	381.0	761.9
				1554	TINTING WHITE	416.1	832.2
6440	Vy Dk Ash Gray	General Motors	970M	6446	Light Atmosphere	General Motors	WA311X
1552	FAST RED	123.6	247.3	1554	TINTING WHITE	324.2	648.4
1556	FAST GREEN	212.0	423.9	1302	LOW LUSTER CLEAR	396.7	793.4
1557	MAGENTA	297.0	594.0	1559	YELLOW OXIDE	429.3	858.7
1551	FAST YELLOW	347.4	694.9	1501	LANDAU BLACK	435.6	871.2
1303	FLATTENER	385.3	770.5	1557	MAGENTA	439.5	879.1
1554	TINTING WHITE	415.9	831.8				

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 199

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6447	Terra Cotta	Ford Motor	FR6	6454	Maple Sugar	General Motors	WA395A
1552	FAST RED	182.4	364.8	1559	YELLOW OXIDE	193.1	386.1
1559	YELLOW OXIDE	356.0	711.9	1554	TINTING WHITE	316.4	632.7
1303	FLATTENER	393.9	787.8	1550	RED OXIDE	360.4	720.8
1501	LANDAU BLACK	415.9	831.8	1303	FLATTENER	399.4	798.8
1551	FAST YELLOW	417.6	835.3	1501	LANDAU BLACK	420.9	841.9
				1551	FAST YELLOW	428.7	857.5
6448	Mojave	Ford Motor	GX4	6455	Md Ivy Green Metalli	Ford Motor	M3608G
1551	FAST YELLOW	178.7	357.5	1559	YELLOW OXIDE	267.6	535.2
1554	TINTING WHITE	279.8	559.6	1501	LANDAU BLACK	342.2	684.3
1557	MAGENTA	346.9	693.7	1508	SILVER	387.9	775.8
1303	FLATTENER	385.7	771.3	1553	FAST BLUE	409.4	818.7
1558	BRITE RED	404.1	808.2	1556	FAST GREEN	420.6	841.2
1501	LANDAU BLACK	421.5	843.0				
				1300			
6449	Cappucino	Ford Motor	GU3	6456	Saddle	Pontiac	931
1554	TINTING WHITE	324.8	649.5	1559	YELLOW OXIDE	193.0	385.9
1303	FLATTENER	364.8	729.6	1302	LOW LUSTER CLEAR	313.7	627.4
1550	RED OXIDE	401.5	803.1	1554	TINTING WHITE	377.9	755.8
1551	FAST YELLOW	421.5	842.9	1552	FAST RED	410.8	821.7
1559	YELLOW OXIDE	431.3	862.6	1501	LANDAU BLACK	422.5	845.0
1553	FAST BLUE	440.1	880.1				
6450	Brune	Ford Motor	FS9	6457	Pewter	Ford Motor	6NCA
1552	FAST RED	304.5	609.1	1550	RED OXIDE	177.0	353.9
1551	FAST YELLOW	346.0	692.0	1554	TINTING WHITE	333.3	666.6
1303	FLATTENER	383.2	766.4	1556	FAST GREEN	401.0	801.9
1501	LANDAU BLACK	408.3	816.7	1553	FAST BLUE	430.0	860.1
1553	FAST BLUE	413.7	827.4				
6451	Coffee	Ford Motor	DJ9	6458	Gold	Oldsmobile	34/634
1302	LOW LUSTER CLEAR	129.5	259.0	1551	FAST YELLOW	185.8	371.7
1501	LANDAU BLACK	227.9	455.9	1508	SILVER	260.1	520.3
1551	FAST YELLOW	295.5	591.0	1302	LOW LUSTER CLEAR	322.1	644.1
1554	TINTING WHITE	347.4	694.9	1501	LANDAU BLACK	368.5	737.0
1557	MAGENTA	396.6	793.2	1550	RED OXIDE	407.5	815.0
1558	BRITE RED	417.3	834.5	1557	MAGENTA	415.3	830.6
6452	Medium Lt Camel	Ford Motor	4T2	6459	Lt Sandlewood	Pontiac	267
1554	TINTING WHITE	185.4	370.8	1559	YELLOW OXIDE	276.2	552.5
1559	YELLOW OXIDE	345.3	690.6	1554	TINTING WHITE	322.8	645.5
1303	FLATTENER	384.5	769.1	1303	FLATTENER	361.3	722.5
1557	MAGENTA	402.6	805.3	1501	LANDAU BLACK	394.9	789.8
1501	LANDAU BLACK	419.4	838.7	1557	MAGENTA	419.7	839.4
1551	FAST YELLOW	431.8	863.6	1551	FAST YELLOW	423.6	847.2
6453	Deep Mocha	Chrysler Motors	ML8	6461	Roof Interior Gray	British Motor C	
1559	YELLOW OXIDE	176.3	352.7	1554	TINTING WHITE	339.9	679.9
1558	BRITE RED	248.1	496.1	1303	FLATTENER	380.0	760.1
1501	LANDAU BLACK	293.6	587.2	1559	YELLOW OXIDE	409.3	818.6
1551	FAST YELLOW	337.4	674.8	1550	RED OXIDE	420.8	841.6
1550	RED OXIDE	380.7	761.4	1553	FAST BLUE	431.1	862.2
1303	FLATTENER	418.8	837.5	1552	FAST RED	441.1	882.2

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 200

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6462	Dk Ginger	Ford Motor	M3606G	6471	Tobacco	Ford Motor	FK6
1559	YELLOW OXIDE	177.7	355.4	1551	FAST YELLOW	141.1	282.3
1557	MAGENTA	307.9	615.8	1557	MAGENTA	281.4	562.8
1551	FAST YELLOW	391.7	783.3	1559	YELLOW OXIDE	368.7	737.4
1556	FAST GREEN	417.8	835.5	1303	FLATTENER	406.5	812.9
				1501	LANDAU BLACK	415.5	830.9
6463	Med Turquoise Metall	Pontiac	W60A3305	6472	Vy Dk Atmosphere	General Motors	WA309X
1508	SILVER	199.7	399.4	1501	LANDAU BLACK	159.8	319.6
3520	PLATINUM PEARL	274.6	549.1	1559	YELLOW OXIDE	264.7	529.4
1553	FAST BLUE	344.3	688.7	1550	RED OXIDE	330.1	660.2
1559	YELLOW OXIDE	404.0	808.1	1303	FLATTENER	368.1	736.2
1556	FAST GREEN	438.9	877.9	1551	FAST YELLOW	397.6	795.2
				1553	FAST BLUE	417.9	835.7
6465	Green Metallic	General Motors	784	6473	Toffee	Chrysler Motors	PL5
1551	FAST YELLOW	110.0	220.0	1554	TINTING WHITE	125.3	250.6
1552	FAST RED	209.1	418.2	1559	YELLOW OXIDE	220.7	441.4
1556	FAST GREEN	300.1	600.1	1501	LANDAU BLACK	293.0	586.0
1553	FAST BLUE	352.7	705.5	1557	MAGENTA	349.4	698.7
1303	FLATTENER	390.4	780.7	1303	FLATTENER	388.1	776.2
1508	SILVER	413.7	827.4	1551	FAST YELLOW	425.7	851.5
6467	Jade Gray	Ford Motor	HY3	6475	Dk Jade	Oldsmobile	312
1554	TINTING WHITE	239.1	478.2	1559	YELLOW OXIDE	285.8	571.6
1550	RED OXIDE	302.5	605.1	1303	FLATTENER	324.0	647.9
1551	FAST YELLOW	353.1	706.3	1552	FAST RED	357.6	715.3
1303	FLATTENER	392.6	785.2	1557	MAGENTA	387.2	774.4
1501	LANDAU BLACK	417.5	835.0	1556	FAST GREEN	404.9	809.8
1553	FAST BLUE	433.8	867.6	1553	FAST BLUE	420.0	840.1
6468	Alloy	Chrysler Motors	PD2	6476	Beige	Mercedes Benz	805A
1554	TINTING WHITE	306.9	613.8	1554	TINTING WHITE	176.6	353.3
1559	YELLOW OXIDE	366.0	732.0	1302	LOW LUSTER CLEAR	309.8	619.6
1303	FLATTENER	406.0	811.9	1559	YELLOW OXIDE	403.7	807.4
1501	LANDAU BLACK	424.0	848.1	1558	BRITE RED	415.6	831.2
1550	RED OXIDE	433.1	866.3	1501	LANDAU BLACK	424.2	848.4
1558	BRITE RED	439.3	878.5	1550	RED OXIDE	429.1	858.2
6469	Rouge Noir	Ford Motor	GK2	6477	Gray	Mercedes Benz	118A
1559	YELLOW OXIDE	135.0	269.9	1554	TINTING WHITE	257.3	514.7
1552	FAST RED	262.4	524.9	1302	LOW LUSTER CLEAR	387.5	775.0
1553	FAST BLUE	332.3	664.5	1559	YELLOW OXIDE	418.6	837.1
1303	FLATTENER	370.1	740.2	1501	LANDAU BLACK	428.5	857.1
1557	MAGENTA	405.4	810.7	1557	MAGENTA	433.3	866.5
1501	LANDAU BLACK	416.4	832.8	1553	FAST BLUE	433.9	867.7
6470	Quartz	Ford Motor	GJ6	6478	Beige	Mercedes Benz	115A
1554	TINTING WHITE	111.3	222.6	1554	TINTING WHITE	228.1	456.2
1501	LANDAU BLACK	211.8	423.5	1302	LOW LUSTER CLEAR	362.2	724.4
1558	BRITE RED	281.9	563.7	1559	YELLOW OXIDE	399.4	798.8
1552	FAST RED	333.6	667.1	1550	RED OXIDE	415.4	830.7
1551	FAST YELLOW	384.2	768.4	1501	LANDAU BLACK	425.0	850.1
1303	FLATTENER	422.6	845.2	1551	FAST YELLOW	432.1	864.1

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 201

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
6479	Gray	Hyundai	ARS	6489	Rhapsody Blue	Ford Motor	HD8/HD8A
1302	LOW LUSTER CLEAR	130.9	261.9	1553	FAST BLUE	259.4	518.8
1554	TINTING WHITE	224.8	449.7	1559	YELLOW OXIDE	326.9	653.9
1501	LANDAU BLACK	315.0	630.1	1501	LANDAU BLACK	373.4	746.8
1559	YELLOW OXIDE	372.2	744.5	1303	FLATTENER	411.1	822.1
1558	BRITE RED	408.8	817.5	1551	FAST YELLOW	414.2	828.5
1551	FAST YELLOW	421.9	843.8				
6480	Turquoise	General Motors	46	6490	Deep Merlot	Ford Motor	HR6
1302	LOW LUSTER CLEAR	131.6	263.1	1552	FAST RED	239.6	479.1
1559	YELLOW OXIDE	254.7	509.4	1559	YELLOW OXIDE	314.6	629.2
1554	TINTING WHITE	360.7	721.5	1303	FLATTENER	352.4	704.8
1553	FAST BLUE	406.7	813.5	1553	FAST BLUE	390.0	780.1
1557	MAGENTA	419.9	839.8	1550	RED OXIDE	413.4	826.9
1552	FAST RED	423.9	847.8	1501	LANDAU BLACK	415.7	831.5
6483	Sydney Gray	Chrysler Motors	ND2	6491	Cocoa Antique	Ford Motor	EJ7
1554	TINTING WHITE	387.1	774.3	1550	RED OXIDE	133.7	267.5
1303	FLATTENER	426.1	852.3	1501	LANDAU BLACK	243.6	487.1
1501	LANDAU BLACK	435.0	870.1	1551	FAST YELLOW	295.2	590.3
1551	FAST YELLOW	440.7	881.4	1559	YELLOW OXIDE	339.4	678.8
1557	MAGENTA	444.0	887.9	1553	FAST BLUE	379.8	759.7
				1303	FLATTENER	417.8	835.6
6484	Salsa Red	Mercedes Benz	227	6492	Belmont	Ford Motor	GL6
1559	YELLOW OXIDE	148.7	297.4	1550	RED OXIDE	164.1	328.2
1557	MAGENTA	277.8	555.6	1559	YELLOW OXIDE	287.7	575.3
1550	RED OXIDE	330.1	660.2	1551	FAST YELLOW	368.3	736.5
1558	BRITE RED	380.0	760.1	1303	FLATTENER	406.5	812.9
1303	FLATTENER	418.0	836.1	1556	FAST GREEN	420.2	840.4
6486	Grey-Green	Volkswagon	K182	4939 Alt1	Ebony	General Motors	WA167A
1552	FAST RED	143.6	287.3	1557	MAGENTA	166.6	333.2
1554	TINTING WHITE	231.8	463.6	1551	FAST YELLOW	243.5	486.9
1556	FAST GREEN	299.2	598.4	1553	FAST BLUE	315.2	630.4
1551	FAST YELLOW	366.3	732.5	1559	YELLOW OXIDE	376.8	753.7
1303	FLATTENER	404.5	809.0	1303	FLATTENER	414.5	829.0
1553	FAST BLUE	420.5	840.9				
6487	Green-Grey	Volkswagon	K304	5689 Alt1	Black	Ford Motor	JA6A
1554	TINTING WHITE	328.5	657.1	1302	LOW LUSTER CLEAR	138.0	276.1
1559	YELLOW OXIDE	387.2	774.5	1501	LANDAU BLACK	261.8	523.5
1303	FLATTENER	427.3	854.6	1553	FAST BLUE	322.2	644.4
1501	LANDAU BLACK	439.8	879.7	1552	FAST RED	366.9	733.9
1556	FAST GREEN	440.7	881.4	1559	YELLOW OXIDE	411.5	822.9
				1550	RED OXIDE	414.1	828.2
6488	Vy Lt Ash Gray	General Motors	WA9869	5954 Alt1	Jet Black	General Motors	WA600R
1554	TINTING WHITE	364.3	728.6	1501	LANDAU BLACK	166.3	332.5
1303	FLATTENER	404.5	809.0	1559	YELLOW OXIDE	293.5	587.1
1552	FAST RED	418.0	836.0	1557	MAGENTA	352.5	705.1
1501	LANDAU BLACK	430.7	861.4	1303	FLATTENER	390.4	780.9
1551	FAST YELLOW	440.2	880.3	1553	FAST BLUE	414.6	829.2
1553	FAST BLUE	442.2	884.3	1552	FAST RED	416.8	833.6

SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF
REV. 10/17
PAGE 202

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

6220 Alt1	Orion Gray	Mercedes Benz	268
1554	TINTING WHITE	216.3	432.7
1559	YELLOW OXIDE	310.1	620.2
1501	LANDAU BLACK	390.3	780.6
1303	FLATTENER	429.6	859.3
1557	MAGENTA	432.9	865.8

6249 Alt1	Truffle	Rolex Vans	
1554	TINTING WHITE	165.9	331.8
1501	LANDAU BLACK	273.8	547.6
1550	RED OXIDE	342.6	685.3
1551	FAST YELLOW	389.5	779.1
1303	FLATTENER	428.5	857.0

6440 Alt1	Vy Dk Ash Gray	General Motors	970M
1501	LANDAU BLACK	167.8	335.5
1559	YELLOW OXIDE	263.1	526.3
1302	LOW LUSTER CLEAR	342.9	685.9
1554	TINTING WHITE	383.6	767.3
1558	BRITE RED	419.2	838.3

6457 Alt1	Pewter	Ford Motor	6NCA
1554	TINTING WHITE	174.4	348.7
1559	YELLOW OXIDE	256.5	513.0
1501	LANDAU BLACK	331.6	663.1
1558	BRITE RED	372.4	744.8
1303	FLATTENER	411.4	822.9
1553	FAST BLUE	429.3	858.6