

Issuing Date 30-Oct-2009

Revision Date 14-Oct-2016

Revision Number 1

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

GHS product identifier

Product Name Mothers Professional Rubbing Compound

Other means of identification

Product Code(s) 81132, 81138, 81155

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

**Supplier Address**  
MOTHERS POLISHES WAXES CLEANERS  
5456 Industrial Drive  
Huntington Beach, CA 92649  
TEL: 714-891-3364  
FAX: 714-893-1827

Emergency telephone number

Emergency Telephone Number Chemtrec 1-800-424-9300

**2. HAZARDS IDENTIFICATION**

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Not classified

GHS Label elements, including precautionary statements

**Emergency Overview**

Signal Word	None				
Appearance	White.	Physical State	Liquid.	Odor	Naphthalenic

**Precautionary Statements**

**Prevention**

- None

**General Advice**

- None

**Storage**

- None

**Disposal**

- None

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. 36.1% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	10-25	*
Aluminum oxide	1344-28-1	5-10	*
Paraffinic, naphthenic solvent	64742-47-8	<10	*
Glycerol	56-81-5	1-5	*
Aluminum nitrate nonahydrate	7784-27-2	1-5	*
White mineral oil	8042-47-5	1-5	*
Paraffin oils	8012-95-1	1-5	*
Calcined kaolin clay	66402-68-4	1-5	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Irritation. May cause allergic skin reaction. Central nervous system depression.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific Hazards Arising from the Chemical**

None in particular

**Explosion Data****Sensitivity to Mechanical Impact**

None.

**Sensitivity to Static Discharge**

None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Avoid contact with eyes. Ensure trained personnel conduct clean up. Refer to Section 8 for personal protective equipment.

**Environmental Precautions**

**Environmental Precautions** See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Dam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Keep in suitable and closed containers for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide 1344-28-1	TWA: 1 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	-
Glycerol 56-81-5	-	TWA: 15 mg/m <sup>3</sup> mist, total particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate (vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	-
Aluminum nitrate nonahydrate 7784-27-2	-	(vacated) TWA: 2 mg/m <sup>3</sup> Al Aluminum	TWA: 2 mg/m <sup>3</sup> Al

Calcined kaolin clay 66402-68-4	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.2 mg/m <sup>3</sup> Mn	TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> total dust
Paraffin oils 8012-95-1	TWA: 5 mg/m <sup>3</sup> inhalable fraction excluding metal working fluids, highly & severely refined	-	-
White mineral oil 8042-47-5	TWA: 5 mg/m <sup>3</sup> inhalable fraction excluding metal working fluids, highly & severely refined	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Measures**                      Showers  
    Eyewash stations  
    Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**                      Safety glasses with side-shields.  
**Skin and Body Protection**                Protective gloves.  
**Respiratory Protection**                    No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**                            Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid.	<b>Appearance</b>	White.
<b>Odor</b>	Naphthalenic	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	8-9	None known
<b>Melting Point/Range</b>	No data available	None known
<b>Boiling Point/Boiling Range</b>	114 °C	None known
<b>Flash Point</b>	> 105 °C / > 221.3 °F	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
upper flammability limit	No data available	
lower flammability limit	No data available	
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	No data available	None known
<b>Specific Gravity</b>	1.0000-1.1000	None known
<b>Water Solubility</b>	No data available	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	8500-9500 cps	None known

**Flammable Properties**                      Not flammable

**Explosive Properties**                        No data available  
**Oxidizing Properties**                        No data available

**Other information**

**VOC Content (%)**                            <17

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not reactive under normal conditions.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

None known based on information supplied.

**Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information****Inhalation**

No known effect. Avoid breathing vapors or mists. Inhalation of mist may cause irritation to the respiratory system.

**Eye Contact**

Contact with eyes may cause irritation.

**Skin Contact**

Prolonged or repeated contact may cause skin dryness or cracking. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Ingestion**

No known effect.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Solvent naphtha (petroleum), medium aliphatic	> 5000 mg/kg ( Rat )	= 3000 mg/kg ( Rabbit )	> 5.28 mg/L ( Rat ) 4 h
Aluminum oxide	> 5000 mg/kg ( Rat )	-	-
Paraffinic, naphthenic solvent	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Glycerol	= 12600 mg/kg ( Rat )	21900 mg/kg ( Rat )	-
Aluminum nitrate nonahydrate	= 3671 mg/kg ( Rat )	-	-
White mineral oil	> 5000 mg/kg ( Rat )	-	-

**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms**

Allergic skin reactions or irritation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Sensitization**

May cause sensitization of susceptible persons.

**Mutagenic Effects**

No information available.

**Carcinogenicity** IARC has classified ingested nitrate and nitrite ions as Group 2A carcinogens, for which food and water are the major pathways of human exposure. Individual nitrate and nitrite compounds were not evaluated individually. Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Aluminum nitrate nonahydrate		Group 2A		X
White mineral oil	A2			
Paraffin oils		Group 1 Group 3		X
Calcined kaolin clay	A2			X

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Chronic Toxicity** Repeated contact may cause allergic reactions in very susceptible persons.  
**Target Organ Effects** Respiratory system. Eyes. Skin.  
**Aspiration Hazard** Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.

#### Numerical measures of toxicity - Product

**Acute Toxicity** 36.1% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:*

**LD50 Oral** 101629 mg/kg; Acute toxicity estimate

**LD50 Dermal** 11270 mg/kg; Acute toxicity estimate

**Inhalation** mg/L

**dust/mist** 23.5 mg/L; Acute toxicity estimate mg/L

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

The environmental impact of this product has not been fully investigated. Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Solvent naphtha (petroleum), medium aliphatic 64742-88-7	EC50 96 h: = 450 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 800 mg/L static (Pimephales promelas)		EC50 48 h: > 100 mg/L (Daphnia magna)
Paraffinic, naphthenic solvent 64742-47-8		LC50: 45 mg/L Pimephales promelas 96 h flow-through LC50: 2.2 mg/L Lepomis macrochirus 96 h static LC50: 2.4 mg/L Oncorhynchus mykiss 96 h static		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)
Glycerol 56-81-5	-	LC50: 51-57 ml/L Oncorhynchus mykiss 96 h static	-	EC50 24 h: > 500 mg/L (Daphnia magna)
White mineral oil 8042-47-5		LC50 96 h: > 10000 mg/L (Lepomis macrochirus)		

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Glycerol	-1.76
White mineral oil	6.006

#### Other Adverse Effects

No information available.

### 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal Methods</b>	This material, as supplied, is not a hazardous waste according to state and Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste pursuant to Federal regulations, and the applicable state requirements for the specific area of disposal. Consult the appropriate state, regional, or local regulations for additional requirements
<b>Contaminated Packaging</b>	Dispose of in accordance with local regulations.
<b>California Hazardous Waste Codes</b>	331

### 14. TRANSPORT INFORMATION

<b><u>DOT</u></b>	Not regulated
<b><u>TDG</u></b>	Not regulated
<b><u>MEX</u></b>	Not regulated
<b><u>IATA</u></b>	Not regulated
<b><u>IMDG/IMO</u></b>	Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>NDSL</b>	Complies

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Aluminum oxide	1344-28-1	< 15	1.0
Aluminum nitrate nonahydrate	7784-27-2	< 10	1.0
Calcined kaolin clay	66402-68-4	< 10	1.0

#### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

Calcined kaolin clay		X		
----------------------	--	---	--	--

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Solvent naphtha (petroleum), medium aliphatic	X				
Aluminum oxide	X	X	X		X
Glycerol	X	X	X	-	X
Aluminum nitrate nonahydrate			X		
Paraffin oils	X	X	X		X
White mineral oil	X	X	X		X
Calcined kaolin clay			X		X
Triethanolamine	X	X	X		X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards</b> N/A
<b>HMIS</b>	<b>Health Hazard</b> 1*	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal Protection</b> B

\*Indicates a chronic health hazard.

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 30-Oct-2009  
**Revision Date** 14-Oct-2016  
**Revision Note** Updated.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**