


# MARINE CATALOG

REFINISHING, REPAIR & MAINTENANCE PRODUCTS



# A QUALITY JOB STARTS WITH PROPER PREPARATION

Our products are formulated to exacting standards using the best raw materials. Our prep products are designed to remove contaminants and improve the adhesion of repair materials and top coats.

### **SEM Soap**

A mild abrasive cleaner used as the first step in refinishing flexible substrates

- Gravitates into surface and floats contaminants for easy removal
- Mild abrasive helps with adhesion
- Foaming action removes body oils and other water soluble contaminants



39362 | 16 oz. Tube

#### Suitable substrates:

- Vinyl
- Leather
- Plastic

### **Vinyl Prep**

A strong solvent blend critical to refinishing vinyl.

- · Removes soil, wax and grease
- Temporarily softens substrate
- Works quickly



38343 | 16 oz. Aerosol 38344 | Quart

### Suitable substrates:

Vinyl

## Plastic & Leather Prep

A mild solvent blend to clean plastic and leather prior to refinishing.

- Removes mold release, fingerprints, grease and oil
- Will not soften or distort plastic parts
- Easy to use



38351 | Gallon 38353 | 16 oz. Aerosol 38354 | Cone Quart

### Suitable substrates:

- Plastic
- Leather
- Carpet
- Velour

### **SEM Solve**

A virgin solvent blend to clean panels prior to refinish or repair.

- Effectively removes adhesive residue, wax, grease, road tar, oil, silicone, paint overspray and bug remnants
- Easy to use
- Leaves no residue



38371 | Gallon

38373 | 20 oz. Aerosol

38374 | Quart

### Suitable substrates:

- Bare metal
- Primed or painted surfaces
- SMC and plastic limit exposure





**SPORTSMAN GREEN** 

**MATEO** WHEAT

**GULL** GRAY

SAIL MIDNIGHT WHITE BLACK

- Premium Appearance, Texture and Performance
- 2K Technology Strongest on the Market
- Durable, Slip-Resistant Finish
- Quick, One-Coat Application

### **GripTide™ Non-Skid Deck Coating**

A two-component high quality urethane, grip-enhancing, textured coating that provides a durable, protective finish for boat floors, boat decks and other marine surfaces.

- · Adhesion to most surfaces · 2K technology for durability
- and a quick cure · Easy one-step spray or
- roller application
- Durable coating that maintains flexibility
- · Five popular marine colors
- Chemical resistant
- Fade resistant



#### KIT CONTAINS

1 Gallon GripTide Non-Skid Deck Coating 1 Cone Quart GripTide Catalyst 1 (9") Heavy Texture Roller

### KIT CONTAINS

5 Gallons GripTide Non-Skid Deck Coating 5 Cone Quarts GripTide Catalyst Rollers purchased separately.

### Gallon Kits

M25610 | Sail White M25620 | Gull Gray M25630 | Mateo Wheat M25640 | Sportsman Green M25650 | Midnight Black - NEW!! 71140 | Heavy Texture Roller

#### 6.25 Gallon Kits

M25615 | Sail White M25625 | Gull Gray M25635 | Mateo Wheat M25645 | Sportsman Green M25655 | Midnight Black

## available in 6.25 Gallon kits.

All GripTide colors are also

### 2.1 VOC Compliant

A 2.1 VOC compliant, twocomponent primer that provides bare metal adhesion and filling in one product.

**GripTide DTM Primer** 

- 2.1 Mixed VOC
- Outstanding adhesion on steel, fiberglass, aluminum
- · Excellent corrosion control
- · Builds quickly, sands easily
- · Excellent color holdout Rollable or sprayable



M25674 | Primer | Quart

M25686 | Primer Activator | Half Pint

### **REFINISHING**

### **Vinyl Coat**™

Vinyl Coat is a line of flexible aerosol coatings to match, restore or change the color of most marine vinyl and plastic surfaces.

16 oz. Aerosol

25 Colors

- Covers stains, fading and prepped mildew
- Superior adhesion
- Outstanding UV protection
- · Stays flexible, will not crack
- Excellent hiding
- · Quick drying



### **REFINISH & SAVE**

Refinishing with Vinyl Coat VS

Replacing the seat costs

\$498






### **SEEING IS BELIEVING**

Watch the video to see how this old seat was made new using **Vinyl Coat**.





semproducts.com /boatseats



Ultra Purple M25003



Ultra Turquoise M25013



Ranger<sup>™</sup> Orchid Green M25023



Ultra Blue M25033



Ranger Admiral Blue M25043



Ranger Black



Ranger White



Ranger Off-White M25073



Carver™ White M25083



Sea Ray™ Mystic White M25093



Sea Ray Alabaster



Sea Ray Champagne M25113



Carver Dade Bisque M25123



Carver Light Tan M25133



Chaparal Beige/Platinum M25143



Stingray™ Taupe M25153



Ranger Beige M25163



Ranger Charcoal M25173



Ranger Gunmetal Grey



**Light Grey** M25193



Formula Boats™ Grey M25203



Carver Coco M25213



Stingray Yellow M25223



Formula Boats Red



Sterling™ Burgundy M25243

### **Engine Paint**

A flexible coating formulated to restore the color of plastic marine engine cowlings and other painted metal parts on the stern drive and lower unit.

- Excellent for fiberglass, plastic and precoated metal
- Flexible coating, will not crack
- · Superior hiding and gloss
- Smooth, consistent finish
- Convenient aerosols
- Quick drying
- · Simple to use
- Matches OEM finish
- **Excellent corrosion control**



16 oz. Aerosol

15643 | Pacific Blue

15713 | Ladera

15753 | Lt Oak

15793 | Shale

15833 | Khaki

15723 | Monterey

15763 | Storm Gray

15803 | Opel Gray

15813 | Med Dk Pewter

15823 | Lt Parchment

15843 | Med Parchment

M25503 | Evinrude™ White M25513 | Mercury™ Phantom Black

### **Color Coat**™

### **Improved Aerosol**

A specialty, flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. Color Coat is not a dye, but a fade-resistant, flexible and permanent coating.

- · Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- · Superior adhesion, flexibility, and hiding
- · Will not crack
- · Quick drying and simple to use
- · Ready to spray quarts and gallons
- Mixing system available for endless colors

16 oz. Aerosols

### 50 Colors and 3 Clears

13003	High Gloss Clear
13013	Satin Gloss Clear
13023	Low Luster Clear
15003	Phantom White
15013	Landau Black
15023	Cordovan Brown
15033	Saddle Tan
15043	Shadow Blue
15053	Granite
15063	Burgundy

- 15083 | Silver
- 15093 | Lt Buckskin
- 15103 | Super White 15113 | Firethorn Red
- 15123 | Santa Fe
- 15143 | Sandstone
- 15163 | Presidio

15173 | Camel

15183 | Warm Gray

15213 | Bluemist

15223 | Castella

15233 | Gloss Black

15243 | Satin Black

15253 | Titanium Metallic

15273 | Napa Red

15283 | Pescadero Sand

15303 | Graphite

15313 | White

15323 | Palomino

15353 Lt Titanium 15363 | Portola Red

15373 | Flame Red

15393 | Med Gray

15413 | Thomas Bus Gray

15453 | Gloss White

15483 | Bluebird Brown 15603 | Sailcloth White

15853 | Ivory 15863 Lt Neutral

15873 | Med Slate Gray 15883 | Med Neutral

15893 | Med Prairie Tan

Aerosols are shop floor compliant (NESHAP 6H)



For more versatility, **Color Coat** is available as a mixing system. Mix exactly how much paint you need and get an exact color match.



### **USE OUR EZ MIX APP**

Use our new online EZ Mix app to get popular OEM color formulas. Calculate the quantity you need and print a label with a Dymo printer.



### **Tac Free**

A flexible satin top coat used to eliminate plasticizer migration on coated surfaces.

### 39643 | 16 oz. Aerosol

- · Eliminates tackiness on refinished vinyl
- Wet on wet application saves time



### **Marine Vinyl Coat™** 12 Can **Assortment**

Assortments of the top selling Marine Vinyl Coat aerosols.

M25889 | 12 Can Assortment



### **Marine Rack Assortment**

An assortment of Vinyl Coat and other **SEM** Marine prep products.

M25992 | 1 Rack



### **Marine Vinyl Coat 30** Can **Assortment**

Contains 2 each of our most popular Vinyl Coat colors and 1 each of the other 20 colors.

M25779 | 30 Can Assortment





### **MAINTENANCE & REPAIR**

### 1K Seam Sealer

A versatile, single component sealer for sealing interior or exterior seams, joints, and voids.

- Direct to metal
- Paintable immediately\*
- · Remains flexible without shrinking or cracking
- Colors match many **OEM** sealers
- · Optimal working time
- Corrosion resistant
- Resistance weldable
- Excellent adhesion









10 oz. Tube

9.5 oz. Tube

29462 | White

29472 | Gray

29482 | Beige

29492 | Black

29362 | White 29372 | Grav 29382 | Beige 29392 | Black

Working Time: 5 - 10 Min Top Coat Time: 0 - 24 Hr

\* Paintable immediately with most solvent based paint systems.

# **1K Sprayable Seam Sealer**

A high performance, modified silane polymer seam sealer for duplicating OEM sprayed seams and sound dampening pads.

- Direct to metal
- Paintable immediately\*
- Excellent adhesion
- · Remains flexible without shrinking or cracking
- · Color variety to match **OEM** sealers
- Optimal working time









Working Time: 5 - 10 Min Top Coat Time: 0 - 24 Hr

\* Paintable immediately with most solvent based paint systems

### **Rust Mort**™

An acidic compound that removes or converts rust to an insoluble coating prior to applying body filler, primer or top coat.



69501 | Gallon 69504 | Quart 69508 | Pint

### Rust Seal™

A dual-purpose acidic compound that neutralizes mild rust and provides a temporary rust-protective layer prior to topcoating.



39304 | Quart 39308 | Pint

### **Rust Trap™**

A high gloss, moisture-cured, urethane coating for restoring and protecting rusty metal.

- · Premium moisture-cured urethane technology
- · Paint directly to rust or bare sanded steel
- · No conversion products needed
- · Wet-on-wet application for faster repairs
- · Compliant everywhere
- Flattener available
- Can be topcoated



45501 | Black | Gallon 45504 | Black | Cone Quart 45508 | Black | Pint

45514 | Silver | Cone Quart 45518 | Silver | Pint

45594 | Flattener | Cone Quart 45598 | Flattener | Pint

79460 | Counter Assortment

### **1K SEAM SEALER ACCESSORIES**



### **1K PNEUMATIC APPLICATOR**

An air-driven applicator gun designed for use with our 1K Seam Sealers. Ideal for frequent use or large jobs

#### Part No. Description

**1K Pneumatic Applicator** 1K Seam Sealer Nozzle (15)

### **UNDERCOATING ACCESSORY**



### PREMIUM UNDERCOAT **APPLICATOR**

A siphon feed heavy plastic applicator for spraying bed liners, undercoatings, and rust proofing.

Part No. Description

**Premium Undercoat Applicator** 

### 1.7 OZ. CARTRIDGE ACCESSORIES



### 1.7 OZ. MANUAL APPLICATOR

A convenient and compact applicator for use with 1.7 oz. Dual-Mix cartridges.

### Part No. Description

70019	1.7 oz. Manual Applicator
70020	1.7 oz Turbo Static Mixer (6)
70021	1.7 oz Turbo Static Mixer (15)

### 7 OZ. CARTRIDGE ACCESSORIES



### **UNIVERSAL APPLICATORS**

A dispensing gun for 7 oz. 2K cartridges.

Part No.	Description

Part No.	Description
70039	Universal Pneumatic Applicator
71119	Universal Manual Applicator
70011	Integral Static Mixer (6)

### Rubberized Undercoating

A premium, single component, paintable, textured coating for sound dampening, chip resistance, rust protection and corrosion protection.

- · Uniform final appearance
- · Quality asphalt-free formula
- Paintable without bleed through
- · Sound-deadening properties
- Aerosol includes straw for tight spots
- Fast-drying
- · Chip and corrosion resistant





39513 | White | 24 oz. Aerosol 39523 | Black | 24 oz. Aerosol

40523 | Low VOC Black | 24 oz. Aerosol

40524 | Low VOC Black | Quart

### **TWO-COMPONENT REPAIR PRODUCTS**

### Dual-Mix™ Quick Set 20

### **Dual-Mix Forever Warranty**

A very fast, two-component, clear, urethane adhesive designed for bumper tab repair and bonding most small plastic, steel and aluminum parts.

- High strength and sandable
- Bonds almost anything
- · Non-sag formula fills gaps
- Colorless
- Super fast setting



**40207** | 7 oz. 2K Cartridge **40202** | 1.7 oz. 2K Cartridge

Working Time: 15 Sec Set Time: 20 Sec Cure Time: 15 Min Resin Base: Urethane

### Dual-Mix Quick Set 50

### **Dual-Mix Forever Warranty**

A fast, two-component, black urethane adhesive designed for plastic repair and bonding most small plastic, steel and aluminum parts.

- · High strength and sandable
- · Bonds almost anything
- · Non-sag formula fills gaps
- 15 minute cure



40507 | Black | 7 oz. 2K Cartridge 40517 | Clear | 7 oz. 2K Cartridge 40502 | Black | 1.7 oz. 2K Cartridge

Working Time: 45 Sec Set Time: 50 Sec Cure Time: 15 Min Resin Base: Urethane

### Dual-Mix™ Quick Set 180

### **Dual-Mix Forever Warranty**

A very fast, two-component, clear, urethane adhesive designed for bumper tab repair and bonding most small plastic, steel and aluminum parts.

- · High strength and sandable
- Bonds almost anything
- · Non-sag formula fills gaps
- Colorless
- · Super fast setting





41807 | 7 oz. 2K Cartridge

Working Time: 3 Min Set Time: 3 Min Cure Time: 24 Hr Resin Base: Urethane

### Mini-Max™ Bumper Repair

A two-component, epoxy-based filler for repairing small damage to bumpers and rigid or semi-rigid plastics.

### 68422 | 1 oz. 2K Cartridge

- No adhesion promoter required
- Superior adhesion
- Excellent sanding and feather edging
- Does not shrink or pinhole
- Zero VOC



### Mini-Max General Purpose Adhesive

A two-component epoxy-based adhesive for fast bonds on most surfaces.

### 68432 | 1 oz. 2K Cartridge

- · Superior adhesion
- Ideal working time
- Bonds multiple substrates
- · Isocyanate free



### Mini-Max Clear Fast Set Adhesive

A two-component clear epoxy for an invisible bond on plastic, metal, fiberglass and wood.

### 68442 | 1 oz. 2K Cartridge

- Superior adhesion
- High strength
- Fast cure
- Bonds multiple substrates



A leader in repair and refinishing products for 70 years, **SEM Products, Inc**. is committed to manufacturing innovative and superior professional products. From specialty aerosols to adhesives and coatings, **SEM** creates products for the automotive, aerospace, marine and industrial markets. **SEM** emphasizes high quality and first class customer service throughout the organization. Based in Rock Hill, SC, **SEM** takes pride in the fact that all manufactured products are "Built Better<sup>TM</sup> in the USA."

**SEM Marine** products are specifically designed to meet the needs of the boating and watercraft community. From **Vinyl Coat™**, to restore or refinish marine vinyl and plastic, to our strongest on the market, **GripTide™ Non-Skid Deck Coating**, **SEM Marine** enables customers to repair, refinsh and protect their watercraft for long lasting great looks.

















