



## 1 Identification

- **Product identifier**
- **Trade name:** 39907 Non-Sag Fast Set Adhesive
- **Article number:** 39907
- **Application of the substance / the mixture** Adhesives
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SEM Products Inc.  
1685 Overview Drive  
Rock Hill, SC 29730  
803 207 8225
- **Information department:**  
cust\_care@semproducts.com : SEM Products, Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT
- **Emergency telephone number:** CHEMTREC 1-800-424-9300

## 2 Hazard identification

- **Classification of the substance or mixture**



GHS07

Acute Toxicity (Oral) - Category 4

Skin Irritation - Category 2

Eye Irritation - Category 2A

Skin Sensitizer - Category 1

Specific Target Organ Toxicity - Single Exposure -  
Category 3

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- 
- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

bisphenolA(chloro)oxirane polymer

Mercapan resin

Mercaptan Terminated Polymer NJTS 800938 5952

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

CASTOR OIL GLYCIDAL ETHER

- **Hazard statements**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

CA



**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 1)

*H317 May cause an allergic skin reaction.**H335 May cause respiratory irritation.*

· **Precautionary statements**

*P261 Avoid breathing dust/fume/gas/mist/vapours/spray.**P264 Wash thoroughly after handling.**P270 Do not eat, drink or smoke when using this product.**P271 Use only outdoors or in a well-ventilated area.**P272 Contaminated work clothing should not be allowed out of the workplace.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.**P302+P352 IF ON SKIN: Wash with plenty of water.**P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P321 Specific treatment (see on this label).**P330 Rinse mouth.**P333+P313 If skin irritation or rash occurs: Get medical advice/attention.**P337+P313 If eye irritation persists: Get medical advice/attention.**P362+P364 Take off contaminated clothing and wash it before reuse.**P403+P233 Store in a well-ventilated place. Keep container tightly closed.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**

*Health = 2**Fire = 1**Reactivity = 1*

· **HMIS-ratings (scale 0 - 4)**

*Health = 2**Fire = 1**Reactivity = 1*

**3 Composition/Information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:**

*Mixture: consisting of the following components.**Weight percentages*

· **Dangerous components:**

25068-38-6	bisphenolA(chloro)oxirane polymer	15-40% w/w
	Mercaptan Terminated Polymer NJTS 800938 5952	10-30% w/w
26142-30-3	Epoxy Resin	1-5% w/w
88375-39-7	Mercapan resin	1-5% w/w
67762-90-7	FUMED SILICA	1-5% w/w
68909-14-8	Modified diglycidal ether	1-5% w/w

(Contd. on page 3)

# Safety Data Sheet

according to HPR, Schedule 1



Printing date 06/20/2017

Reviewed on 06/06/2017

Trade name: 39907 Non-Sag Fast Set Adhesive

(Contd. of page 2)

90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	1-5% w/w
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	1-5% w/w
17557-23-2	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	0.5-1.5% w/w
74398-71-3	CASTOR OIL GLYCIDAL ETHER	≤ 1% w/w

## 4 First aid measures

### · Description of first aid measures

### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### · After swallowing: Immediately call a doctor.

### · Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

### · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Firefighting measures

### · Extinguishing media

### · Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### · Special hazards arising from the substance or mixture No further relevant information available.

### · Advice for firefighters

### · Protective equipment: No special measures required.

## 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures Not required.

### · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CA  
(Contd. on page 4)

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 3)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**3033-62-3 N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)**

EL Short-term value: 0.15 ppm  
Long-term value: 0.05 ppm  
Skin

EV Short-term value: 0.15 ppm  
Long-term value: 0.05 ppm  
Skin

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Liquid

Color:

According to product specification

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

115 °C

· **Flash point:**

94 °C

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

Decomposition temperature:

Not determined.

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.  
In use, may form flammable/explosive vapour-air mixture.

· **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

· **Vapor pressure:**

Not determined.

· **Density at 20 °C:**

1.22051 g/cm<sup>3</sup>

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

Water:

Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:

Not determined.

Kinematic:

Not determined.

(Contd. on page 6)



**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 5)

· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	0.1 %
· <b>Solids content:</b>	
<b>Other information</b>	98.9 % No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories**

### · **IARC (International Agency for Research on Cancer)**

1333-86-4	Carbon black	2B
14808-60-7	Quartz (SiO <sub>2</sub> )	I
64-17-5	ethanol	I

### · **NTP (National Toxicology Program)**

14808-60-7	Quartz (SiO <sub>2</sub> )	K
------------	----------------------------	---

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)



Printing date 06/20/2017

Reviewed on 06/06/2017

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
*Water hazard class 2 (Self-assessment): hazardous for water*  
*Do not allow product to reach ground water, water course or sewage system.*  
*Danger to drinking water if even small quantities leak into the ground.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                     |  |
|-------------------------------------|--|
| · <b>UN-Number</b>                  | Void   |
| · <b>DOT</b>                        | UN3082   |
| · <b>TDG, IMDG, IATA</b>            |  |
| · <b>UN proper shipping name</b>    | Void   |
| · <b>DOT</b>                        | 3082 Environmentally hazardous substances, liquid, n.o.s.                                |
| · <b>TDG</b>                        | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,   |
| · <b>IMDG, IATA</b>                 | N.O.S.   |
| · <b>Transport hazard class(es)</b> |  |
| · <b>DOT</b>                        |  |
| · <b>Class</b>                      | Void   |
| · <b>TDG, IMDG, IATA</b>            |  |
|                                     |  |
| · <b>Class</b>                      | 9 Miscellaneous dangerous substances and articles  |
| · <b>Label</b>                      | 9  |
| · <b>Packing group</b>              | Void   |
| · <b>DOT</b>                        | III  |
| · <b>TDG, IMDG, IATA</b>            |  |
| · <b>Environmental hazards:</b>     | Product contains environmentally hazardous substances: bisphenolA(chloro)oxirane polymer |
| · <b>Marine pollutant:</b>          | No   |
| · <b>Special marking (TDG):</b>     | Symbol (fish and tree)   |

(Contd. on page 8)

CA





Printing date 06/20/2017

Reviewed on 06/06/2017

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 7)

· <b>Special marking (IATA):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles
· <b>EMS Number:</b>	F-A,S-F
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>TDG</b>	
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S., 9, III

### **15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· <b>Section 355 (extremely hazardous substances):</b>
None of the ingredient is listed.
· <b>Section 313 (Specific toxic chemical listings):</b>
68909-14-8 Modified diglycidal ether
107-21-1 ethanediol
67-56-1 methanol
· <b>TSCA (Toxic Substances Control Act):</b>
25068-38-6 bisphenolA(chloro)oxirane polymer
1317-65-3 GROUND CALCIUM CARBONATE
26142-30-3 Epoxy Resin
88375-39-7 Mercapan resin
67762-90-7 FUMED SILICA
68909-14-8 Modified diglycidal ether
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol
3033-62-3 N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)
17557-23-2 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane
6674-22-2 1,8-diazabicyclo[5.4.0]undec-7-ene
74398-71-3 CASTOR OIL GLYCIDAL ETHER
107-21-1 ethanediol

(Contd. on page 9)





Printing date 06/20/2017

Reviewed on 06/06/2017

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 8)

919-30-2	3-aminopropyltriethoxysilane
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane
1333-86-4	Carbon black
14808-60-7	Quartz (SiO <sub>2</sub> )
64-17-5	ethanol
67-56-1	methanol
7732-18-5	water

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

25068-38-6	bisphenolA(chloro)oxirane polymer
26142-30-3	Epoxy Resin
67762-90-7	FUMED SILICA
68909-14-8	Modified diglycidal ether
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)
17557-23-2	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene
74398-71-3	CASTOR OIL GLYCIDAL ETHER
107-21-1	ethanediol
919-30-2	3-aminopropyltriethoxysilane
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane
1333-86-4	Carbon black
14808-60-7	Quartz (SiO <sub>2</sub> )
64-17-5	ethanol
67-56-1	methanol
7732-18-5	water

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

bisphenolA(chloro)oxirane polymer

Mercapan resin

Mercaptan Terminated Polymer NJTS 800938 5952

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)

(Contd. on page 10)

# Safety Data Sheet

according to HPR, Schedule 1



Printing date 06/20/2017

Reviewed on 06/06/2017

**Trade name: 39907 Non-Sag Fast Set Adhesive**

(Contd. of page 9)

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane  
CASTOR OIL GLYCIDAL ETHER

· **Hazard statements**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P330 Rinse mouth.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:** Steve Gaver (sgaver@semproducts.com)

· **Date of preparation / last revision** 06/20/2017 / 8

· **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

· **\* Data compared to the previous version altered.**